DIRECTIONS FOR USE

This product is for use in industrial, commercial, and institutional recirculating cooling water towers to control the growth of algae and fungi. Begin treatment when the system is in jeopardy of becoming affected or after cleaning a system whose efficiency is already impaired. Badly fouled systems must be cleaned before treatment is begun. Apply at a point in the system where the product will be uniformly mixed.

For intermittent feeding, an initial dose of one bag (4.5 pounds) for each 6,000 to 12,000 gallons of water in the system. Repeat until control is achieved. When microbial control is evident, add one bag (4.5 pounds) per 12,000 to 24,000 gallons of water in the system every 2 to 5 days, or as needed to maintain control.

MC

ACTIVE INGREDIENTS

SODIUM PENTACHLOROPHEN SODIUM SALTS OF OTHER CH

INERT INGREDIENTS . .

WEIGHT PER CUBIC FOOT OF WEIGHT OF ACTIVE INGRED

CONDITIONS OF SALE

The manufacturer warrants that this material conforms to the description on the label. The manufacturer neither makes, nor authorizes any agent or representative to make any other warranty, expressed or implied.

Net Contents _

Control No. _



FOR INS

,			
			Keep (Do no anc gc
	I-BAG ACCEPTED		
NATE	$\mathbf{A} = \mathbf{A} + $	· · · 79°6 · · · 11?。 · · · <u>10%</u>	In casi or coi water
FPELLETS	NOV 6 1975 TOTAL UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT	100% 55.0 POUNDS	clothii
DIENTS PER BAG	FOR ECONOMIC POISON REGISTER- ED UNDER NO. $2/55-8/$. 4.05 POUNDS	lf swa to ph and c
EP OUT OF THE REACH OF CHILDREN.			
TION. MAY CAUSE EYE DAMAGE, ABSORBED THROUGH SKIN OM SOLUTION.			This p effluer into la
panel for first aid and additional precautionary statements.			this pr
S	OR INDUSTRIAL USE ONI OLD BY:	LY.	Net we
1. SCHNEID, INC.			
P. O. BOX 93188 MARTECH STATION			E.P.A F EST. N
•••••	A GEORGIA 30318		

SE

rcial, and owers to gin treatbecoming fficiency must be t a point niformly

one bag

allons of

achieved.

bag (4.5

er in the

maintain

MOLL	I-BAGS
ACTIVE INGREDIENTS	ACCEPTED
SODIUM PENTACHLOROPHENATE	· · · · · · · · · · · · · · ·
INERT INGREDIENTS	NOV 6 1975
WEIGHT PER CUBIC FOOT OF PELLETS WEIGHT OF ACTIVE INGREDIENTS PER BAG .	TOTAL UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTER- ED UNDER NO. 2155-81

.E

rial connanufacagent or **xp**ressed DANGER: KEEP OUT OF THE REACH OF CHILDREN. HARMFUL IF INHALED OR SWALLOWED. CAUSES SKIN IRRI-TATION. MAY CAUSE EYE DAMAGE, ABSORBED THROUGH SKIN FROM SOLUTION.

See right panel for first aid and additional precautionary statements.

FOR INSTITUITONAL OR INDUSTRIAL USE ONLY. SOLD BY:

ATLANTA, GEORGIA 30318

DANGER:

Keep Out of Reach of Children.

Do not breathe dust or spray mist. Wear rubber gloves and goggles.

FIRST AID

In case of contact with the skin or eyes by the powder or concentrated solutions, flush exposed areas with water for at least 15 minutes. Remove and wash clothing before reuse. For eyes, call a physician.

If swallowed, induce vomiting. Call a physician. Note to physician: this product is a metabolic stimulant and causes hyperthermia. Treat symptomatically.

Do not reuse empty container. Destroy when empty.

This product is toxic to fish and wildlife. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Apply this product only as specified on this label.

Net weight: 4.5 pounds per bag

E.P.A REG. NO. 2155 - 81-EST. NO. 2155 - GA 1

79°% 11%

10%

100°2

55.0 POUNDS 4.05 POUNDS