

APPLICATION

This product is used to control algae, bacteria, and fungi in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algal growth, microbiological slime and other deposits. An initial slug application of 2.45 to 6.13 fluid ounces of concentrate per 1000 gallons of water to provide a concentration of 5 to 12 parts per million of the active ingredient based on the total weight of water in the system is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of .61 to 6.13 fluid ounces of concentrate per 1000 gallons of water (1 to 12 parts per million of active ingredient) should be employed every 2 to 5 days as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

E.P.A. Reg. No. 2155 - 89 -
E.P.A. EST. No. 2155 - GA. - 1

TOWERCIDE 25

ACTIVE INGREDIENT	Percent by weight
Poly [oxyethylene (dimethyliminio) ethylene (dimethyliminio) ethylene dichloride]	25.0 %
INERT INGREDIENT	<u>75.0 %</u>
	Total 100.0 %
Weight per gallon	8.87 lbs.
Weight of active ingredient per gallon	2.22 lbs.

CAUTION: KEEP OUT OF THE REACH OF CHILDREN.
See Other Precautions and First Aid on Side Panel.

ACCEPTED FOR INSTITUTIONAL OR INDUSTRIAL USE ONLY.

2155-89

NOV 18 1975

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO.

1075

Sold by:

SCHMIDT

TOWERCIDE 25

CAUTION

KEEP OUT OF THE REACH OF CHILDREN
Harmful if swallowed. Do not get in eyes.
Avoid contact with skin. If swallowed, induce
vomiting by giving 1 or 2 tablespoons of salt
in warm water and sticking finger in back of
throat. In case of contact with eyes, flush
with plenty of water for at least 15 minutes.
If eye irritation persists call a physician. Avoid
contamination of food.

ENVIRONMENTAL HAZARDS: This prod-
uct is toxic to fish. Treated effluent should
not be discharged where it will drain into
lakes, streams, ponds, or public water. Apply
this product only as specified on the label.

Rinse empty container thoroughly with water
before discarding or returning drum to drum
reconditioner.

CONTROL NUMBER

NET CONTENTS
GALLONS

ACTIVE INGREDIENT	Percent by weight
Poly [oxyethylene (dimethyliminio) ethylene (dimethyliminio) ethylene dichloride]	25.0 %
INERT INGREDIENT	<u>75.0 %</u>
	Total 100.0 %
Weight per gallon	8.87 lbs.
Weight of active ingredient per gallon	2.22 lbs.

CAUTION: KEEP OUT OF THE REACH OF CHILDREN.
See Other Precautions and First Aid on Side Panel.

FOR INSTITUTIONAL OR INDUSTRIAL USE ONLY.

Sold by:

ACCEPTED
55-89
NOV 18 1975
E. FEDERAL INSECTICIDE
AND RODENTICIDE ACT
TOXIC POISON REGISTER-
NO.