


Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 6-30-90.

		United States Environmental Protection Agency Office of Pesticide Programs (TS-767) Washington, DC 20460		OPP Identifier Number <div style="border: 1px solid black; padding: 5px; font-size: 1.2em;">148027</div>
Application for Pesticide:				<input type="checkbox"/> Registration <input checked="" type="checkbox"/> Amendment
Section I				
1. Company/Product Number 2155-94	2. Date 1 September 1995	3. Product Manager 32	4. Proposed Classification <input checked="" type="checkbox"/> General <input type="checkbox"/> Restricted	
5. Name and Address of Applicant (Include ZIP Code)				
I. Schneid, Inc. 1429 Fairmont Avenue, N. W. Atlanta, Georgia 30318-4153				
<input type="checkbox"/> Check if this is a new address				
6. Product Name Microbiocide LD-10 (Guardian 10)				
Section II - Amendment Information				
1. Subject <input type="checkbox"/> Resubmission in response to Agency letter <input type="checkbox"/> Final printed label in response to Agency letter <input checked="" type="checkbox"/> Other (explain below)				Date of Letter 1 Sep 1995
This is a notification that changes consistent with PR 95-1 have been made to our label. See attached certification.				
Section III				
1. Material This Product Will Be Packaged In Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No			2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)	
Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes," Unit package wgt No. per container			Water-Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes," Package weight No. per container	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container			4. Size(s) of Retail Container	
5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On material accompanying product			6. Manner in Which Label Is Affixed To Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other (Specify) <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled	
Section IV				
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application).				
Name John J. Walker, Ph. D.				
Title Director of Research			Telephone No. (Include Area Code) (404) 351-4705	
6. Date Application Received (Start Date) <div style="border: 1px solid black; padding: 5px;"> 1 September 1995 </div>				
Certification				
I certify that the statements I have made on this form and all attachments thereto are true, accurate, and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.				
2. Signature 			3. Title Director of Research	
4. Typed Name John J. Walker, Ph. D.			5. Date Signed 1 September 1995	

I certify that this notification is consistent with PR 95-1 and FIFRA regulations at 40 CFR 152.46 and that no other changes have been made to the labeling of this product. I further understand that if this notification is not consistent with the terms of PR Notice 95-1 and 40 CFR 152.46, then this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.



John J. Walker, Ph. D.
Director of Research

BEST AVAILABLE COPY

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is used in industrial and/or commercial recirculating cooling tower systems and industrial air-washing systems to control microbiological slime.

Prior to the use of this product in industrial and/or commercial recirculating cooling tower systems, systems should be cleaned to remove algal growth, microbiological slime, and other deposits. Then make an initial slug addition of 12.0 to 17.9 fl. oz. of this product per 1,000 gallons of water to provide 100 to 150 ppm of this product based on total weight of water in the system. Repeat initial dosage until control is evident. Make subsequent slug additions of 6.0 to 17.9 fl. oz. of this product per 1,000 gallons of water (50 to 150 ppm this product) every 2 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and severity of the microbiological problem. Slug additions should be made in the sump of recirculating cooling tower systems.

This product is used in industrial air-washing systems which maintain effective mist-eliminating components. Prior to its use, systems should be cleaned to remove bacterial slime and other deposits. An initial slug dose of 28.1 to 35.9 fl. oz. of this product per 1,000 gallons of water is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 21.0 to 35.9 fl. oz. of the product per 1,000 gallons should be employed every 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and severity of the microbiological problem.

Slug additions may be made to the sump of the industrial air-washing system.

E.P.A. Reg. No. 2155-94
E.P.A. EST. No. 2155-GA-1

4966/090195

CONTROL
NUMBER

NET CONTENTS
GALLONS

GUARDIAN

**For use with recirculating wa
cooling tower systems**

ACTIVE INGREDIENTS:

Potassium dimethyldithiocarbamate

INERT INGREDIENTS

This product contains 0.87 lb. of active ingredient per gallon, and weighs 8.68 lb. per gallon.

FIRST!!! READ ENTIRE LABEL. OBSERVE ALL WARNINGS AND FOLLOW DIRECTIONS CAREFULLY. USE IN CONFORMANCE WITH FEDERAL AND STATE REGULATIONS.

ILLUSTRATION OF REACTION WHEN
WARNING

Be careful of Flammable Vapors.

See High Side Panel for Precautionary Statements.

NOT FOR SALE TO OR USE BY HOMEOWNERS OR RESIDENTIAL USERS.
Manufactured By:

**I. SCHNEID, INC.
1429 FAIRMONT AVENUE, NW
ATLANTA, GEORGIA 30318-4153**

BEST AVAILABLE