MICROBIOCIDE LD-10

For Use With Recirculating Water in Cooling Tower Systems

ACTIVE INGREDIENTS:

THIS PRODUCT CONTAINS 0.87 LB. OF ACTIVE INGREDIENT PER GALLON AND WEIGHS 8.68 LB. PER GALLON.

HIGHLY CONCENTRATED, LOW ODOR, NO FOAM KILLS A WIDE RANGE OF BACTERIA AND ALGAE

FIRST! READ ENTIRE

OBSERVE ALL WARNINGS AND FOLLOW DIRECTIONS CAREFULLY. USE ONLY IN CONFORMANCE WITH FEDERAL AND STATE REGULATIONS.

WARNING: KEEP OUT OF REACH OF CHILDREN
JARNAFUL OR FATAL IF SWALLOWED. SEE RIGHT SIDE PANEL FOR PRECAUTIONARY STATEMENT

NOT FOR SALE TO OR USE BY HOMEOWNERS OR RESIDENTIAL USERS

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes eye'damage and skin irritation. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Avoid contamination of food. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling.

FIRST AID

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison contol center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. FOR INFORMATION ON THIS PESTICIDE PRODUCT (INCLUDING HEALTH CONCERNS, MEDICAL EMERGENCIES, OR PESTICIDE INCIDENTS), CALL THE NATIONAL PESTICIDE TELECOMMUNICATIONS NETWORK AT 1-800-858-7378.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate gastric lavage.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water or Regional Office of the EPA. Do not allow water that contains this pesticide to come in contact with grass or plants. Do not use in drinking water or in swimming pools.

STORAGE AND DISPOSAL

1. Prohibition: Do not contaminate water, lood or leed by storage or disposal. Open dumping prohibited.
2. Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
3. Container Disposal: Metal Containers—Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic Containers—Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

CONTROL

NET CONTENTS GALLONS





DIRECTIONS FOR USE GENERAL CLASSIFICATION

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

This product is used in industrial and/or commercial recirculating cooling tower systems and industrial air-washing systems to control microbiological slime.

Prior to the use of this product in industrial and/or commercial recirculating cooling tower systems, systems should be cleaned to remove algal growth, microbiological slime, and other deposits. Then make an initial slug addition of 12.0 to 17.9 fl. oz. of this product per 1,000 gallons of water to provide 100 to 150 ppm of this product based on total weight of water in the system. Repeat initial dosage until control is evident. Make subsequent slug additions of 6.0 to 17.9 fl. oz. of this product per 1,000 gallons of water (50 to 150 ppm this product) every 2 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and severity of the microbiological problem. Slug additions should be made in the sump of recirculating cooling lower systems.

This product is used in industrial air-washing systems which maintain effective mist-eliminating components. Prior to its use, systems should be cleaned to remove bacterial slime and other deposits. An initial slug dose of 28.1 to 35.9 II. oz. of this product per 1,000 gallons of water is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 21.0 to 35.9 II. oz. of the product per 1,000 gallons of water should be employed every 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and severity of the bacterial problem.

Slug additions may be made to the sump or the water collection travs of the air wash system.

E.P.A. Reg. No. 2155-94 E.P.A. EST. No. 2155-GA-1 ACCEPTED

662379#/090195

SEP 1 8 2000

MANUFACTURED BY:

T LSchneid

Under the Federal Insecticide, Fungicide, and Rodanticide Act as amonded, for the pesticide, registered under

Pesticide, registered under EPA Reg. No. 2/55-94

' I. SCHNEID • P.O. BOX 93188 • ATLANTA, GA. 30377-0188