

PM 32 2155-95

Page 173

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 6-30-90.



Instructions United States Environmental Protection Agency  
Office of Pesticide Programs (TS-767)  
Washington, DC 20460

# Application for Pesticide Registration Amendment

OPP Identifier Number

148028

## Section I

1. Company/Product Number 2155-95 2. Date 1 September 1995 3. Product Manager 32 4. Proposed Classification ☒ General ☐ Restricted

5. Name and Address of Applicant (Include ZIP Code)

I. Schneid, Inc.  
1429 Fairmont Avenue, N. W.  
Atlanta, Georgia 30318-4153

☐ Check if this is a new address

6. Product Name

Microbiocide LD-5 (Guardian 5)

## Section II - Amendment Information

1. Subject ☐ Resubmission in response to Agency letter ☐ Final printed label in response to Agency letter ☒ Other (explain below) Date of Letter 1 Sep 1995

This is a notification that changes consistent with PR 95-1 have been made on our label. See attached certification.

## Section III

1. Material This Product Will Be Packaged In Child-Resistant Packaging ☐ Yes ☐ No Unit Packaging ☐ Yes ☐ No If "Yes," Unit package wgt No. per container Water-Soluble Packaging ☐ Yes ☐ No If "Yes," Package weight No. per container 2. Type of Container ☐ Metal ☐ Plastic ☐ Glass ☐ Paper ☐ Other (Specify) 3. Location of Net Contents Information ☐ Label ☐ Container 4. Size(s) of Retail Container 5. Location of Label Directions ☐ On Label ☐ On material accompanying product 6. Manner in Which Label Is Affixed To Product ☐ Lithograph ☐ Paper glued ☐ Stenciled ☐ Other (Specify)

## Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application).

Name

John J. Walker, Ph. D.

Title

Director of Research

Telephone No. (Include Area Code)

(404) 351-4705

6. Date Application Received (Stamped)

## Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate, and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature

3. Title

Director of Research

4. Typed Name


John J. Walker, Ph. D.

5. Date Signed

1 September 1995

5 7 3

I certify that this notification is consistent with PR 95-1 and EPA regulations at 40 CFR 152.46 and that no other changes have been made to the labeling of this product. I further understand that if this notification is not consistent with the terms of PR Notice 95-1 and 40 CFR 152.46, then this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.



John J. Walker, Ph. D.  
Director of Research

**BEST AVAILABLE COPY**

**DIRECTIONS FOR USE  
GENERAL CLASSIFICATION**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is used in industrial and/or commercial recirculating cooling tower systems and industrial air-washing systems to control microbiological slime.

Prior to the use of this product in industrial and/or commercial recirculating cooling tower systems, systems should be cleaned to remove algal growth, microbiological slime and other deposits. Then make an initial slug addition of 24.2 to 36.3 fl. oz. of this product based on total weight of water in the system. Repeat initial dosage until control is evident. Make subsequent slug additions of 12.1 to 36.3 fl. oz. of this product per 1,000 gallons of water (100 to 300 ppm this product) every 2 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and severity of the microbiological problem. Slug additions should be made in the sump of the recirculating cooling tower system.

This product is used in industrial air-washing systems which maintain effective mist-eliminating components. Prior to its use, systems should be cleaned to remove bacterial slime and other deposits. An initial slug dose of 56.8 to 72.5 fl. oz. of this product per 1,000 gallons of water is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 42.3 to 72.5 fl. oz. of this product per 1,000 gallons of water should be employed every 1 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and severity of the bacterial problem.

Slug additions must be made to the sump of the water collection tank of the air-wash system.

E.P.A. Reg. No. 2155-95  
E.P.A. EST. No. 2155-GA-1

4964/090195

CONTROL  
NUMBER

NET CONTENTS  
GALLONS

# GUARDIAN

**For use with recirculating water  
cooling tower systems**

**ACTIVE INGREDIENTS:**

Potassium dimethyldithiocarbamate .....

**INERT INGREDIENTS .....**

This product contains 0.43 lb. of active ingredient per gallon and weighs 8.50 lb. per gallon.

**FIRST!!! READ ENTIRE LABEL. OBSERVE ALL WARNINGS AND FOLLOW DIRECTIONS CAREFULLY. USE IN CONFORMANCE WITH FEDERAL AND STATE REGULATIONS.**

**KEEP OUT OF REACH OF CHILDREN.**

**WARNING**

Harmful or Fatal if Swallowed.

See Back Label for Precautions and First Aid.

**FOR COMMERCIAL AND INDUSTRIAL USE ONLY, OR FOR  
SALE TO, USE, AND STORAGE BY SERVICE PERSONS.**

**Manufactured By:**

**I. SCHNEID, INC.  
1429 FAIRMONT AVENUE, NW  
ATLANTA, GEORGIA 30318-4153**

**BEST AVAILABLE C**