

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Apply this concentrate before or during the period of active growth of plants to be controlled when rainfall can be expected for soil activation. If dense growth is present, results will be improved if vegetation is removed before treatment. Do not apply when ground is frozen.

Before spraying, calibrate equipment to determine quantity of water necessary to uniformly cover measured area to be treated. Measure the proper amount of this concentrate and mix into the necessary volume of water. After this concentrate has been thoroughly mixed in the spray tank, operation of the spray is not required.

WEED CONTROL: To control most weeds for an extended period of time on non-cropland areas such as RAILROADS, HIGHWAYS and PIPELINES, RIGHT OF WAYS, PETROLEUM TANK FARMS, LUMBERYARDS, STORAGE AREAS and INDUSTRIAL PLANT SITES: Apply 5% to 11 gallons this concentrate per acre to control ANNUAL WEEDS and GRASSES such as foxtail, ryegrass, wild oats, crabgrass, bromegrass, ragweed, lambquarters, puncturevine, orchardgrass, and curly mullen. When applied just prior to or after emergence of annuals, rates as low as 3 gallons per acre control many annual weeds and grasses in low rainfall areas and give short term control in higher rainfall areas.

Apply 11 to 22 gallons this concentrate per acre to control PERENNIAL WEEDS and GRASSES such as smooth brome, bahiagrass, bluegrass, reedtop, purpletop, quackgrass, broom-crowder, aster, dandelion, dog fennel, goldenrod, plantain and wild carrot. In areas with low or seasonal rainfall, rates as low as 8 gallons per acre control many perennial weeds and grasses.

Apply 22 to 44 gallons this concentrate per acre to control JOHNSONGRASS: use at the same rate for OTHER HARD TO KILL PERENNIAL WEEDS and GRASSES such as bermudagrass, dallisgrass, nutgrass, vesicigrass, sedgegrass, bouncinroot, dogbane, bracken fern and horsetail. Where limited rainfall (usually less than 4 inches) occurs during the active growth period, such as some areas of the West, this concentrate will not provide satisfactory control of hard to kill, deep-rooted perennial weeds such as johnsongrass.

Use higher levels of the dosage on absorptive soils (usually those high in organic matter or carbon).

Retreatment - Apply 3 to 11 gallons this concentrate per acre when annual weeds and grasses reappear on sites where weed growth has been controlled.

STORAGE AND DISPOSAL:

1. Prohibition - DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE, DISPOSAL OR CLEANING OF EQUIPMENT. OPEN DUMPING IS PROHIBITED.

2. Pesticide - Pesticide, spray mixture or residue that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation Recovery Act.

3. Container Disposal - a) Retail drum and offer for reconditioning or b) Triple rinse (or equivalent) and offer for recycling or reconditioning or dispose of in sanitary landfill or by other approved State and local procedures.

Notice Of Warranty: The manufacturer makes no warranties expressed or implied concerning the use of this product other than those indicated on the label. Purchaser assumes all risks of use and handling of this material when such use and handling are contrary to label instructions.

E.P.A. Reg. No. 2155-99

E.P.A. EST. No. 2155-GA-01

PROP ER CONC.
8, OCTOBER 1982

ERADICATE CONCENTRATE

**A NON-SELECTIVE HIGHLY CONCENTRATED
WATER DILUTABLE WEED KILLER**

ACTIVE INGREDIENT:	Lithium salt of bromacil (5-brom-3-ac-butyl 6-methyluracil)	8.10%
INERT INGREDIENTS:	91.90%
TOTAL	100.00%

**FIRST!!! READ ENTIRE LABEL. OBSERVE ALL WARNINGS
AND FOLLOW DIRECTIONS CAREFULLY.
USE ONLY IN CONFORMANCE WITH FEDERAL AND STATE
REGULATION. NEVER RE-USE CONTAINER.**

KEEP OUT OF REACH OF CHILDREN.

WARNING:

Harmful or Fatal if Swallowed.

STATEMENT OF PRACTICAL TREATMENT.

IF SWALLOWED - Call a Physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED - Remove victim to fresh air. Apply respiration if indicated.

IF ON SKIN - Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES - Flush eyes with plenty of water. Call physician immediately.

SEE RIGHT SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENT.

**FOR COMMERCIAL AND INDUSTRIAL USE ONLY OR FOR
SALE TO, USE, AND STORAGE BY SERVICE PERSONS.**

Manufactured For

I. SCHNEID,
P. O. BOX 93188
MARTECH STATION
ATLANTA, GEORGIA 30318

ACCEPTED
NOV 16 1982
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 2155-99

GENERAL INFORMATION:

This concentrate after mixing in water, is non-volatile, non-flammable and non-corrosive to metals, except aluminum. Do not use with aluminum spray nozzle. This concentrate is an effective general herbicide for use on non-cropland areas for control of broadleaf many annual and perennial weeds, and is particularly useful for control of perennial grasses. It is a water soluble liquid to be mixed in water and applied as a spray; this concentrate may also be applied undiluted for basal (soil) treatments of broadleaf weeds. Effects are slow to appear and may not be noticeable until the chemical has been carried into the root zone of the weeds by moisture. The degree of control and duration of effect will vary with the amount of chemical applied, soil type, rainfall, and other conditions.

IMPORTANT - Injury to or loss of desirable trees or other plants may result from failure to observe the following. Do not apply, or drain or flush equipment on or near desirable trees or other plants or on areas where their roots may extend or in locations where the chemical may be washed or moved into contact with their roots. Do not use on lawns, walks, driveways, tennis courts, or similar areas. Prevent drift of spray to desirable plants. Do not contaminate domestic waters. Keep from contact with fertilizers, insecticides, fungicides, and seeds. Thoroughly clean all traces of this concentrate from application equipment immediately after use. Flush tank, pump, hoses and boom with several changes of water after removing nozzle tips and screens (Clean these parts separately).

KEEP CONTAINER CLOSED WHEN NOT IN USE.
WARNING! HARMFUL OR FATAL IF SWALLOWED. COMBUSTIBLE. CAUSES EYE IRRITATION. MAY IRRITATE NOSE, THROAT, AND SKIN.

PRECAUTIONARY STATEMENTS:
HAZARDS TO HUMANS (AND DOMESTIC ANIMALS).

WARNING: May be fatal if swallowed. May be absorbed through skin. Concentrate may cause skin damage. Use water-proof gloves and face shield or goggles when handling concentrate. Do not breathe spray mist. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling. Avoid contamination of food and feed. Keep out of reach of domestic animals. Do not use on humans, household pets, or livestock. Keep children and pets off treated areas until material is washed into the soil and grass is dry. Do not store with or near feed and foodstuffs or drinking water. During application, avoid drift to adjacent food and forage plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption. Wash sprayer immediately after application with detergent and water, then rinse with clean water.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from areas treated. Do not apply directly to water except as specified on this label.

This pesticide is highly toxic to bees exposed to direct treatment or to residue remaining on the treated area. Do not apply when bees are actively visiting weeds blooming in the treatment area. Application should be timed to provide maximum possible interval.

CONTROL NUMBER

NET CONTENTS GALLONS

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Apply this concentrate before or during the period of active growth of plants to be killed when rainfall can be expected for soil activation. If rain is present, results will be improved if vegetation is killed before treatment. Do not apply when ground is frozen.

Before spraying, calibrate the sprayer to determine quantity of water necessary to deliver the concentrate and mix into the necessary volume of water. After this concentrate has been thoroughly mixed in the spray tank, agitation of the spray is not required.

WEED CONTROL: To control most weeds for an extended period of time on non-cropland areas such as RAILROADS, HIGHWAYS and PIPELINES, RIGHT OF WAYS, PETROLEUM TANK FARMS, LUMBERYARDS, STORAGE AREAS and INDUSTRIAL PLANT SITES; Apply 1 1/2 to 3 gallons this concentrate per acre to control ANNUAL WEEDS and GRASSES such as foxtail, ryegrass, wild oats, crabgrass, bromegrass, ragweed, lambquarters, puncturevine, orchardgrass, and turkey mullein. Wheat applied just prior to or after emergence of annuals, rates as low as 1/2 gallon per acre control many annual weeds and grasses in low rainfall areas and give short term control in higher rainfall areas.

Apply 3 to 5 gallons this concentrate per acre to control PERENNIAL WEEDS and GRASSES such as smooth brome, bahiagrass, bluegrass, redtop, purpletop, quackgrass, broomrape, aster, dandelion, dog fennel, goldenrod, plantain and wild carrot. In areas with low or seasonal rainfall; rates as low as 2 1/2 gallons per acre control many perennial weeds and grasses.

Apply 6 to 12 gallons this concentrate per acre to control JOHNSONGRASS; use at the same rate for OTHER HARD TO KILL PERENNIAL WEEDS and GRASSES such as bermudagrass, dallisgrass, nutgrass, waxygrass, setgrass, bouncingbet, dogbane, bracken fern and horsetail. Where limited rainfall (usually less than 4 inches) occurs during the active growth period, such as some areas of the West, this concentrate will not provide satisfactory control of hard to kill, deep-rooted perennial weeds such as johnsongrass.

Use higher levels of the dosage on adhesive soils (usually those high in organic matter or carbon).

Retreatment - Apply 1/2 to 3 gallons this concentrate per acre when annual weeds and grasses reappear on sites where weed growth has been controlled.

NOTICE OF WARRANTY: The manufacturer makes no warranties expressed or implied concerning the use of this product other than those indicated on the label. Purchaser assumes all risks of use and handling of this material when such use and handling are contrary to label instructions.

EPA Reg. No. 2155-RNG PROP-HYCI
EPA Est. No. 2155-GA-01 7 OCT. 1971