

EACH GALLON CONTAINS 0.10 LBS./GAL. BROMACIL. **ACTIVE INGREDIENTS:**

Lithium solt of bromacil (5-bromo

-3sec-butyl-6-methyluracil) 1,22%

INERT INGREDIENTS: 98,78%

TOTAL 100.00%

FIRST! ENTIRE

READ

LABEL

OBSERVE ALL WARNINGS AND FOLLOW DIRECTIONS CAREFULLY, USE ONLY IN CONFORMANCE WITH FEDERAL AND STATE REGULATIONS, NEVER RE-USE CONTAINER.

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

If On Skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If In Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, their continue rinsing. Call a poison control center or doctor for treatment advice.

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have a person sap a glass of water diable to swallow. Do not induce voiniting unless feld to by poison control center or doctor.

For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at 1-800-858-7378. Have the product container or label with you when calling a person control center or doctor or going for treatment

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS

FOR COMMERCIAL AND INDUSTRIAL USE ONLY.
NOT FOR USE ON AGRICULTURAL ESTABLISHMENTS.

GENERAL INFORMATION

GENERAL PRECAUTIONS AND RESTRICTIONS: Do not allow this product to contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Do not allow others to enter the treated area until sprays have dried. Not to be used in any recreational areas or in or around homes.

This concentrate after mixing in water, is non-volatile, non-flammable, and non-corrosive to metals except aluminum. Do not use with aluminum spray nozzles. This concentrate is an effective general herbicide for use on non-cropland areas for control of brush and many annual and perennial weeds. and is particularly useful for control of perennial grasses. It is a water soluble liquid to be mixed in water and applied as a spray, this concentrate may also be applied undiluted for basal (soil) treatment of brush. Effects are slow to appear and may not become apparent until this product has been carried into the root zone of the weeds by moisture. The degree of control and duration of effects will vary with the amount of product applied, soil type, rainfall

IMPORTANT: Injury to or loss of desirable trees or others plant may results from failure to observe the following: Do not apply, or drain or flush equipment on or near desirable trees or other plants or on areas where their roots may extend or in locations where the product may be washed or moved onto contact with their roots. Do not use on lawns, walks, driveways, tennis courts, or similar areas. Prevent drifts of spray to desirable plants. Do not contaminate domestic waters. Keep from contact with fertilizer, insecticides, fungicides and seeds. Thoroughly clean all traces of this concentrate from application equipment immediately after use. Flush tank, pump, hoses, and boom with several changes of water after removing tips and screens (clean these parts separately).

STORAGE AND DISPOSAL

PROHIBITION: DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE AND DISPOSAL. CLEANING OF EQUIPMENT AND OPEN DUMPING PROHIBITED.

PESTICIDE STORAGE

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Do not reuse container, METAL CONTAINERS—Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. PLASTIC CONTAINERS - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke,

NOTICE OF WARRANTY: The manufacturer makes no warranties expressed or implied conce on the label. Purchaser assumes all risks of use a weekla ding of the majorial wheekla of se trancerning the use of this product other than those indicated. and handling, are contrary to label instructions.

E.P.A. Reg. No. 2155-100 E.P.A. EST. No. 2155-GA.-1

Under the Federal insections. Pungloide, and Rodentioide Act, an amended, for the pesticide registered under

CONTROL NUMBER

BPA Rek. Eo.

1858366/111799

NET CONTENTS GALLONS

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Do not get on skin or clothing. Avoid contact with eyes, skin or clothing. PERSONAL PROTECTIVE EQUIPMENT (PPE): Applicators and other handlers must wear: Chemical-resistant gloves (Category A); Long-sleeved shirt and long pants, shoes plus socks.

USER SAFETY REQUIREMENTS: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENVIRONMENTAL HAZARDS: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters

USER SAFETY RECOMMENDATIONS

User should wash hands before eating, drinking, chewing gum, using lobacco or using the foilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible wash thoroughly and change into clean clothing.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Not for use on turf being grown for sale or other commercial use as soil, or for continuer cial seed production, or for research purposes. For use on plants in non-crop and non-timber areas only. Not for use on crops, timber, or other plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. This product is a liquid non-selective general herbicide which is designed to be used where control of all vegetation is desired. If produces rapid top kill of all succulent vegetation. Franslocation and roof absorption produce extensive root kill of weeds and provides long term control. Sufficient moisture from rainfall or artificial means is necessary after treatment to carry the product into the root of the weeds. This product is recommended for non-crop areas such as RALLROADS, HIGHWAYS, PIPELINES, TANKS FARMS, LUMBER YARDS, FENCE ROWS and PARKING LOTS. This concentrate can be sprayed or sprinkled on. If sprayed, direct the spray to the soil at the base of the weeds and adjust for coarse spray to prevent drifting. Thoroughly clean spray equipment with a suitable chemical cleaner before using for other purposes or do not use same equipment for other purposes. Do not reuse this container for other purposes.

APPLICATION INSTRUCTIONS: For easy application and better penetration, dilute one gallon of concentrate to 9 gallons of water and apply as directed below:

ANNUAL WEEDS AND GRASSES: Such as Crabgrass, Foxtail, Ryegrass, Wild Oats, Ragweed, Broomgrass, Lambsquarter, and similar weeds. Use 10 gallons of the diluted concentrate per 750 square feet (580 gal/acre).

PERENNIAL WEEDS AND GRASSES: Such as Smooth Brame, Quackgrass, Bluegrass, Purple-Top, Dandelion, Goldenrod, Wild Carrot and similar weeds. Use10 gallons of the diluted concentrate per 400 square feet (1.089 gal./acre).

HARD TO KILL PERENNIAL: Such as Johnson Grass, Bermuda Grass, Dallisgrass, Nutgrass. Sattgrass. Dogbane, Horsetail, Bracken Fern and similar weeds. Use 10 gallons of the diluted concentrate per 400 square feet (1,089 gal./acre). Use higher levels of dosage on absorptive soils. Retreatment is prohibited when 10 gallon application is applied to 400 square feet.

MANUFACTURED BY:

