

A concentrated, multi-purpose germicidal detergent and deodorant effective in hard waters up to 400 ppm hard water (calculated as CaCO₃) plus 5% organic serum. Disinfects, cleans, and deodorizes in one labor saving step. Recommended for use in hospitals, nursing homes, schools and colleges, veterinary clinics, animal life science laboratories and meat and poultry establishments.

Bactericidal @1:128 dilution (1 ounce per gallon of water) against the following organisms according to the current AOAC. Use dilution test method, modified in the presence of 400 ppm synthetic hard water (calculated as CaCO₃) plus 5% organic serum.

<i>Pseudomonas aeruginosa</i>	<i>Klebsiella pneumoniae</i>	<i>Escherichia coli</i>
<i>Staphylococcus aureus</i>	<i>Proteus vulgaris</i>	<i>Staphylococcus aureus</i> (antibiotic resistant)
<i>Salmonella Choleraesuis</i>	<i>Serratia marcescens</i>	<i>Streptococcus faecalis</i> (antibiotic resistant)
<i>Enterobacter cloacae</i>	<i>Shigella flexneri</i>	<i>E. coli</i> (antibiotic resistant)
<i>Streptococcus pyogenes</i>	<i>Shigella sonnei</i>	<i>Klebsiella pneumoniae</i> (antibiotic resistant)
<i>Streptococcus lactis</i>	<i>Salmonella typhi</i>	<i>Staphylococcus epidermidis</i> (antibiotic resistant)
<i>Enterobacter aerogenes</i>	<i>Proteus mirabilis</i>	<i>Pseudomonas aeruginosa</i> (antibiotic resistant)
<i>Salmonella typhimurium</i>		

Fungicidal against *Trichophyton interdigitale* and *Candida albicans* according to the AOAC Fungicidal Test, modified in the presence of 400 ppm hard water (calculated as CaCO₃) plus 5% organic serum @1:128 dilution.

*Virucidal against the following viruses according to the virucidal qualification, modified in the presence of 400 ppm hard water plus 5% organic serum @1:128 dilution. (1/2 cup per 2 gallons of water). (1 ounce per gallon of water).

Influenza A/Hong Kong	Feline picornavirus	Pseudorabies virus
Herpes simplex type 1	Feline leukemia virus	Infectious bronchitis virus (Avian IBV)
Herpes simplex type 2	Canine distemper virus	Canine Parvovirus
Vaccinia	Rabies virus	
Rubella	Porcine parvovirus	
Adenovirus type 4		

*Kills HIV-1 (AIDS virus) on precleaned environmental surfaces/objects previously soiled with blood/body fluids in healthcare settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (ASSOCIATED WITH AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

Personal Protection: Disposable latex or vinyl gloves, gowns, face masks, or eye coverings as appropriate, must be worn during all cleaning of body fluids, blood, and decontamination procedures.

Cleaning Procedures: Blood and body fluids must be thoroughly cleaned from surfaces and objects before application of disinfectant.

Contact Time: Effective against HIV-1 (AIDS virus) on hard non-porous surfaces in the presence of a moderate amount of organic soil (5% blood serum) when used at a 1:128 dilution (providing 600 ppm of active quaternary) on 400 ppm CaCO₃ hard water for a contact time of 4 minutes at room temperature (20-25° C). Use a ten (10) minute contact time for disinfection against all other bacteria, fungi, and viruses claimed (listed on labeling).

Disposal of Infectious Materials: Blood and other body fluids should be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal.

E.P.A. Reg. No. 215-117-

E.P.A. Est. No. 2155-A-1

CONTROL

NUMBER

8888/110889
NET CONTENTS
GALLONS

BR-62B

ONE STEP GERMICIDAL DETERGENT AND DEODORANT

***Pseudomonacidal • Staphylocidal • Salmonellacidal
• Fungicidal • *Virucidal**

ACTIVE INGREDIENTS:

Didecyl dimethyl ammonium chloride 4.61%
n-Alkyl (C14 50%, C12 40%, C16 10%)
dimethyl benzyl ammonium chloride 3.07%

INERT INGREDIENTS: 92.32%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

MANUFACTURED BY
I. SCHNEID INC.
1429 FAIRMONT AVE. N.W.
ATLANTA GA 30381

ACCEPTED
FEB 09 1990
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 2155-117

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its GENERAL USE DIRECTIONS FOR DISINFECTING:

For use on hard non-porous surfaces such as floors, walls, metal surfaces, porce surfaces. Remove gross filth and heavy soil deposits then thoroughly wet surfaces with 1 ounce per gallon of water for a minimum contact time of 10 minutes in a single application. be applied with a mop, sponge, or cloth as well as spraying or soaking. The disinfectant solution is prepared fresh for each use then discarded. Rinsing is not necessary unless surface is to be waxed or polished.

For use in meat and poultry plants as a general cleaning agent on all surfaces, or for use in or mechanical cleaning device in all departments. Before use of this compound, all packaging materials must be removed from the room or carefully protected. After use of compound, all surfaces in the area must be thoroughly rinsed with potable water.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. If swallowed, drink promptly a large quantity of egg whites, gelatin solution, or milk. If are not available, drink large quantities of water. Avoid alcohol. Get medical attention. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CORROSIVE: Causes eye damage and severe skin irritation. Do not get in eye or on clothing. To protect eyes wear goggles or face shield and to protect skin, wear rubber gloves. Wash thoroughly with soap and water after use. Remove contaminated clothing and wash before reuse. Harmful if swallowed.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Protection Agency, or the Hazardous Waste representative at the nearest EPA Regional Office.

CONTAINER DISPOSAL

PLASTIC CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reuse, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by local authorities, by burning. If burned, stay out of smoke.

FIBER DRUMS WITH LINERS: Completely empty liner by shaking and tapping to loosen clinging particles. Empty residue into application equipment. Then dispose of in a sanitary landfill or by incineration if allowed by State and local authorities. If drum cannot be reused, dispose of in the same manner.

METAL CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reuse, or puncture and dispose of in a sanitary landfill, or by other procedures approved by local authorities.

GENERAL: Consult federal, state, or local disposal authorities for approved alternatives such as limited open burning.