

PM 31 2155-117

1 of 1

A concentrated, multi-purpose germicidal detergent and deodorant effective in hard waters up to 400 ppm hard water (calculated as CaCO<sub>3</sub>) plus 5% organic serum. Disinfects, cleans, and deodorizes in one labor saving step. Recommended for use in hospitals, nursing homes, schools, colleges, veterinary clinics and animal life science laboratories and federally inspected meat and poultry establishments, equine farms, tack shops, pet shops, airports, kennels, hotels and motels, poultry and turkey farms, dairy farms, and hog farms, breeding and grooming establishments.

Bactericidal @ 1:128 dilution (1 ounce per gallon of water) against the following organisms according to the current AOAC. Use dilution test method, modified in the presence of 400 ppm synthetic hard water (calculated as CaCO<sub>3</sub>) plus 5% organic serum.

<i>Pseudomonas aeruginosa</i> <i>Staphylococcus aureus</i> <i>Salmonella choleraesuis</i> <i>Enterobacter cloacae</i> <i>Streptococcus pyogenes</i> <i>Streptococcus faecalis</i> <i>Enterobacter aerogenes</i> <i>Salmonella typhimurium</i>	<i>Klebsiella pneumoniae</i> <i>Proteus vulgaris</i> <i>Serratia marcescens</i> <i>Shigella flexneri</i> <i>Shigella sonnei</i> <i>Salmonella typhi</i> <i>Proteus mirabilis</i>	<i>Fusobacterium necrophorum</i> <i>E. coli</i> <i>Staphylococcus aureus</i> (antibiotic resistant) <i>Streptococcus faecalis</i> (antibiotic resistant) <i>E. coli</i> (antibiotic resistant) <i>Klebsiella pneumoniae</i> (antibiotic resistant) <i>Staphylococcus epidermidis</i> (antibiotic resistant) <i>Pseudomonas aeruginosa</i> (antibiotic resistant)
--	--	---

Fungicidal against *Trichophyton interdigitale* and *Candida albicans* according to the AOAC Fungicidal Test, modified in the presence of 400 ppm hard water (calculated as CaCO<sub>3</sub>) plus 5% organic serum @ 1:128 dilution.

\*Virucidal against the following viruses according to the virucidal qualification, modified in the presence of 400 ppm hard water plus 5% organic serum @ 1:128 dilution. (1 oz. per gal. of water).

<i>Canine Parvovirus</i> <i>Canine distemper virus</i> <i>Rabies virus</i> <i>Feline leukemia virus</i> <i>Feline picornavirus</i>	<i>Porcine parvovirus</i> <i>Influenza A/Hong Kong</i> <i>Herpes simplex type 1</i> <i>Herpes simplex type 2</i> <i>Vaccinia</i>	<i>Rubella</i> <i>Adenovirus type 4</i> <i>Pseudorabies virus</i> <i>Infectious bronchitis virus (Avian IBV)</i>
--	--	---

\*Kills HIV-1 (AIDS virus) on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (ASSOCIATED WITH AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

**Personal Protection:** Disposable latex or vinyl gloves, gowns, face masks, or eye coverings, as appropriate, must be worn during all cleaning of body fluids, blood, and decontamination procedures.

**Cleaning Procedures:** Blood and body fluids must be thoroughly cleaned from surfaces and objects before application of disinfectant.

**Contact Time:** Effective against HIV-1 (AIDS virus) on hard non-porous surfaces in the presence of a moderate amount of organic soil (5% blood serum) when used at a 1:128 dilution (providing 600 ppm of active quaternary) on 400 ppm CaCO<sub>3</sub> hard water for a contact time of 4 minutes at room temperature (20-25° C). Use a ten (10) minute contact time for disinfection against all other bacteria, fungi, and viruses claimed (listed on labeling).

**Disposal of Infectious Materials:** Blood and other body fluids should be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal.

E.P.A. Reg. No. 2165-117  
E.P.A. Est. No. 2165-GA-1

2081225/090195

NET CONTENTS  
GALLONS

CONTROL  
NUMBER

ACCEPTED

NOV 12 1996

Under The Federal Insecticide, Fungicide and  
Rodenticide Act, as amended, for the  
pesticide registered under  
EPA Reg. No. 2155-117

# BR-62B

## ONE STEP GERMICIDAL DETERGENT AND DEODORANT

Pseudomonacidal • Staphylocidal • Salmonellacidal •  
Fungicidal • \*Virucidal

### ACTIVE INGREDIENTS:

Didecyl dimethyl ammonium chloride .....	4.61%
n-Alkyl (C <sub>14</sub> 50%, C <sub>12</sub> 40%, C <sub>16</sub> 10%) .....	
dimethyl benzyl ammonium chloride .....	3.07%
INERT INGREDIENTS: .....	92.32%

KEEP OUT OF REACH OF CHILDREN  
DANGER

Manufactured By:



I. SCHNEID, INC. • P.O. BOX 93188 • ATLANTA, GA 30377-0188

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

#### GENERAL USE DIRECTIONS FOR DISINFECTING:

For use on hard non-porous surfaces such as floors, walls, metal surfaces, porcelain, and plastic surfaces. Remove gross filth and heavy soil deposits then thoroughly wet surfaces as required. Use 1 ounce per gallon of water for a minimum contact time of 10 minutes in a single application. Can be applied with a mop, sponge, or cloth as well as spraying or soaking. The recommended use solution is prepared fresh for each use then discarded. Rinsing is not necessary unless floors are to be waxed or polished.

For use in meat and poultry plants as a general cleaning agent on all surfaces, or for use with steam or mechanical cleaning device in all departments. Before use of this compound, food products and packaging materials must be removed from the room or carefully protected. After use of this compound, all surfaces in the area must be thoroughly rinsed with potable water. 1 oz. per gallon of water.

#### STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician. If swallowed, drink promptly a large quantity of egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

#### PRECAUTIONARY STATEMENTS

##### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER**

**CORROSIVE:** Causes eye damage and severe skin irritation. Do not get in eyes, on skin or on clothing. To protect eyes wear goggles or face shield and to protect skin, wear rubber gloves when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Harmful if swallowed.

#### ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water or Regional Office of the EPA.

#### STORAGE AND DISPOSAL PROHIBITIONS

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

#### CONTAINER DISPOSAL

**PLASTIC CONTAINERS:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**FIBER DRUMS WITH LINERS:** Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.

**METAL CONTAINERS:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**GENERAL:** Consult, federal, state, or local disposal authorities for approved alternative procedures such as limited open burning.