UNITE(TATES ENVIRONMENTAL PROTECTION AGENCY

2155-121

8-24-2000

ANS 2 4 2008

I. Schneid 1429 Fairmont Ave., NW Atlanta, Georgia 30318-4153

Subject: 4.5 Disinfectant

EPA Registration No. 2155-121 Letter Dated June 12, 2000

Attn:

John J. Walker, Ph.D. Director of Research

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy of the label is enclosed for your records. Submit one (1) copy of the final printed label before this product is released for shipment.

- 1. The requirements of PR Notice 91-2 were satisfied. The nominal concentration of the active ingredient given in the proposed Alternate Formulation CSF agreed with the percentage declared on the label.
 - 2. Upper and lower certified limits for both the active and inert ingredients are acceptable.
- 3. All inert ingredients including Pylaklor Dark blue LX-10843 are cleared for use in pesticide formulations
- The product label for the Alternate formulation of 4.5 disinfectant no longer makes a sanitation claim.
- All other elements of the Confidential Statement of Formula (CSF) were acceptable. The amended registration, requesting the use of an Alternate Formulation, is accepted.

CONCURRENCES				
SYMBOL 7510W				
SURNAME 3 Joses				
DATE \$ 8-21-00				
EPA Form 1320-1A (1/90)			OF F	ICIAL ELLE COPY

Printed on Recycled Paper

If you have any questions concerning the comments in this letter, you should contact Zenobia Jones at (703) 308-6198.

Sincerely,

Velma Noble

Product Manager 31

Regulatory Management Branch 1
Antimicrobial Division (7510W)

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

This product is a phosphate free formulation designed to provide effective cleaning, deodorizing, and disinfection specifically for hospitals, nursing homes, schools, food processing plants, food service establishments and other institutions where housekeeping is of prime importance in controlling the hazard of cross contamination.

This product, when used as directed, is formulated to disinfect inanimate hard surfaces such as walls, floors, sink tops, toilet bowls, tables, chairs, telephones, and bed frames. For larger great such as operating rooms, patient care facilities and restrooms, this product is designed to provide both general cleaning and disinfecting.

This product deodorizes those areas which generally are hard to keep fresh smelling, such as garbage storage areas, empty garbage bins and cans, toilet bowls and other areas which are prone to odors caused by microorganisms,

In addition this product sanitizes previously cleaned and rinsed, non-porous food contact surfaces such as tanks, chopping blocks, counter tops, drinking glasses and eating utensils.

DISINFECTION: To disinfect inanimate, hard surfaces add, 2 ounces of this product per gallon of water. Apply solution with a mop, cloth, sponge or mechanical sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes, then remove excess liquid. For heavily soiled areas, a pre-cleaning step is required. Prepare a fresh solution for each use. To disinfect toilet bowls, flush totlet, add 2 ounces of this product directly to the bowl water. Swah the bowl completely using a scrub brush or todel mop, making sure to get under the rim. Let stand for 10 minutes and flush-

BACTERICIDAL ACTIVITY: When diluted at the rate of 2 ounces per gallon of water, this product exhibits effective disinfectant activity against the organisms: Pseudomonas aeruginosa PRD 10. Escherichia coli, Kiebsiella pneumoniae, Salmonella schottmuelleri, Salmonella choleraesuis, Streptococcus sativarius, Brevibacterium ammoniagenes, Streptococcus faecalis, Shigella dysenteriae, Enterobacter aerogenes and Staphylococcus aureus and meets all requirements for hospital use

MILDEWSTAT: To control mold and mildew on pre-cleaned, hard, non-porous surfaces add 2 ounces of this product per gation of water. Apply solution with a cloth, mop or sponge making sure to wet all surfaces completely. Let air dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when mildew growth appears. At the 2 ounces per gallon dilution this product is also fungicidal against the pathogenic fungi. Trichophyton mentagrophytes EFFICACY TESTS HAVE DEMONSTRATED THAT THIS PRODUCT IS AN EFFECTIVE BACTERICIDE.

FUNGICIDE, AND VIRUCIDE, IN THE PRESENCE OF ORGANIC SOIL (5% BLOOD SERUM).

E.P.A. REG. No. 2155-121 E.P.A. EST. No. 2155-GA-1

ACCEPTED with COMMENTS in EPA Letter Dated:

AUG 24 2000

MANUFACTURED BY:



Under the Federal Insecticide. Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. -2/55-12/

I. SCHNEID • P.O. BOX 93188 • ATLANTA, GA 30377-0188



Detergent/Disinfectant

Cleaner • Disinfectant • Detergent • Fungicide (against Pathogenic fungi) • Deodorizer • Virucide Mildewstat (on hard inanimate surfaces)

ACTIVE INGREDIENTS: n-Alkyl (60% C14, 30% C16, 5% C12, 5% Cl8) dimethyl benzyl ammonium chlorides...... 2.25% n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl INERT INGREDIENTS: 95.50% TOTAL 100,00%

DANGER: KEEP OUT OF REACH OF CHILDREN SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

FOR COMMERCIAL AND INDUSTRIAL USE ONLY

OR FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONS.

VIRUCIDAL ACTIVITY: This product when used on environmental inanimate hard surfaces at 2 ounces per gallon of water exhibits effective virucidal activity against Influenza A2/Japan (representative of the common flu virus). Herpes Simplex Type 1 (causative agent of fever blisters), Adenovirus Type 2 (causative agent of upper respiratory infections), and Vaccina virus (representative of the pox virus group).

KILLS HIV-1 ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings (Hospitals, Nursing Homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS)

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION GAINST HIV-1 OF STORY CES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONA OTECTION: When handling ems soiled with blood or body fluids use disposable latex gloves, gowns, masks, or eye coverings. CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product. CONTACT TIME: Allow surface to remain wet for 10 minutes. DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS. DANGER

KEEP OUT OF REACH OF CHILDREN, CORROSIVE. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly with soap and water after handling. Harmful or fatal if swallowed. Avoid contamination of food. Remove and wash contaminated clothing.

ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into takes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water or Regional Office of the EPA.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink egg whites, gelatin solution or if these are not available drink large quantities of water. Avoid alcohol. Call a physician immediately. NOTETO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

STORAGE: Store in a dry place no lower in temperature than 50" F or higher than 120" E.

CONTAINER DISPOSAL: Do not reuse empty container. Triple rinse empty container with water. Return metal drum then offer for reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities authorities are discontainers may be of the dof in a sanitary landfill, incinerated or if allowed by local authorities, by burnings.

burning, ed stay out of smoke.

PESTICID: VISPOSAL: Pesticide wastes use acutely hazardous, improper disposal of excess pesticide, apray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTROL NUMBER

NET CONTENTS GALLONS