

PM-31

Reg # 2155-124

192

EPA

02-10-95

A concentrated, multi-purpose germicidal detergent and deodorant effective in hard waters up to 400 ppm hard water (calculated as CaCO₃) plus 5% organic serum. Disinfects, cleans, and deodorizes in one labor saving step. Recommended for use in hospitals, nursing homes, schools, colleges, veterinary clinics and animal life science laboratories, equine farms, tack shops, pet shops, air ports, kennels, hotels & motels, poultry & turkey farms, dairy farms, and hog farms, breeding and grooming establishments.

Bactericidal @ 1:64 dilution (2 ounces per gallon of water) against the following organisms according to the current AOAC Use dilution test method, modified in the presence of 400 ppm synthetic hard water (calculated as CaCO₃) plus 5% organic serum.

Pseudomonas aeruginosa
Staphylococcus aureus
Salmonella choleraesuis
Enterobacter dosciae
Streptococcus pyogenes
Streptococcus faecalis
Enterobacter aerogenes
Salmonella typhimurium

Klebsiella pneumoniae
Proteus vulgaris
Serratia marcescens
Shigella flexneri
Shigella sonnei
Salmonella typhi
Proteus mirabilis

Fusobacterium necrophorum
E. coli
Staphylococcus aureus (antibiotic resistant)
Streptococcus faecalis (antibiotic resistant)
E. coli (antibiotic resistant)
Klebsiella pneumoniae (antibiotic resistant)
Staphylococcus epidermidis (antibiotic resistant)
Pseudomonas aeruginosa (antibiotic resistant)

Fungicidal against *Trichophyton interdigitale* and *Candida albicans* according to the AOAC Fungicidal Test, modified in the presence of 400 ppm hard water (calculated as CaCO₃) plus 5% organic serum @ 1:64 dilution.

*Virucidal against the following viruses according to the virucidal qualification, modified in the presence of 400 ppm hard water plus 5% organic serum @ 1:64 dilution (2 oz per gal of water).

Canine Parvovirus
Canine distemper virus
Habitat virus
Feline leukemia virus
Feline picornavirus

Porcine parvovirus
Influenza A/Hong Kong
Herpes simplex type 1
Herpes simplex type 2
Vaccinia

Rubella
Adenovirus type 4
Pseudorabies virus
Infectious bronchitis virus (Avian IBV)

*Kills HIV-1 (AIDS virus) on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids in healthcare settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (ASSOCIATED WITH AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

Personal Protection: Disposable latex or vinyl gloves, gowns, face masks, or eye coverings as appropriate, must be worn during all cleaning of body fluids, blood, and decontamination procedures. **Cleaning Procedures:** Blood and body fluids must be thoroughly cleaned from surfaces and objects before application of disinfectant.

Contact Time: Effective against HIV-1 (AIDS virus) on hard non-porous surfaces in the presence of a moderate amount of organic soil (5% blood serum) when used at a 1:64 dilution (providing 600 ppm of active quaternary) on 400 ppm CaCO₃ hard water for a contact time of 4 minutes at room temperature (20-25° C). Use a ten (10) minute contact time for disinfection against all other bacteria, fungi, and viruses claimed (listed on labeling).

Disposal of Infectious Materials: Blood and other body fluids should be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal.

EPA Reg. No. 2155-124-13256
EPA Est. No. 2155 GA 1
CONTROL
NUMBER

5204-120390
NET CONTENTS
GALLONS

TAM-24

NEUTRAL, ONE STEP GERMICIDAL DETERGENT AND DEODORANT

Pseudomonacidal • Staphylocidal • Salmonellacidal
• Fungicidal • *Virucidal

ACTIVE INGREDIENTS

Didecyl dimethyl ammonium chloride 2.31%
n-Alkyl (C14 50%, C12 40%, C16 10%)

dimethyl benzyl ammonium chloride 1.54%

INERT INGREDIENTS 96.15%

**KEEP OUT OF REACH OF CHILDREN
DANGER
SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS**

Manufactured for

I. SCHNEID, INC.
1429 FAIRMONT AVENUE, N.W.
ATLANTA, GEORGIA 30318-4153

ACCEPTED

MAY 16 1995

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 2155-124

DIREC

It is a violation of Federal Law to use this pr
GENERAL USE DIRECTIONS FOR DISIN
For use on hard non-porous surfaces such
surfaces. Remove gross filth and heavy soil.
2 ounces or 1/4 cup per gallon of water for a m
Can be applied with a mop, sponge, or clo
prepared fresh for each use then discarded
or polished.

PRECAUTIC

HAZARDS TO HUMA

CORROSIVE: Causes eye and skin damage.
eyes wear goggles or face shield and to p
thoroughly with soap and water after hand
reuse. Harmful if swallowed.

STATEMENT OF

In case of contact, immediately flush eyes or:
call a physician. If swallowed, drink promptly
are not available, drink large quantities of w
NOTE TO PHYSICIAN: Probable mucosal c

STORAG


PR

Do not contaminate water, food or feed by s
reuse empty container.
PESTICIDE DISPOSAL: Pesticide wastes,
pesticide, spray mixture, or rinsate is a violat
of by use according to label instructions, c
Agency, or the Hazardous Waste represen:

CONTA

PLASTIC CONTAINERS: Triple rinse (or eq
puncture and dispose of in a sanitary landf
authorities, by burning. If burned, stay out c
FIBER DRUMS WITH LINERS: Completely
to loosen clinging particles. Empty residue
sanitary landfill or by incineration if allowed
and cannot be reused, dispose of in the sa
METAL CONTAINERS: Triple rinse (or eq
puncture and dispose of in a sanitary landf
authorities.
GENERAL: Consult, federal, state, or local c
such as limited open burning.

192



TAM-24

NEUTRAL, ONE STEP GERMICIDAL DETERGENT AND DEODORANT

**Pseudomonacidal • Staphylocidal • Salmonellacidal
• Fungicidal • *Virucidal**

ACTIVE INGREDIENTS:	
Didcyl dimethyl ammonium chloride	2.31%
n-Alkyl (C14 50%, C12 40%, C16 10%)	
dimethyl benzyl ammonium chloride	1.54%
INERT INGREDIENTS:	96.15%

**KEEP OUT OF REACH OF CHILDREN
DANGER
SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS**

Manufactured for:
I. SCHNEID, INC.
1429 FAIRMONT AVENUE, N.W.
ATLANTA, GEORGIA 30318-4153

ACCEPTED
MAY 13 1995
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under
EPA Reg. No. 2155-124

deodorant: effective in hard waters up to 400 ppm. Disinfects, cleans, and deodorizes in hospitals, nursing homes, schools, colleges, fine farms, tack shops, pet shops, airports, kennels, and hog farms, breeding and grooming

effective against the following organisms according to the presence of 400 ppm synthetic hard water:

- Fusobacterium necrophorum
- E. coli
- Staphylococcus aureus (antibiotic resistant)
- Streptococcus faecalis (antibiotic resistant)
- E. coli (antibiotic resistant)
- Klebsiella pneumoniae (antibiotic resistant)
- Staphylococcus epidermidis (antibiotic resistant)
- Pseudomonas aeruginosa (antibiotic resistant)

effective against albicans according to the AOAC Fungicidal Index (calculated as CaCO₃) plus 5% organic serum

effective against the virucidal qualification, modified in the presence of 1:64 dilution (2 oz. per gal. of water)

- Rubella
- Adenovirus type 4
- Pseudorabies virus
- Infectious bronchitis virus (Avian IBV)

effective on surfaces/objects previously soiled with blood/serum where there is an expected likelihood of soiling and in which the surfaces/objects likely to be contaminated have the potential for transmission of human immunodeficiency virus (HIV).

DECONTAMINATION AGAINST HIV-1 (AIDS) BLOOD/BODY FLUIDS
gowns, face masks, or eye coverings as well as blood, and decontamination procedures. Thoroughly cleaned from surfaces and objects

effective on hard and non-porous surfaces in the presence of detergent used at a 1:64 dilution (providing 600 ppm) with a contact time of 4 minutes at room temperature effective against all other bacteria, fungi, and

body fluids should be autoclaved and disposed of in infectious waste disposal

5204/120360
NET CONTENTS
GALLONS

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling
GENERAL USE DIRECTIONS FOR DISINFECTING:

For use on hard non-porous surfaces such as floors, walls, metal surfaces, porcelain, and plastic surfaces. Remove gross filth and heavy soil deposits then thoroughly wet surfaces as required. Use 2 ounces or 1/4 cup per gallon of water for a minimum contact time of 10 minutes in a single application. Can be applied with a mop, sponge, or cloth as well as spraying or soaking. The use solution is prepared fresh for each use then discarded. Rinsing is not necessary unless floors are to be waxed or polished.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CORROSIVE: Causes eye and skin damage. Do not get in eyes, on skin or on clothing. To protect eyes wear goggles or face shield and to protect skin, wear rubber gloves when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Harmful if swallowed.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician. If swallowed, drink promptly a large quantity of egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Get medical attention.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

STORAGE AND DISPOSAL PROHIBITIONS

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.
PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

PLASTIC CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.
FIBER DRUMS WITH LINERS: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.
METAL CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.
GENERAL: Consult, federal, state, or local disposal authorities for approved alternative procedures such as limited open burning.