

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

NOTE

Rinse empty container thoroughly with water and discard it.

EPA REG. NO. 2160-3

Side Panel

ACCEPTED
DEC 11 1972
BY THE FEDERAL BUREAU OF INVESTIGATION AND FOOD AND DRUG ADMINISTRATION FOR ECONOMIC POISON REGISTERED UNDER NO. 2160-3 SUBJECT TO APPLICABLE COMMENTS.

FOR THE **"MANN"** PROFESSION

GERMICIDAL SOLUTION CONCENTRATE

Aqueous Solution 12.8%
Brand of
BENZALKONIUM CHLORIDE

MUST BE DILUTED

Active Ingredients: n-Alkyl (C₁₄, C₁₂, C₁₆)* dimethyl benzyl ammonium chlorides—12.80%
* C₁₄ n-alkyl dimethyl benzyl ammonium chloride, 6.40%
C₁₂ n-alkyl dimethyl benzyl ammonium chloride, 5.12%
C₁₆ n-alkyl dimethyl benzyl ammonium chloride, 1.28%
Inactive ingredients:87.20%

DIRECTIONS FOR DILUTION
TO PREPARE 1 U.S. Gallon Aqueous Solution—
"MANN" Germicidal Solution Concentrate, 12.8%—1 Fl. Oz.
Distilled Water (or physiologic Salt Solution)—127 Fl. Ozs.



DANGER

KEEP OUT OF REACH OF CHILDREN

CORROSIVE. CAUSES EYE DAMAGE AND SKIN IRRITATION. DO NOT GET IN EYES ON SKIN OR ON CLOTHING. PROTECT EYES AND SKIN WHEN HANDLING CONCENTRATE. HARMFUL IF SWALLOWED. AVOID CONTAMINATION OF FOOD.

See antidote statement and other precautions on the side panel.

*to **

DIRECTIONS FOR USE OF THE DILUTED SOLUTION

INSTRUMENTS SHOULD BE THOROUGHLY CLEANED BEFORE PLACING THEM IN THE DILUTED SOLUTION.

If residues have dried on instruments, special care should be taken to cleanse thoroughly. Immersion should be at least 15 minutes but may be longer without injury.

NOTE

As an anti-rust add (1) teaspoonful of "MANN" ARP SOLUTION to each quart of diluted solution (1.6 grams of Sodium Nitrite).

CAUTION

While the diluted solution can be depended upon to effectively disinfect instruments, it should not be relied upon under circumstances in which pathogenic sporulating bacteria or Mycobacterium tuberculosis are present.

Will not destroy the etiologic agent for viral hepatitis.

Side Panel

Immediately flush
enty of water for
For eyes, call
and wash contam-
re reuse.

promptly a large
g whites, gelatin
are not available,
es of water. Avoid
sician immediately.

age may contra-
gastric lavage.
culatory shock,
on and convulsion

r thoroughly with

FOR THE "MANN" PROFESSION



GERMICIDAL SOLUTION
CONCENTRATE

Aqueous Solution 12.8%
Brand of
BENZALKONIUM CHLORIDE

MUST BE DILUTED

Active Ingredients: n-Alkyl (C₁₄, C₁₂, C₁₆)* dimethyl benzyl
ammonium chlorides—12.80%
* (C₁₄ n-alkyl dimethyl benzyl ammonium chloride, 6.40%)
 (C₁₂ n-alkyl dimethyl benzyl ammonium chloride, 5.12%)
 (C₁₆ n-alkyl dimethyl benzyl ammonium chloride, 1.28%)
Inactive ingredients:87.20%

DIRECTIONS FOR DILUTION
TO PREPARE 1 U.S. Gallon Aqueous Solution—
"MANN" Germicidal Solution Concentrate, 12.8%—1 Fl. Oz.
Distilled Water (or physiologic Salt Solution)—127 Fl. Ozs.



DANGER
KEEP OUT OF REACH OF CHILDREN

DIRECTIONS F
OF THE DILUTED

INSTRUMENTS SHOU
THOROUGHLY CLEAN
PLACING THEM IN
SOLUTION.

If residues have
instruments, spe
should be taken
thoroughly. Imm
be at least 15 m
may be longer wi

NOTE
As an anti-rust
teaspoonful of "
SOLUTION to each
diluted solution
of Sodium Nitrit

CAUTION

While the dilute
can be depended
fectively disinfe
ments, it should
lied upon under