

**RESISTANT OR EASY TO KILL SPECIES OF BRUSH**

**—Easy to Kill—**

ALDER, SPECKLED	IVY (Poison)
BLACKBERRY	JUNEBERRY
BUCKBRUSH	MAPLE (Soft) (Sugar)
CHERRY (Wild, Pin)	OAK (Black Jack Burr)
CURRANT (Prickly, Sticky, Stink)	ASH (White Post, White)
DEWBERRY	ORANGE (Osage)
ELM (American, Winged)	PERSIMMON
GOOSEBERRY	PLUM (Sand)
GRAPE	SUMAC (Smooth, Staghorn)
HAZEL NUT	TRUMPET VINE
HICKORY	TUNG
HONEYSUCKLE	WAHOO (Burning Bush)
	WILLOW (Black, Bright)

**—More Tolerant—**



ASH (White)	BITTERSWEET
CEDAR (Red)	ROSE (Prairie)

**CAUTION:** Harmful if swallowed. Avoid contact with eyes, skin or clothing. In case of contact wash off promptly with soap and water. Do not use around the home, recreation areas, or similar areas.

Avoid spray drift to susceptible plants—beans, peas, ornamentals, etc. Coarse sprays are less likely to drift. Do not apply directly to flowers, vegetables, fruit trees, ornamentals, cotton or other susceptible plants. This product should be used with caution in clover pastures and a very small amount may injure young grass seedlings. Vapors from this product may injure susceptible plants in the immediate vicinity. Do not contaminate irrigation ditches or water used for domestic purposes. Do not store near fertilizers, seeds, insecticides or fungicides. Do not graze dairy animals on treated areas within 6 weeks after application. Do not graze meat animals on treated areas within 2 weeks of slaughter. Thoroughly clean spraying equipment with a suitable chemical cleaner before using for other purposes or better yet, do not use the same equipment for other spraying purposes. May cause injury to bentgrass and St. Augustine grass.

This product is toxic to fish. Keep out of lakes, streams and ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse container. Destroy by burying in a safe place. Do not burn. Do not use in open flame or near heat or open flame.



Contains 1 lb. 2,4-D acid equivalent plus 1 lb. 2,4,5-T acid equivalent per gallon.

**ACTIVE INGREDIENTS:**

- 2,4-dichlorophenoxyacetic acid butyl ester
- 2,4,5 trichlorophenoxyacetic acid isooctyl ester

**INERT INGREDIENTS**

- Total
- equivalent to 2,4-dichlorophenoxyacetic acid 1.9%
- equivalent to 2,4,5-trichlorophenoxyacetic acid 11.9%

**CAUTION:** Keep out of reach of children

See other cautions on side panel.

EPA Reg. No. 100-10000

**DIRECTIONS**

Brush Killer can be dissolved in fuel oil or emulsified with water. Application can be made any time after the full leaf stage until three weeks before frost. Best results are obtained when the brush to be sprayed is under five feet tall. Brush over five feet tall requires repeat application or cutting, and stump treatment. Use in such areas as roadsides, brush in pastures, along fence rows and power lines, and on such plants as are listed on this label.

**DILUTION TABLE (For Power Sprayers)**

BRUSH KILLER	Water
3 to 4 1/2 Pints	30 Gal.
3 to 4 Quarts	50 Gal.
1 1/2 to 2 Gallons	100 Gal.

For knapsack and hose attached sprayers use 1 1/2 tablespoons of Brush Killer per gallon of water.

Wet all stems and leaves thoroughly as complete coverage is necessary for uniform kill. Amount of material required will depend upon the height and denseness of the brush. If properly applied one thorough application will control 75% or more of the susceptible growth. While under some conditions repeat applications may be necessary to control regrowth, usually a single treatment per year is sufficient. If brush is dense some plants may not be covered so a second application may be necessary to control those missed, or any regrowth.

**STUMP AND TRUNK TREATMENT—** Dilute at rate of 1 1/2 pints to 3 gallons of fuel oil. Apply by spraying or brushing over the entire stump or from 18 inches to ground on trunks. Make application heavy until run off is evident on entire area and on all sides. Treat freshly cut stumps and trunks any time of year.

**NOTICE:** Buyer assumes all risk and liability of use, storage and/or handling of this material not in accordance with the terms of this label.

**THIS CONTAINER MAKES UP TO 20 GALLONS OF SPRAY**

NET CONTENTS 1 QUART

