

DIRECTIONS FOR USE

WHEN TO USE: For best results apply on lawns in the spring or early summer when weeds are young and actively growing. Late summer or early fall is also recommended to control weeds that have developed from seeds during the summer.

FOR BEST RESULTS APPLY WHEN GRASS IS DAMP FROM DEW, RAIN, OR WATERING.

HOW TO APPLY: The contents of this bag covers 5000 square feet. Apply evenly at the rate of about 5 lbs. per 1000 square feet (for example 10 ft. X 100 ft. = 1000 sq. ft.) See chart below for suggested spreader setting. Do NOT mow grass for two days before and after application. DO NOT USE on newly seeded lawns, and application should be delayed until several mowings have been made. Reseeding should be delayed 3 weeks after application.

CAUTION

Avoid contact with skin, eyes, and clothing. Wash hands thoroughly after using. Do not store near seed, fertilizers, insecticides or fungicides.

Do not use on Centipede Grass, St. Augustine Grass, or Dichondra; nor on lawns or turf where desirable bentgrass or clovers are present. Do not allow dust to come in contact with shrubs, flowers, trees, vegetables, or other valuable plants. Avoid application to areas under the branches or drip line of trees and shrubs.


Do not contaminate feed and foodstuffs. To protect fish and wildlife, do not contaminate streams, lakes or ponds with this material.

Do not reuse container. Destroy when empty.

KEEP OUT OF REACH OF CHILDREN

SUGGESTED SPREADER SETTINGS
5 lbs. per 1000 square feet

Scotts 18" 5 1/4	Scotts 24" 6 1/4	Cyclone Model B 4 3/4	Lawn Beauty 18" 8
Lawn Beauty 24" 8	Cross Country 16" 6 1/2	Garden Mark 20" 7	Modern 20" 5
Modern 24" 5	AMC 20" 7	Imperial 20" 5	Imperial Professional 24" 7 1/4
Patterson 5 1/4			



6