

CAUTION

Warfarin Rat & Mouse Killer contains as its active ingredient an anti-coagulant chemical which if taken by humans, domestic animals, or pets may reduce the clotting ability of the blood and hemorrhage may result. Baits should be placed so as to protect children, pets and domestic animals. Such hemorrhage will usually be manifested by external bleeding or the appearance of visible hematomas under the skin. In case baits are accidentally eaten give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Call a physician immediately.

NOTE FOR PHYSICIAN

Blood transfusions combined with intravenous injections and oral doses of Vitamin K are indicated as in the case of hemorrhage caused by overdoses of Dicumarol.

NOTICE: Buyer assumes all risk and liability of use, storage and/or handling of this material not in accordance with the terms of this label.

WARFARIN

RAT & MOUSE KILLER

Active Ingredients:

Warfarin

3-(α -acetylbenzyl)-
4-hydroxycoumarin 0.025%
Inert Ingredients 99.975%

Total 100.00%

IMPORTANT NOTICE

WARFARIN was developed by the Wisconsin Alumni Research Foundation under the name of "Compound 42." To be effective it must be used properly. Follow directions carefully. This formulation is READY FOR USE. It should be used CONTINUOUSLY, keeping it available for rats and mice to feed thereon as long as they will eat it.

CAUTION:

Keep Out of Reach of Children
See other cautions on side panel

GENERAL DIRECTIONS

Place baits in locations where rats and mice feed, water, or travel. Bait placements along walls, in corners, and in concealed locations where rats and mice can feed unobserved are desirable. Contaminated or spoiled baits should be replaced promptly. Baiting should continue until all signs of feeding have stopped. Where a continuous source of infestation is present (nearby dumps) permanent bait stations should be established and replenished as needed.

DIRECTIONS FOR RAT CONTROL

Four ounces of bait per station should be the **minimum** amount used. Bait should be placed in locations not accessible to children, pets, and domestic animals, or in tamper-proof bait boxes. An uninterrupted supply of bait should be maintained for at least 10 days.

DIRECTIONS FOR MOUSE CONTROL

Tablespoon amounts (to 1 ounce) of bait should be placed at 8-12 foot intervals. Bait should be placed in locations not accessible to children, pets, and domestic animals, or in tamper-proof bait boxes. An uninterrupted supply of bait should be maintained for at least 15 days.

Net Weight 1 Lb.