PREVENTION AND CONTROL OF CHIGGERS

TO PREVENT CHIGGER BITES Dust on skin of arms and legs, and apply it on clothing likely to be exposed to chiggers.

can will cover from 1500 to 2000 square feet applied either as a dust or spray. Best used as a wettable spray, applied to entire lawn, flower garden, shrubs and any place where chiggers may be hiding or where people contact foliage. Make a repeat application in about two weeks to kill those missed before, or those crawling in over new, unsprayed foliage

PRECAUTIONS

Do not apply on foliage within one week after applying any spray containing an rill mulsion. Do not spray an oil emulsion on plants within 30 days after spraying or dusting with sulphur. Sulphur may burn foliage if applied when the temperature is over 90 degrees. Do not apply sulfur to cucumbers, melons, etc.

NOTICE: Seller's responsibility is limited to accuracy of contents and conformation to the chemical description. Buyer assumes all risk and liability for use, storage and handling and accept and uses this product under these conditions.

A CONTRACTOR OF THE STATE OF TH

PATERSON

WETTABLE DUSTING SULPHUR

USE AS DUST OR LIQUID SPRAY

*Sulphur

95º o

INERT INGREDIENTS

5°c

TOTAL 100' :

*95% of this sulphur will pass through a 325 mesh screen.

CAUTION:

Keep Out of Reach of Children See other cautions on ide panel.

Net Contents 11/2 Lbs.

The Carlot of the Control of the

DIRECTIONS

USE FOR: BROWN ROT AND PEACH SCAB on Peaches. LEAF SPOTS on Roses, Phl x, Hollyhocks. RUST on Chrysanthemums, Carnations, Snapdragons, Asparagus, Beans. POWDERY MILDEW on Roses, Lilacs, Chrysanthemums, Dahlias, Calendulas, Delphinium, Phlox, Sweet Feas, Peas, Beans, Currants, Gooseberries, Peaches. MITES on Almonds, Avacados, Beans, Cotton, Currants, Evergreens, Gooseberries, Figs, Peas, Plums, Pranes, Walnuts, Citrus Fruit. THRIPS on Citrus Fruits.

USED AS A LIQUID SPRAY

Mix 3 4 rablespoonfuls of Wettable Dusting Sulphur with equal parts of water, make a thick paste and slowly add to one gallon of water. Apply with sprayer, but keep solution agitated.

USED AS A DUST

Wettable Dusting Sulphur can be used in its present form, either in a hand duster or punch out holes in top of can and use as a shaker to apply directly on foliage, or parts to be protected.

WHEN TO APPLY

Apply in early morning or a evening when air is still. Thoroughly cover all plant surfaces. Repeat applications at 7 to 10 day intervals during spring and ammer. Remember, it should be used to prevent insects and plant diseases rather than to cure them.

