

WARNING: May Be Fatal If Swallowed! Do not breathe dust or spray mist. Do not get in eyes, on skin or on clothing. Wash thoroughly after using. This product is toxic to fish and wildlife. Keep out of lakes, ponds and streams. Do not apply to any area not specified on the label. Do not use on certain ferns including Boston, Maiden Hair and Pteris or on *Crasula*.

NOTICE: Buyer assumes all risk and liability of use, storage and/or handling of this material not in accordance with the terms of this label.

ACTIVE INGREDIENTS:

Toxaphene (Technical Chlorinated Camphene containing 67 to 69% Chlorine)..... 40%
Malathion (0, 0-dimethyl dithiophosphate of diethyl mercaptosuccinate) 13%
Aliphatic petroleum hydrocarbons..... 22%
Aromatic Petroleum Derivative Solvents. 13%
INERT INGREDIENTS 7%
TOTAL.....100%

CONTENTS 8 OUNCES

PATTERSON'S®

BAG WORM SPRAY

**THIS CONTAINER MAKES UP TO
10½ GALLONS OF SPRAY**

**WARNING: Keep out of reach of children.
See other warnings on side panel.**

USDA Reg. No. 2169-100

MANUFACTURED BY OR TO THE SPECIFICATIONS OF
PEARSON-FERGUSON CHEMICAL DIV OF

PATTERSON CHEMICAL COMPANY

1400 UNION AVENUE • KANSAS CITY, MISSOURI

DIRECTIONS

For the control of bagworms, various aphids and mites (including red spider), various scale insects, cankerworms, cutworms, ~~walnut worms, maple worms,~~ leafhoppers, mealy bugs, thrips, lace bugs and various borers, mix 1½ tablespoonfuls per gallon of water (1 pint to 21 gallons) and spray foliage thoroughly. Repeat as necessary. For control of scale and borer insects, the spray must be directed specifically and thoroughly to the trunk, branches and twigs to the point of runoff. It is generally recommended that applications be repeated at about 10 to 12 day intervals, or after any heavy rain. For scales, apply when crawlers have settled on foliage.

A SPECIAL FORMULATION FOR THE CONTROL OF BAG WORMS, RED SPIDER AND CERTAIN OTHER INSECTS ON SHADE TREES, EVERGREENS AND ORNAMENTAL SHRUBS.

LABOR SAVING CHEMICALS

ACCEP
7/29/68
2169-100