



May Be Used As a Spray

ACTIVE INGREDIENTS:	
Zinc (zinc ethylene bisphthalocyanate)	3.9 %
Dinero (1-methylheptyl) phenyl crotonate	0.9 %
Other nitro phenols and derivatives, chiefly dinero (1-methylheptyl) phenol	0.1 %
Gamma isomer of benzene hexachloride from Lindane	1.0 %
Methoxychlor, Technical***	5.0 %
1,1-Bis (p-chlorophenyl)-2,2,2-trichloroethanol***	1.48%
INERT INGREDIENTS:	87.62%
	100.00%

Represent 1.8% Karthane® and 1.48% Karthane™, (TM Rohm & Haas Co.)

***Methoxychlor, Technical is equivalent to 4.9% 2,2-bis (p-methoxyphenyl)-1,1,1-trichloroethane and .8% other isomers and reaction products.

CAUTION

Keep Out of Reach of Children.
SEE OTHER CAUTIONS ON BACK PANEL.

Net Contents 1 Pound

EPA Reg. No. 2155-45-1

STATEMENTS OF PRACTICAL TREATMENT

If Swallowed — Call a physician or poison control center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching the back of the throat with finger. Never give anything by mouth to an unconscious person.

If In Eyes — Flush with plenty of water. Call a physician if irritation persists.

If On Skin — Wash with soap and water.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.



ROSE DUST

A Triple Action
Pest Destroyer

KILLS CHEWING INSECTS. Rose slugs (skeletonizers), rose chafers, leaf hoppers, curculio, leaf beetles, spotted cucumber beetles and grasshopper nymphs.

KILLS SUCKING INSECTS. Plant lice or aphids, plant bugs, leaf hoppers, midges, red spider mites.

PREVENTS DISEASES. Leaf-spot and powdery mildew, downy mildew and black spot.

ROSE DUST is especially compounded to combat those insects and diseases that attack roses. The secret of effective control is to apply the materials to all parts of the plant before the many kinds of pests can start working. Start using the Rose Dust early and repeat at weekly intervals in the spring and early summer and then at 10-day intervals later. During rainy, humid weather one may have to use the Rose Dust oftener to prevent a build-up of aphids and to prevent fungus spores from becoming established. A light, thorough and frequent application is often better than a heavy application at greater intervals.

Apply ROSE DUST thoroughly, covering both sides of leaves and the stems as well as possible. Apply early to prevent infection. Dust on wet or dry foliage, but preferably when air is still. Repeat as often as necessary.

SPRAY DIRECTIONS. Make a slurry of 6 tablespoons of ROSE DUST in a small amount of water and add sufficient water to make one gallon. Spray roses thoroughly.

PRECAUTIONARY STATEMENTS

HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS.
CAUTION. Harmful if swallowed. Avoid breathing of dust or spray mist. Avoid contamination of feed and foodstuffs if dust comes in contact with eyes or skin. Wash thoroughly. Avoid contact with skin and eyes. May be a skin irritant. Wash thoroughly after handling. May be absorbed through the skin.

ANTIDOTE. Use emetic of mustard internally and call a physician.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply to food plants.

Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Apply this product in a manner specified on this label.

STORAGE AND DISPOSAL

Do not reuse container. Destroy when empty.

NOTICE. Buyer assumes all risk and liability of use, storage and or handling of this material not in accordance with the terms of this label.

EPA Reg. No. 2155-45-1

Homeowner
Applicators
protective,
cation, pro
long pants,
foot coveri

Caution:
handle or a
ren and pet
in treated
laces are

BEST

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

ROSE DUST

A Triple Action
Pest Destroyer

KILLS CHEWING INSECTS. Rose slugs (skeletonizers) rose chafers leaf hoppers, curculio leaf beetles spotted cucumber beetles and grasshopper nymphs

KILLS SUCKING INSECTS. Plant lice or aphids, plant bugs leaf hoppers, midges, red spider mites

PREVENTS DISEASES. Leaf-spot and powdery mildew downy mildew and black spot

ROSE DUST is especially compounded to combat those insects and diseases that attack roses. The secret of effective control is to apply the materials to all parts of the plant before the many kinds of pests can start working. Start using the Rose Dust early and repeat at weekly intervals in the spring and early summer and then at 10-day intervals later. During rainy humid weather one may have to use the Rose Dust oftener to prevent a build-up of aphids and to prevent fungus spores from becoming established. A light thorough and frequent application is often better than a heavy application at greater intervals.

Apply ROSE DUST thoroughly covering both sides of leaves and the stems as well as possible. Apply early to prevent infection. Dust on wet or dry foliage but preferably when air is still. Repeat as often as necessary.

SPRAY DIRECTIONS. Make a slurry of 6 tablespoons of ROSE DUST in a small amount of water and add sufficient water to make one gallon. Spray roses thoroughly.

PRECAUTIONARY STATEMENTS

HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Harmful if swallowed. Avoid breathing of dust or spray mist. Avoid contamination of feed and foodstuffs. If dust comes in contact with eyes or skin wash thoroughly. Avoid contact with skin and eyes. May be a skin irritant. Wash thoroughly after handling. May be absorbed through the skin.

ANTIDOTE. Use emetic of mustard internally and call a physician.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply to food plants.

Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on this label.

STORAGE AND DISPOSAL

Do not reuse container. Destroy when empty.

NOTICE. Buyer assumes all risk and liability of use, storage and handling of this material not in accordance with the terms of this label.

Homeowner Protective Clothing

Applicators must wear the following protective clothing during the application process, long sleeved shirt, long pants, waterproof gloves, full foot coverings and a head covering.

Caution: Do not allow children to handle or apply this product. Children and pets should not be allowed in treated areas until treated surfaces are dry.

ACCEPTED
with COMMENTS
in EPA Label 10-1-1

MAY 20 1984

2169-114

BEST DOCUMENT AVAILABLE



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D C 20460

2169-114

22 MAY 1984

OFFICE OF
PESTICIDES AND TOXIC SUBSTANCES

Mr. Hilles R. McLane
Patterson Green-Up Co.
1331 Union Ave.
Kansas City, MO 64101

Dear Mr. McLane:

Subject: Lindane RPAR
Rose Dust
EPA Reg. No.: 2169-114
Appl. Date: November 28, 1983

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

1. Move the "KEEP OUT OF REACH OF CHILDREN" to a position immediately preceding the front panel signal word.
2. To your "STATEMENT OF PRACTICAL TREATMENT" add the following:
"If inhaled-Remove victim to fresh air. Apply artificial respiration if indicated."
3. Insert as the second sentence of the "ENVIRONMENTAL HAZARDS" section:
"Birds and other wildlife feeding in treated areas may killed."
4. Revise the following in the "HAZARDS TO HUMANS..." section:
"Wash thoroughly after handling and before eating or smoking."
5. Insert the following beneficial insect caution in the "ENVIRONMENTAL HAZARDS" section:
"This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting vegetation blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity."

216-114

2

Submit five (5) copies of your revised final printed labeling before you release the product for shipment with the amended labeling.

A stamped copy of the label is enclosed for your records.

If you hold a Federal registration, a supplemental registration, or a Special Local Needs registration, you may continue to produce new stocks of such products, using current labeling, until ~~May 31~~, 1984. After that date, all remaining inventories of affected products will fall under the Existing Stocks provisions stated in our letter of October 28, 1983.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosure

... refer to the enclosed copy of the letter of January 1, 1984, regarding the cotton
registration and the start of the new labeling.

1984 JAN 10 10 10 AM