

DIRECTIONS

Patterson's Grain Protectant is effective in controlling the exposed stages of confused flour beetle, granary weevil, saw-toothed grain beetle, flat grain beetle, rice weevil, red flour beetle, rusty grain beetle, lesser grain borer, and Indian meal moth in wheat, barley, oats, rye, corn, rice, grain sorghum, peanuts and field and garden seeds.

As a protectant on grain and seeds, apply at the rate of 60 lbs. Patterson's Malathion Grain Protectant per 1000 bushels treated. Apply on the grain stream when filling bins or turning grain. Treat as many kernels as possible, since good coverage is necessary for best results. This treatment will protect the grain against infestation for up to 12 months.

To protect grain already in storage from attack by Indian meal moth, apply Patterson's Malathion

(Continued Next Panel)

PATTERSON'S

MALATHION GRAIN PROTECTANT

(PREMIUM GRADE—READY TO USE)

EACH POUND OF THIS PRODUCT WILL
PROTECT UP TO 16½ BUSHELS OF
GRAIN

Apply directly to grain according to directions. Will protect grain from insect infestation for up to 12 months. Will not affect germination of seed or milling and baking qualities of grain.

ACTIVE INGREDIENTS:

Malathion—O-O-dimethyl dithio-
phosphate of diethyl mercapto-
succinate 1.00%

INERT INGREDIENTS 99.00%

TOTAL 100.00%

NET CONTENTS 20 LBS.

MANUFACTURED BY, OR TO THE SPECIFICATION OF
PEARSON-FERGUSON CHEMICAL DIV OF

PATTERSON CHEMICAL COMPANY
1400 UNION AVENUE • KANSAS CITY, MISSOURI

USDA Reg. No. 2169-196

DIRECTIONS

Grain Protectant
lbs. per 1000
the top six inch
over the surface
and work in 1
inches. To kill
of grain insects
tions, dust also
bin surfaces.

CAUTION: Harmful
Avoid prolonged
dust. Avoid repeated
contact with skin.
Avoid contamination
of foodstuffs. Keep
children. Malathion
longed or repeated
cholinesterase
inhalation poisoning.
prompt medical
antidotal.

NON-WARRANTY
No warranty of
implied, concerning
product. Buyer's
use or handling
in accordance with directions.

Jul 3, 1968

2169-121

DIRECTIONS

Patterson's Grain Protectant is effective in controlling the exposed stages of confused flour beetle, granary weevil, saw-toothed grain beetle, flat grain beetle, rice weevil, red flour beetle, rusty grain beetle, lesser grain borer, and Indian meal moth in wheat, barley, oats, rye, corn, rice, grain sorghum, peanuts and field and garden seeds.

As a protectant on grain and seeds, apply at the rate of 60 lbs. Patterson's Malathion Grain Protectant per 1000 bushels treated. Apply on the grain stream when filling bins or turning grain. Treat as many kernels as possible, since good coverage is necessary for best results. This treatment will protect the grain against infestation for up to 12 months.

To protect grain already in storage from attack by Indian meal moth, apply Patterson's Malathion

(Continued Next Panel)

PATTERSON'S

MALATHION GRAIN PROTECTANT

(PREMIUM GRADE—READY TO USE)

EACH POUND OF THIS PRODUCT WILL
PROTECT UP TO 16½ BUSHELS OF
GRAIN

Apply directly to grain according to directions. Will protect grain from insect infestation for up to 12 months. Will not affect germination of seed or milling and baking qualities of grain.

ACTIVE INGREDIENTS:

Malathion—O-O-dimethyl dithio-
phosphate of diethyl mercapto-

succinate 1.00%

INERT INGREDIENTS 99.00%

TOTAL 100.00%

NET CONTENTS 20 LBS.

MANUFACTURED BY US TO THE SPECIFICATIONS OF
PEARSON FERGUSON CHEMICAL DIV. OF

PATTERSON CHEMICAL COMPANY
1401 UNION AVENUE KANSAS CITY, MISSOURI

USDA Reg. No. 2169-126

DIRECTIONS

(Continued)

Grain Protectant at the rate of 30 lbs. per 1000 bushels of grain in the top six inch layer. Apply evenly over the surface of the stored grain and work in to a depth of six inches. To kill the exposed stages of grain insects in existing infestations, dust also over all exposed bin surfaces.

CAUTION: Harmful if swallowed. Avoid prolonged breathing of dust. Avoid repeated or prolonged contact with skin. Wash thoroughly. Avoid contamination of feed and foodstuffs. Keep out of reach of children. Malathion, upon prolonged or repeated use, may cause cholinesterase inhibition. If accidental poisoning should occur, get prompt medical aid. Atropine is antidotal.

NON-WARRANTY: Seller makes no warranty of any kind, express or implied, concerning the use of this product. Buyer assumes all risk of use or handling, whether in accordance with directions or not.

LABOR SAVING CHEMICALS

Jul 3, 1968

2169-126