#### **SUBTERRANEAN TERMITES**

**DIRECTIONS FOR PROFESSIONAL USE** 

It is a violation of indepail law to use this product in a manner inconsistent with its fabeling. This product may not be used against any pests not named on the label

TERMITE CONTROL

Add one galion of 72% Chlordane — to 95 gallons of water to make a 10% emulsion. Apply the 1 0% emulsion as follows.

- Slab-on-Ground Construction
  1. Intestations in this type of construction are difficult to control. One method is to drill holes about 6 inches from the wall and about one foot spart through the concrete stab, adjacent to all cracks and expansion joints, and injecting the chemical into the soil beneath the stab. Avoid drilling into air ducts, plumbing and electrical conduits. Another method is to drill through the foundation walls from the outside and force the chemical just beneath the stab along the cracks and expansion joints. A 1% emulsion should be applied at the rate of at least 4 gallons per 10 linear feet of foundation or expansion joint
- 2. Dig a trench t foot in depth, but not below the top of the footing, along the outside of the foundation walls. Apply a 1% emulsion at the rate of 4 gallons per 10 linear feet of trench. The chemical should be mixed with the soil as it is being replaced in the trench. Treated soil should be covered with a thin layer of untreated soil
- Treat voids in hollow-block foundations at the rate of 2 gallons of 1% emulsion per 10 linear feet of wall so that the emulsion will reach the footing. Do this by drilling or probing. Avoid drilling into plumbing, heating or electrical conduits

Crawl-space Construction

- t. Dig a trench or rod adjacent to and around all piers and pipes and along both sides of the foundation walls. Dig the trench or rod to, but not below the top of the footing. However, poured concrete foundations may be trenched only 3-4 inches deep. Treat the soil at the rate of 4 gallons of 1% emulsion per 10 linear feet per 1 foot of depth. Cover the treated soil with a thin layer of untreated soil.
- Treat voids in hollow-block foundations as described in stab-on-ground con-

Basement Construction
Treat the soil adjacent to the outside foundation wall by trenching or rodding treat the soil adjacent of the volume to the top of the footing at a rate of 4 gallons of the fundament in the soil as it is returned to the trench and cover it with a thin layer of untreated soil.

- 2 Treat under the basement flooring and around sewer pipes, conduits and piers. Holes can be drilled through the floor along the inside perimeter and interior walls. Drill 6 inches from the wall and about 1 foot spart. Inject 1% emulsion through the holes at the rate of at least 4 gallons per 10 linear feet of walt. Avoid drilling into plumbing or electrical conduits
- 3 Treat voids in hollow-block foundations as described in slab-on-ground con-

### PRECONSTRUCTION TERMITE PREVENTION

Siab-on-ground Construction

- After all grading is completed and prior to the pouring of the slab, slab porches and entrance platforms make the following treatments:
  - (a) Along both sides of foundation walls, interior foundations walls, around plumbing, piers and conduits, dig a narrow trench, not wider than 6 inches, or rod to a depth of 1 foot, but not below the top of the footing. Apply 4 gallons of 1% emulsion per 10 linear feet of trench. Mix the emulsion with the soil as it is being returned to the trench. Treated soil should be covered. with a thin layer of untreated soil.
  - (b) Spray 1 gallon of 1% emulsion per 10 square feet of gravel or dirt fill that will be beneath slabs. If fill is washed gravel or other coarse material use 15 gallons per 10 square feet
- 2. Treat all voids in hollow masonry units of the foundation at the rate of 2 gallons of 1% per 10 linear feet. Overlap the deposition patterns so as to make a continuous chemical barrier in the voids, and apply the emulsion so it will reach the footing.

Crawl-space Construction

- Along the exterior and interior walls of foundations, around piers, plumbing, and conduits, treat the soil as described above for slab-on-ground construction if the footings are shallow. Where footings are deeper than 1 foot, trench or rod to the top of the footings and apply 4 gallons of 1% emulsion per 10 linear feet per foot of depth from grade to footing. Mix the emulsion with the soil as it is being returned to the trench.
- 2. Prior to the laying of stabs of attached platforms and porches which are on fill or ground apply 1 gallon of emulsion per 10 square feet of soil surface. Do not apply an overall treatment in crawl spaces.
- Treat voids in hollow-block foundations as described in slau-on-ground construction.



# 72% CHLORDAN

### **EMULSIFIABLE CONCENTRATE**

ACTIVE INGREDIENTS:	
. Technical Chlordane*	72%
Aliphatic Petroleum Hydrocarbons	18%
INERT INGREDIENTS:	10%
*Equivalent to 43% Octachloru-4,7-Methanotetrahydroindane	
29% related compounds.	

Keep Out of Reach of Children.

## WARNING

See other precautions on side panel. E.P.A. Reg. No. 2169-133 E.P.A. Est. 2169-Ks.-1

### STATEMENT OF PEACTICAL TREATMENT

If swallowed - Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with fingers. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately.

If on skin - Remove contaminated clothing and wash contaminated skin with soap and water.

If in eyes - Flush with water for 15 minutes, Contact a physicism immediately.

if inhaled - Remove victim to fresh air. Apply respiration if indicated.

### **NET CONTENTS: 1 GALLON**

patterson GREEN UP co. 📑 🏗 🚹 Division Curry Cartwright Inc. 1331 Union Avenue, Kensas City, Missouri 64101

# STOR

1. Prohibitions Do not contamin cleaning of equi

2. Pesticide Di Pesticide, spray chemically prod proved for pesti supplies.

3. Container Di For less than 3 reconditioning. piace.

For 30 gallons a tioning or Triple disposal in an : 4. General

Consult federal alternatives. NOTICE: Buyn and/or handling

of this label. Avoid contamir following these equipment, Ref state, and loca areas from wells if it is water satu Soil should be a treated, and re plastic sheet ag

# HAZARDST

May be fatal symptoms. Av skin, wash wit foodstuffs, No Acommitteed

"There are ric carcinogenia certain mous cinogenic act mittee cond metabolites n

This product other wildlife of water, Do dispusal of v label.

PH

MITES JONAL USE

manner inconsistent with its i-sts not named on the label

ns of water to make a 1 0%

ruction

but to control. One method is but one foot spart through the historijoints, and injecting the hilling into air ducts, plumbing drill through the foundation ist beneath the stab along the hold be applied at the rate of at

top of the footing, along the sign at the rate of 4 gallons per in mixed with the soil as it is be covered with a thin layer of

re of 2 gallons of 1% emulsion reach the footing. Do this by reating or electrical conduits

ction

ars and pipes and along both rod to, but not below the top of rons may be trenched only 3-4 ros of 1% emulsion per 10 linear itn a thin layer of untreated soil. stribed in slab-on-ground con-

.iOS wall by trenching or rodding '\*emulsion per 10 tinear feet

) sewer pipes, conduits and ing the inside perimeter and about 1 foot spart linject 1% in agains per 10 linear feet of

to the trench and cover it with

ribed in slab-on-ground con-

### TE PREVENTION

itruction - vuring of the slab, slab porches - catments:

or foundations walls, around french, not wider than 6 inches. The top of the footing Apply 4 french. Mix the emulsion with

ireated soil should be covered are feet of gravel or did fill that

vel or other coarse material use

s ron patterns so as to make a r I apply the emulsion so it will

tru**ction** 

cations around piers, plumbing, the for stab-on-ground construcis are deeper than 1 foot, trench is gallons of 1% emulsion per 10 in tring. Mix the emulsion with the

ms and porches which are on fill tuare feet of soil surface. Do not

rescribed in slab-on-graund con-



# 72% CHLORDANE

### **EMULSIFIABLE CONCENTRATE**

ACTIVE INGREDIENTS:
Technical Chlordane\*
Aliphatic Petroleum Hydrocarbons
INERT INGREDIENTS:
Sequivalent to 43% Octachloro-4,7-Methanotetrahydroindane and 29% related compounds.

Keep Out of Reach of Children.

### WARNING

See other precautions on side panel. E.P.A. Reg. No. 2169-133 E.P.A. Est. 2169-Ks.-1

### STATEMENT OF PRACTICAL TREATMENT

If swallowed — Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with fingers. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately.

If on skin — Remove contaminated clothing and wash contaminated skin with soap and water.

If in eyes — Flush with water for 15 minutes, Contact a physician immediately.

if inhated — Remove victim to fresh air. Apply respiration if indicated.

### **NET CONTENTS: 1 GALLON**

patterson GREEN UP co. ( ) ()
Division Curry Cartwright Inc.
1331 Union Avenue, Kansas City, Missouri 64101

# STORAGE AND DISPOSAL

1. Prohibitions

Do not contaminate water, food or feed by storage, disposat or cleaning of equipment. Open dumping is prohibited.

2. Pesticide Disposal

Posticide, spray mixture or rinse water that cannot be used or chemically processed should be disposed of in a landfill approved for posticides or buried in a safe place away from water supplies.

3. Container Disposal

For less than 30 gallons; triple rinse, and offer for recycling, reconditioning, or disposal in approved landfill, or bury in a safe place.

For 30 gallons or larger; reseat container and offer for reconditioning or Triple rinse and offer for recycling, reconditioning or disposal in an approved landfill, or bury in a safe place.

4. General

Consult federal, state or local disposal authorities for approved alternatives.

NOTICE: Buyer assumes all risk and liability of use, storage and/or handling of this material not in accordance with the terms of this label.

Avoid contamination of public and private water supplies by following these precautions. Use anti-back-flow siphonage equipment. Refer to federal (Federal Housing Administration), state, and local specifications for safe distances of treatment areas from wells. Soil in the vacinity of wells should not be treated if it is water saturated, or by injecting the solution under pressure. Soil should be removed to an area safe from well contamination, treated, and returned to the trench which has been lined with plastic sheeting.

# PRECAUTIONARY STATEMENTS HAZARDSTOHUMANS AND DOMESTIC ANIMALS

## WARNING

May be fatat if swallowed. Contact with skin can cause toxic symptoms. Avoid breathing spray mist, in case of contact with skin, wash with soap and water. Avoid contamination of feed and foodstuffs. Keep out of reach of the children.

Acommittee of the National Academy of Sciences has stated that:

"There are no adequate data to show that these compounds are carcinogenic in humans, but because of their carcinogenicity in certain mouse strains and the extensive similarity of the carcinogenic action of chemicals in animals and humans, the committee concluded that chlordane, heptachlor, and/or their metabolites may be carcinogenic in humans."

### ENVIRONMENTAL HAZARDS

This product is toxic to tish, birds, and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS 51
DO NOT USE, POUR, SPILL OR STORE
NEAR HEAT OR OPEN FLAME