



CAUTION: Harmful if swallowed. Do not breathe spray mist. Do not get on skin, in eyes or on clothing. Contact with skin can cause toxic symptoms. Wash thoroughly after using. Do not store or use near heat or open flame. Do not allow children or pets on treated areas until grass is dry. Avoid contamination of feed and foodstuffs.

Do not reuse empty container. Wash thoroughly with water and detergent. Discard in a safe place.

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

NOTICE: Buyer assumes all risk and liability of use, storage and/or handling of this material not in accordance with the terms of this label.

NET CONTENTS 1 QUART



ACTIVE INGREDIENTS:	
0,0-diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate*	12.50%
Pyrethrins	.03%
Technic: Piperonyl Butoxide**	.25%
Petroleum Solvent	79.22%
INERT INGREDIENTS:	8.00%
	100.00%

**Equivalent to 0.20% of (butylcarbityl) (6-propyl-piperonyl) ether and 0.05% related compounds.

CAUTION:

Keep out of reach of children.
SEE OTHER WARNINGS ON LEFT PANEL

Patterson

E.P.A. Reg. No. 2169-141

DIRECTIONS

FOR USE ON ORNAMENTAL TURF
To control sod webworm, apply with any suitable spray equipment, using 1 pint of this concentrate mixed with sufficient water to cover 2000 square feet (in most cases, mix 2 tablespoonfuls per gallon of water or 1 pint in 16 gallons.) Do NOT apply water after application.

TIMING OF APPLICATION: When possible, apply at the beginning of a 48 hour period during which the lawn will not be watered and rain is not expected. Make an initial application ahead of any expected infestation and as required during infestations.

*Otherwise known is Diazinon, trademark of Geigy Chemical Co.