

DIRECTIONS FOR USE

GENERAL INSTRUCTIONS: Use Patterson's Zineb Fungicide with water at the rate of 1 level tablespoonful per gallon. Thorough and uniform coverage is absolutely essential for disease control. Start applications before diseases are apparent (for fruits, make first applications just before bloom and just after bloom) and protect plants through the growing season by applying at 5 to 10 day intervals. Unless otherwise noted, do not apply to any food crop within 7 days of harvest.

PARTIAL LIST OF PLANT DISEASES CONTROLLED

FLOWERS AND ORNAMENTALS

Azaleas and Camellias Petal blight, leaf blight: Spray 2 to 3 times a week while flowers are opening. Direct spray into flowers. Spray ground under bushes thoroughly.

Carnations and Snapdragons Leaf Spot, Rust
Chrysanthemums. Septoria Leaf Spot, Rust
Cyclamen..... Botrytis Blight, Leaf Spot
Gladioli..... Septoria Leaf Spot Stem-phylium, Botrytis, Curvularia
Tulips..... Botrytis Blight (Tulip Fire)
Roses..... Black Spot

VEGETABLES

Tomatoes..... Late and Early Blight, Septoria Leaf Spot, Gray Leaf Spot (Stemphylium), Anthracnose

Melons, Pumpkins
Cucumbers, (Cont'd.)

and Squash..... Downy Mildew, Alternaria, Gummy Stem Blight, Angular Leaf Spot, Anthracnose
Beans.. (snap) Rust, Anthracnose
Beans (Lima)..... Anthracnose, Downy Mildew
Spinach..... Downy Mildew (Blue Mold), White Rust

Cabbage, Cauliflower, Broccoli... Downy Mildew
Sweet Corn..... Helminthosporium Leaf Blight
Eggplant..... Alternaria, Anthracnose, Phomopsis
Peppers..... Anthracnose, Cercospora Leaf Spot
Carrots and Beets. Leaf Spot diseases

FRUITS

Apples..... Scab, Cedar Apple Rust, Blackrot (Fruit and Leaf Spots), Brooks Spot, Spotty Blotch, Fly Speck
Cherries..... Leaf Spot
Grapes..... Black Rot, Downy Mildew
Pears..... Scab, Sooty Blotch
Strawberries..... Leaf Spot

CAUTION: May cause irritation of nose, throat and skin. Do not breathe dust or spray mist. Avoid contact with skin, eyes and clothing. In case of contact, flush with plenty of water; for eyes, get medical attention. Store away from children, domestic animals and foodstuffs. Keep away from fire or sparks.

NOTICE: Buyer assumes all risk and liability of use, storage and/or handling of this material not in accordance with the terms of this label.

1964 EST 2169-KS-1

2072150115



ZINEB

FUNGICIDE

ACTIVE INGREDIENT:

ZINEB (zinc ethylene bisdithiocarbamate) 75%
(Metallic zinc equivalent 17.7%)

INERT INGREDIENTS 25%

Total 100%

CAUTION:

Keep out of reach of children.
See other cautions on side panel.

Net Weight 6 Oz.

E.P.A. Reg. No. 2169-160