

Controls many plant diseases on Roses, Tomatoes and other garden plants.

#### DIRECTIONS FOR USE

Mix Patterson's Maneb Fungicide with water at the rate of 1 level tablespoonful per gallon. For foliage difficult to wet, add 8 to 10 drops of Patterson's Spreader-Sticker per gallon. Most common insecticides may be added to the spray mixture.

Use a hose attached sprayer or pressure sprayer. Spray plants thoroughly, applying to bottom and top surfaces of foliage and to the fruit. Start applications before diseases are apparent, and protect plants through the growing season by applying at 5 to 10 day intervals unless otherwise noted. In case of severe outbreak, shorten interval between applications.

#### EFFECTIVE FOR THE CONTROL OF THE FOLLOWING DISEASES:

**ROSES:** Black Spot—begin application when first leaves unfold and repeat at weekly intervals.

**TOMATOES:** Early Blight, Late Blight, Septoria Leaf Spot, Gray Leaf Spot (Stemphylium) and Anthracnose—Do not use on tender young seedlings in greenhouses as injury may occur.

**POTATOES:** Early Blight and Late Blight

**CARROTS:** Leaf Spot diseases.

IMPORTANT: KEEP JAR TIGHTLY CLOSED

# PATTERSON'S

## Maneb Fungicide

#### Active Ingredients:

Maneb (Manganese ethylene  
bisdithiocarbamate) ..... 80.0%  
(Manganese equivalent as  
metallic) ..... (16.5%)

Inert Ingredients ..... 20.0%

CAUTION: Keep out of reach of children.

See other cautions on side panel.

PATTERSON CHEMICAL COMPANY

141 UNION AVENUE KANSAS CITY, MISSOURI

**CUCUMBERS:** Downy Mildew, Anthracnose.  
**LIMA BEANS:** Downy Mildew. Do not apply  
later than 4 days before harvest.

**ONIONS:** Downy Mildew, Purple Blotch  
(Blight) and Blast (Botrytis Leaf Blight).

**SPINACH:** Downy Mildew (Blue Mold) and  
White Rust—Do not apply later than 7 days  
before picking, and remove residues by wash-  
ing or other effective means.

**LETTUCE AND ENDIVE:** Downy Mildew—  
Do not apply within 7 days of picking. Re-  
move residues by washing or other effective  
means.

**HEAD LETTUCE:** Downy Mildew. Do not  
apply within 7 days of picking. Remove resi-  
dues by stripping or trimming.

**NOTICE:** Buyer assumes all risk and lia-  
bility of use, storage and/or handling of  
this material not in accordance with the  
terms of this label.

**CAUTION:** May irritate eyes, nose, throat,  
and skin. May be harmful if inhaled or swal-  
lowed. Avoid breathing dust or spray mist.  
Avoid contact with skin, eyes, and clothing.  
Keep away from fire or sparks. Store away  
from children, domestic animals, and food-  
stuffs. In case of contact, flush with plenty  
of water; for eyes, get medical attention.

NET WEIGHT 4 OZ.

LABOR SAVING CHEMICALS

2/24/72

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO. 2169-K41