



DANGER—POISON—PRECAUTIONS

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed.

POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).

POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where run-off is likely to occur.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE

COTTON To control overwintering Boll Weevil, Thrips, Aphids, Fleahoppers and certain Mites, use 1 qt. in amount of water to cover 1 acre.

FRUITED STAGE To control Boll Weevil, Leafworm, Fall Armyworm, use 1 qt. - 2 qts. in the amount of water to cover 1 acre.

For boll weevil during the early season, apply at the 2- to 4 leaf stage or at first squaring, if weevils are present, and make 3 to 4 applications at weekly intervals as necessary; during mid and late season apply when 10 percent of squares or bolls are punctured and repeat 4- to 5 day intervals as necessary. For bollworm, apply when eggs and 3 to 4 small bollworm larvae are found per 100 bud terminals and repeat at weekly intervals as necessary. Late season control of bollworm may require applications to be repeated at 4- to 5 day intervals.

For cotton aphid, apply when aphids are present in the buds and on the leaves of seedling cotton, or when honeydew develops on older cotton. Repeat as needed.

For thrips and fleahoppers, apply at the 2- to 4 leaf stage and make 2 to 3 applications at weekly intervals as needed.

STOP—READ LABEL BEFORE USE

POISON

See Side Panels
for Antidote &
Precautions



DA
Keep
Reac
Child

COTTON SAVER

CONTAINS 6 LBS. TOXAPHENE AND
1½ LBS. METHYL PARATHION PER GALLON

ACTIVE INGREDIENTS

Toxaphene*

O,O-dimethyl O-p-nitrophenyl phosphorothioate**

Aromatic petroleum derivative solvent

INERT INGREDIENTS

Total

*Technical chlorinated camphene containing 67% to 99% toxaphene
**Methyl Parathion

NOT FOR HOME USE