

BEST DOCUMENT AVAILABLE

ADD

Thoroughly ventilate before re-entry

DIRECTIONS (Cont.)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

WARNING: May Be Fatal if Swallowed, Inhaled Or Absorbed Through The Skin. Do not get in eyes or on skin. Wash thoroughly with soap and water after handling and before eating or smoking.

Do not contaminate feed, water, milk or milk handling equipment.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Do not contaminate water by cleaning of equipment or disposal of wastes.

Keep out of any body of water. Apply this product only as specified on this label.

PHYSICAL & CHEMICAL HAZARDS

Do not use, pour, spill, or store near heat or open flame.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE — Store in original container in a cool dry place out of reach of children.

PESTICIDE DISPOSAL — Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL — Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or other procedures approved by state and local authorities.

NOTICE: Buyer assumes all risk and liability for use, storage and or handling not in accordance with the terms of this label.

STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED — Call a physician or Poison Control Center immediately. Give victim

1 or 2 glasses of water and induce vomiting by touching back of throat with finger.

Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.


IF INHALED — Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN — Immediately remove contaminated clothing and wash effected area with soap and water.

Get medical attention.

IF IN EYES — Flush eyes with plenty of water for 15 minutes. Get medical attention immediately.

NOTE TO PHYSICIAN: This product is a cholinesterase inhibitor. Treat symptomatically. Atropine is antidotal.



READY TO USE — CONTAINS 1% VAPONA (DDVP)

ACTIVE INGREDIENTS	
2,2-dichlorovinyl dimethyl phosphate	0.93%
Related Compounds	0.07%
Petroleum Distillate	99.00%
	100.00%

*Equivalent to 1.00% of Vapona Insecticide
*Shell Chemical Company

For LACTATING DAIRY CATTLE, BEEF CATTLE AND BARNS

WARNING: Keep Out of Reach of Children

See side panel for additional caution statements
EPA Reg. No. 2166-219 EPA Est. No. 2166-45-1

NET CONTENTS 1 GALLON

DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Vapona Insecticide is a very effective fog or surface spray and will provide fast knockdown and kill of flies, mosquitoes and other small flying insects. It is a multi-purpose formulation designed for use as an animal spray to protect dairy cows, beef cattle and horses from face flies, stable flies, house flies, horn flies, gnats and mosquitoes.

USE AS A BARN FOG — VAPONA Insecticide can be used in barn fogging equipment without dilution. One pint will fog 8,000 cubic feet of enclosure. Before applying, reduce air movement as much as possible by closing doors, windows and other openings. Do not contaminate water, feed or foodstuffs, milk or milking utensils. Do not use this solution for fogging purposes in areas where animals have received direct application within 8 hours.

Animal Buildings (Horse Barns, Dairy Barns, Shelter Sheds), **Milk Sheds, Outdoor Areas** — Dilute Vapona Insecticide with equal amounts of deodorized kerosene or fuel oil. Apply as a coarse wet spray at the rate of one quart per 1,000 square feet to walls, ceilings, stalls, feed storage rooms, alleyways, pig pens, milk sheds, loafing areas in poultry houses, apply to manure, window sills and outside of penned enclosures. For fly and maggot control in breeding areas such as dumps and manure piles apply at the rate of 1 to 2 quarts of the diluted mixture per 100 sq. ft. Apply this diluted mixture as a coarse wet spray at the rate of one quart per 1,000 sq. feet to treat loading docks, parking areas, refuse areas around service stations, open air drive-ins, garbage collection and disposal areas. Apply Vapona Insecticide as a mist spray with hand or automatic sprayer for control of face flies, stable flies, house flies, horn flies, gnats and mosquitoes.

Use As An Animal Spray — On dairy cows, beef cattle and horses, apply 2 fluid ounces of Vapona Insecticide to each animal each day. The mist spray should be applied with a good hand or automatic sprayer. Spray to wet hair. For maximum results apply the 2 fluid ounces, one ounce in the morning and one ounce at night. Special care should be used to assure coverage of the legs, belly shoulders and head. Caution: Do not apply regularly to calves under 6 months of age. Apply thoroughly as a mist spray to animals but do not wet skin. Keep unprotected persons out of operating area. In a complete fly control program this spray should be used in conjunction with a Vapona Insecticide building, fog or surface spray and sanitary measures. Do not use this solution for fogging purposes within 8 hours of direct spray to animals.

P.O. Box 4029

patterson GREEN UP company

Kansas City, Missouri 64101

Division Curry-Carrwright Inc.

29 JUN 1984

300/120955
17/3

Patterson Green-Up Company
Div. Curry Cartwright, Inc.
1331 Union Ave.
Kansas City, MO 64101

Attention: H. R. McLane

Gentlemen:

Subject: Amendment - Updated Labeling
Vapona Insecticide
EPA Registration No. 2169-219
Your Application Dated April 19, 1984

The amendment referred to above,, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

1. Revise the Statement of Practical Treatment. We suggest the following statement; however, if your toxicological data suggest otherwise, please submit a draft Statement of Practical Treatment for prior approval:

If swallowed - Call a Physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with a finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.

If on skin - Remove contaminated clothing and wash affected areas with soap and water.

If in eyes - Flush eyes with plenty of water. Call a physician immediately.

2. In the Note to Physician add "Solvent presents aspiration hazard."

3. Add the following to the barn fogging directions.

CONCURRENCES							
SYMBOL							
SURNAME	J. B. Smith						
DATE	6/22/84						

EPA Form 1320-1 (4-81)

BEST DOCUMENT AVAILABLE

OFFICIAL FILE COPY

-2-

Wear a pesticide respirator jointly approved by the Mine Safety and Health Administration and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.

Submit five (5) copies of your revised final printed labeling before you release the product for shipment with the amended labeling.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

RD/IRB:LaRocca:DCR-04487:WANG-0021N:eg:Raven:479-2013:6/26/84

BEST DOCUMENT AVAILABLE