Page 1 of &

.50

DIRECTIONS FOR USE

It is a violation of Federal Jaw to use this product in a manner inconsistent with its labeling.

WHERE To APPLY - Apply only to mature seasoned back of trees and shrubs which is clean, dry and tree of exading "sap" or other surface debris. "Signs" of Borer feeding usually include one or more of the following - an entry hole through the back into the heart wood; sawdest that has been pushed out of the hole by the insect, (check for sawdest that has fallen to the base of the plant at soil level); or a discoleration and wet area on the back caused by the exuding "sap". Treat any "spot" in the tree or should which is accessible. Therefor the trunk or limbs. Do not apply to foliage or small twiss of currency years growth because of possible damage to the plant (Borers are not likely to infe ' these areas of the plant). Do not apply to areas that are free of insect feeding.

HOW TO APPLY - This product is ready to use. For application select a small hand "Tigger Type Sprayer" that can be adjusted to deliver a pin point stream of liquid. Pour this product into the apparer botate or reservoir. Hold the sprayer nossel up close to the insect feedles entry hole and pump appayer twice to fosce the insecticide into the insect feedles to have a feedless to apply a cannot in 5 to 7 days is feedle sight one still observed. Do not apply a can the ethern that encircles a limb or trush nince damps will result to plant. Replace we seed liquid by possing in to original container.

THIS IS
APPROVED
LABEL COPY

WE'S CONTROL TO THE STREET

00T1 1 10

University 10 to 1

301/103354

00T 1.1

H. R. McLane
Patterson Green-Up Company
Div. Curry Cartwright, Inc.
1331 Union Avenue
Kansas City, MO 64101

Dear Mr. McLane:

Subject: Amendment - Clarification of Use Directions
Borer Killer and Borer Killer Bark Penetrating Spray
EPA Registration Nos. 2169-239 and 2169-226
Your Application Dated August 5, 1993

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

We regret the typographical error in our letter of July 18, 1983. Your currently accepted label of September 12, 1972, advocates repeat treatments at 3 to 6 months (not 30 to 60 days) and "if treated area has not dried within a week to ten days, treatment should be repeated." Your proposed label deletes the 3 to 6 month retreatment interval. While we will not object to this deletion we feel some emphasis should be added so the 7 to 10 day retreatment is not routine. Perhaps the following slight revision to your proposed label would reduce the risk to applicators and possible phytotoxicity to the trees and shrubs:

Repeat treatment in 5 to 7 days if feeding signs are still observed.

We will not insist on the 60-day preharvest interval if only brushing is advocated after fruit is set. There is no spraying while fruit is present therefore there will be no residue data requirements.

We do not object to your spelling of "therefor." Our dictionary indicates it is the archaic form for therefore (The American Peritage Dictionary of the English Language, William Norris, Editor, Published by Maughton Mifflin Company in 1976).

Your sentence relevant to "Do not apply to foliage" is aukward but defies improvement without breaking it up into two centences. Therefore, we will except it as printed on your proposed label of two 17 1993

EPA Form 1320 1 .4-81						OFFICIAL FILE COPY			
DATE							3		
SURNAME	[]							
, STMBOL >									
at the reas printed on your proposed and 17, 1983.									

ζ

Please be advised that the Storage and Disposal Statement requires revision according to PR Notice 83-3.

- A Statement of Practical Treatment must be added to the labeling at the label printing. We suggest the following statement, however, if your logical lata suggests otherwise, please submit a draft Statement of the labeling at the labeling
 - swallowed Call a physician or Poison Control Center immediately. Do NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.
 - If inhaled Remove victim to fresh air. Apply a lificial respiration if indicated.
 - If on skin Remove contaminated clothing and wash affected areas with scap and water.
 - If in eyes Flush eyes with plenty of water. Call a physician immediately.

statement of the weight of lindane per buit volume of the product.

Sincerely yours,

700

George T. LaRocca
Product Hanager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Baçlosure

REVISED: RD: LaRocca: DCR-29397: WANG-0334C:pjb: Raven: 479-2013: 8/31/83