

AMENDED 1st OF FIRST PARAGRAPH INSTRUCTING THE USE OF PRODUCT
BORER-KILLER B.P. Penetrating Type Aerosol Spray EPA Reg. No. 2169-239

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in manner inconsistent with its labeling.

WHERE TO APPLY - Apply only to mature seasoned bark of trees and shrubs which is dry, clean and free of oozing "sap" or oil or surface debris. "Signs" of Borer feeding, usually include one or more of the following: an entry hole through the bark into the heart wood; sawdust that has been pushed out of the hole by the insect (check for sawdust which may have fallen to the base of the plant at soil level); a discoloration and wet area on the bark caused by the exuding "sap". Treat any "spot" in the tree or shrub which is accessible above the trunk or limb. Do not apply to foliage or small twigs of current year's growth because of possible damage (borers are not likely to infest these areas of the plant). Do not apply to areas that are free from insect feeding.

HOW TO APPLY - Insert the plastic extension tube into the aerosol nozzle. Apply as a "Spot Spray" only in each area that shows insect feeding "signs". Do not apply as a treatment which encircles a limb or trunk since damage will result to the plant. If possible insert the extension tube into the Borer entry hole and release the insecticide into the plant for 1 to 2 seconds per hole. Repeat in 5 to 7 days if "feeding signs" are still observed.

ACCEPTED
with comments
in Lab. C. 10/11/67

OCT 11 1967

For
File
Reg. No.
2169-239

2169-239

THIS IS
APPROVED
LABEL COPY

THIS IS
APPROVED
LABEL COPY

BEST DOCUMENT AVAILABLE

4-1-372

Please be advised that the Storage and Disposal Statement requires revision according to PI Notice 13-3.

A Statement of Practical Treatment must be added to the labeling at the next label printing. We suggest the following statement, however, if your toxicological data suggests otherwise, please submit a draft Statement of Practical Treatment for prior approval:

- If swallowed - Call a physician or Poison Control Center immediately. Do NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.
- If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.
- If on skin - Remove contaminated clothing and wash affected areas with soap and water.
- If in eyes - Flush eyes with plenty of water. Call a physician immediately.

~~Since this is a liquid product the ingredients statement should include a statement of the weight or density per unit volume of the product.~~

Sincerely yours,

Handwritten initials and date: 9/11/83

George T. Lawrence
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosure

PI Notice 13-3 dated 7-2-83. TWA 13-633414, b15, item 17, 18, 20, 31/83

BEST DOCUMENT AVAILABLE