

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

ORNAMENTAL INSECTS

Control listed insects on ornamentals—Asteraceae, Azalea, Birch, Bon-wood, Camellia, Carnation, Chrysanthemum, Douglas Fir, Elm, Gladiolus, Hawthorn, Holly, Juniper, Lilac, Locust, Maple, Oak, Pine, Plum, Poplar, Rhododendron, Rose, Spruce, and Willow apply the recommended rates listed below.

Do not use on certain Ferns, Ficus, Hibiscus, Papaya, Pine, Gardenia, since injury to the plants may occur.

Mite Webworms—Mix 1/4 fl. oz. (1 tablespoon) in 3 gals. water (or 1 pt. in 100 gals. water) and apply as a thorough foliar spray when adults first appear. Make a second and third application at 4-5 week intervals.

For Aphids, Bagworms, Carnation Red Mites, Carnation Root Mites, Clover Mites, Cyclamen Mites, Dotted Leaf Mites, European Pine Shoot Moths, European Red Mites, Flea Beetles, Holly Bud Moths, Leafhoppers, Oblique Banded Leaf Miners, Pear Slugs, Pear Tree Mites, Scale Crawlers, Soft Scale, Thrips, Two-Spotted Mites, Webworms, Whiteflies—1/4 fl. oz. per 3 gals. water; 1 pt. per 100 gals. water.

For Apple-and-Thorn Skeletonizers, Caneborers, Webworms, Fall Webworms, Horned Caterpillars, Oak Leafrollers, Oblique-Banded Leaf Rollers, Pear Slugs, Tent Caterpillars—1/4 fl. oz. per 3 gals. water; 3 pts. per 100 gals. water.

1 fl. oz. equals 2 tbsp.; 16 fl. oz. equals 1 pint

LAWN INSECTS

To control insects listed below, apply recommended rates. For insects such as Aids, Brown Dog Ticks, Clover Mites, Crickets, Earwigs, Fleas, Millipedes, Sowbugs and Collared (Springtails) which are commonly found near the house and may enter the house, spray a 5-ft. band of grass around the house, as well as the house foundation wall to a height of 2-3 ft. Repeat application if necessary.

For Ants, Armyworms, Clover Mites, Collared (Springtails), Crickets, Cutworms, Digger Wasps, Earwigs, Flea Beetles, Lawn Billbugs, Sod Webworms, Thrips, Whiteflies—Use 4 fl. oz. per 3 gals. water. For spray mites and wasp ground nest openings, For lawn billbugs, Whiteflies the thoroughly immediately after treatment.

House and White Grubs, such as Japanese Beetle larvae, European chafer and Southern chafer, apply 4 fl. oz. per 1000 sq. ft. of lawn. Water grass thoroughly after application. For grub control make application any time between late July and early October. For billbug control apply when activity is first observed or when chewed or brown grass is present. For Sod Webworms—Spray bugs outside the home with 1 1/2 fl. oz. (2 1/2 tablespoons) in 1 gal. of water. At the same time, spray thoroughly around foundations, windows, doors, tree trunks, and into cracks and other places where the insects hide.



DIAZINON 500 INSECTICIDE

For Control of

ACTIVE INGREDIENTS:	
60-diethyl 0-(2-isopropyl-4-methyl-4-pyrimidinyl) phosphorothioate	47.5%
Heavy aromatic naphtha	39.5%
INERT INGREDIENTS	12.6%
Total	100.0%

DIAZINON 500 contains 4 lbs. Diazinon per gallon
DIAZINON—Registered Trademark CIBA-GEIGY

**KEEP OUT OF REACH OF CHILDREN
WARNING**

SEE SIDE PANEL FOR ADDITIONAL CAUTION STATEMENTS

For Lawn Chinch Bugs use 2-3 fl. oz. or 3-6 fl. oz. to 25 gals. water; 1000 sq. ft. Use higher rate for longer residual control and in lawns of dense growth, such as St. Augustine lawns.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING: Do not breathe spray mist. May be fatal if swallowed, absorbed through skin. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling. Avoid contamination of food and feed. Keep out of reach of domestic animals. Do not use on lawns, house, pets, or livestock. Do not permit children or pets to go onto the spray area until spray has completely dried. Do not contaminate food, containers or feeding utensils.

Environmental Hazards

Fish and Wildlife Caution: This product is toxic to fish and wildlife. Feeding on treated areas may be killed. Keep out of any body of water. Apply this product only as specified on this label. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor runoff from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop, or blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

STATEMENT OF PRACTICAL TREATMENT

If swallowed—call a physician immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE vomiting unless a physician is available. If it is necessary to induce vomiting, victim should be given two glasses of water and insert finger in back of the throat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person. If inhaled—remove victim to fresh air. Apply respiration if indicated. If on skin—wash immediately with soap and water. If in eyes—flush eyes for at least 15 minutes with water. Call a physician immediately.

Physical or Chemical Hazards

Do not use, pour, spill or store near heat or open flame

Disposal

Do not reuse empty container. Wrap container and put in trash collection. **IMPORTANT:** Read the entire DIRECTIONS FOR USE before using this product.

E.P.A. Reg. No. 2169-259

E.P.A. Est. No. 2169-KS

CONTENTS: 1 QUART

USE

is product in a manner
along

TS
Kyllae, Azalea, Birch, Ber-
sagles Fir, Elm, Gladiol,
Oak, Pine, Plane, Poplar,
by the recommended rates

us, Paraya, Pine, Gardenia,

in 3 gals. water (or 1 pt. in
lar spray when adults first
at 4-5 week intervals.

European Pine Shoot Moth, Clover
Moths, Leafhoppers, Oblique
Moths, Scale Crawlers, Col-
or, Soft Scale, Thrips, Two-
d. per 3 gals. water; 1 pt.

Webworms, Fall Webworms,
and Leaf Rollers, Four Gladi,
3 pts. per 100 gals. water,
equals 1 pint

ended rates. For such
chets, Barwise, Plum Mill,
which are commonly found
in a 3-ft. band of soil around
wall to a height of 2.5 ft.

hola (Springtails), Chchets,
as, Lawn Billbugs, Red Web-
per 3 gals. water; 3 pt. spray
in lawn billbugs, 1 pt. the

use Beetle larvae, European
1000 sq. ft. of lawn. Water
control make application any
or killing control when
brown grass is present.
with 1 1/2-3% (2 1/2 S
one, spray thoroughly around
into cracks and other places



DIAZINON 500 INSECTICIDE

For Control of

ACTIVE INGREDIENTS:	
0-0-dimethyl 0-(2-isopropyl-4-methyl-4-pyridinyl) phosphorothioate	47.5%
Heavy aromatic naphtha	39.9%
INERT INGREDIENTS	12.6%
Total	100.0%

DIAZINON 500 contains 4 lbs. Diazinon per gallon
DIAZINON—Registered Trademark CIBA-GEIGY

**KEEP OUT OF REACH OF CHILDREN
WARNING**

SEE SIDE PANEL FOR ADDITIONAL CAUTION STATEMENTS

For Lawn Chuch Bags use 2-3 fl. oz. or 3-6 fl. oz. to 25 gals. water per
1,000 sq. ft. Use higher rate for longer residual control and in lawns of
dense growth, such as St. Augustine lawns.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING: Do not breathe spray mist. May be fatal if swallowed. May
be absorbed through skin. Do not get in eyes, on skin or on clothing.
Wash thoroughly after handling. Avoid contamination of food and feed.
Keep out of reach of domestic animals. Do not use on humans, household
pets, or livestock. Do not permit children or pets to go onto the sprayed
grass until spray has completely dried. Do not contaminate food, feed
containers or feeding utensils.

Environmental Hazards

Fish and Wildlife Caution. This product is toxic to fish and wildlife. Birds
feeding on treated areas may be killed. Keep out of any body of water.
Apply this product only as specified on this label. Do not apply where
runoff is likely to occur. Do not apply when weather conditions favor drift
from areas treated. Do not contaminate water by cleaning of equipment,
or disposal of wastes. This pesticide is highly toxic to bees exposed to
direct treatment or to residues remaining on the treated area. Do not
apply when bees are actively visiting the crop, cover crop, or weeds
blooming in the treatment area. Applications should be timed to provide
the maximum possible interval between treatment and the next period of
bee activity.

STATEMENT OF PRACTICAL TREATMENT

If swallowed—call a physician immediately. Gastric lavage is indicated
if material was taken internally. DO NOT INDUCE vomiting unless other
treatment is not available. If it is necessary to induce vomiting, give
victim one or two glasses of water and insert finger in back of throat.
Repeat until vomit fluid is clear. Do not induce vomiting or give any-
thing by mouth to an unconscious person. If inhaled—remove victim to
fresh air. Apply respiration if indicated. If on skin—wash immediately
with soap and water. If in eyes—flush eyes for at least 15 minutes with
water. Call a physician immediately.

Physical or Chemical Hazards

Do not use, pour, spill or store near heat or open flame

Disposal

Do not reuse empty container. Wrap container and put in trash collection.
IMPORTANT: Read the entire DIRECTIONS FOR USE before using
this product.

E.P.A. Reg. No. 2169-259

E.P.A. Est. No. 2169-KS-1

CONTENTS: 1 QUART

24