



greenUP TURF-PRO™

BALAN™ 2.5% Granules Pre-emergent Herbicide

A herbicide for professional use on ornamental lawns and golf courses. When used as directed, will control crabgrass, annual blue grass, (poa annua), and other grasses as listed.

FOR USE ON

- | | |
|------------------------|---------------------|
| Blue grass (perennial) | Bermuda Grass |
| Ryegrass (perennial) | Centipede Grass |
| Fescue | St. Augustine Grass |
| Bahia Grass | Zoysia Grass |

ACTIVE INGREDIENT:

N-Butyl-N-Ethyl-a-a-a-Trifluro-2,6-Dinitro-p-Toluidine

INERT INGREDIENTS

2.5%
97.5%
100.0%

BALAN™ The Trademark of BENEFIN Elanco Product Company
a division of Eli Lilly & Company

Covers Up to 22,000 Sq. Ft. of Turf
Statement of Practical Treatment

In case of Contact, For eyes, flush with water for 15 minutes. For skin, wash with plenty of soap and water. Get medical attention if irritation persists.

See Side Panel for Additional Precautionary Statements

KEEP OUT OF REACH OF CHILDREN

CAUTION

Net Weight 40 lbs.

E. P. A. Reg. No. 2169-266
E.P.A. Est. 2169-KS-1

Patterson GREEN-UP Company

Div. Curry-Cartwright, Inc.
1400 Union Avenue
Kansas City, Missouri 64101

TURF-PRO™

Balan 2.5% Granules
Pre-emergent Herbicide

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Turf Pro Balan 2.5% Granules is a pre-emergent herbicide which is applied directly to established turf for the control of smooth crabgrass, hairy crabgrass, goosegrass, silver crabgrass, watergrass, barnyardgrass, yellow and green foxtail, and annual bluegrass (poa annua).

It controls annual grass weeds by killing their seeds as they germinate. It does not control established weeds. When it is applied as directed the following established grasses are tolerant to Balan: perennial bluegrasses, perennial ryegrass, centipede grass, fescue, zoysia grass, bermuda grass, St. Augustine grass, and bahia grass. Apply to turf before germination of annual grass weeds. Do not reseed within 42 days after application.

For Use in Permanent Turf

CRABGRASS, GOOSEGRASS, FOXTAIL:

Northern Cool Season Grass — Apply bag contents to 22,000 Sq. Ft. Area
Southern Warm Season Grass — Apply bag contents to 14,500 Sq. Ft. Area

Note: Apply in the spring before crabgrass germinates (mid-April, south to early May north). Apply evenly with a drop or rotary spreader.

ANNUAL BLUEGRASS (Poa-Annua)

Northern Area — Apply contents to 22,000 sq. ft. of turf. This provides 2 pounds of active Balan per acre. Treat in late summer or early fall before seed germinates.

Southern Area — On grasses such as Bermuda, St. Augustine and Bahia, apply contents to 14,500 sq. ft. This provides 3 pounds of active Balan per acre. Treat before Poa-Annua germinates in early fall.

SPREADER SETTINGS

Make sure of your spreader's calibration. Use a drop or cyclone type.

	Northern	Southern
	22,000	14,500
Cyclone	4	6 1/2
	3	4 1/2

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling.

ENVIRONMENTAL HAZARD

This pesticide is toxic to fish. Use with care when applying in areas adjacent to any body of water. Keep out of lakes, ponds, and streams. Do not apply when weather conditions favor runoff or drift from target area.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal or cleaning of equipment. Dispose of bag in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

USE PRECAUTIONS

This product may thin fine leaved fescues at rates above 60 pounds per acre of 5 pound active ingredient. It should not be applied in the spring to blue grass planted the previous fall. Do not apply to bentgrass putting greens or dichondra turf. Do not apply to newly sprigged areas of bermuda grass, St. Augustine grass, or centipede grass until these turfs are well established.

NOTICE: Buyer assumes all risk and liability of use, storage, and/or handling of this material not in accordance with the terms of this label.