



DIAZINON® PLUS

INSECTICIDE PLUS 30-3-5 FERTILIZER
FOR LAWNS & ORNAMENTAL TURF

Ready To Use Granules
Use in Grass and Dichondra Lawns

CONTROLS

Ants • Armyworms • Bermuda Mites • Billbugs
Brown Dog Ticks • Chiggers • Chinch Bugs
Clover Mites • Crickets • Cutworms • Earwigs
Fleas • Leafhoppers • Millipedes
Sod Webworms • Sowbugs • Springtails
White Grubs of Japanese Beetle,
European & Southern Chafer

EPA Reg. No. 2169-273 EPA Est. 2169-KS1,

ACTIVE INGREDIENT:

O, O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate 5%

INERT INGREDIENTS: 95%

TOTAL 100%

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED — Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.
IF INHALED — Remove victim to fresh air. Apply artificial respiration if indicated.
IF ON SKIN — Remove contaminated clothing and wash affected areas with soap and water.
IF IN EYES — Flush eyes with plenty of water. Call a physician if irritation persists.

Keep out of reach of children

CAUTION

See additional precautionary statements on back panel

NET WEIGHT 20 POUNDS

Patterson GREEN-UP company
Div. Curry-Carterwright Inc.
1400 Union Ave., Kansas City, Mo. 64101

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

LAWNS & ORNAMENTAL TURF

Controls the following lawn pests in both grass and dichondra lawns:

Ants, Armyworms, Bermudegrass Mites, Billbugs, Brown Dog Ticks, Chiggers, Chinch Bugs, Clover Mites, Crickets, Cutworms, Earwigs, Fleas, Leafhoppers, Millipedes, Sod Webworms, Sowbugs, Springtails, White Grubs of Japanese Beetle, European Chafer and Southern Chafer.

How to Apply:

For most insects, sprinkle one pound over a 500 sq. ft. area (10' x 50'). For heavy lawns such as St. Augustine grass, spread one pound evenly over 320 sq. ft. (10' x 32'). For billbug and white grub control, spread one pound over 400 sq. ft. (10' x 40').

For best results, the lawn should be dry before application. To control surface feeding insects, armyworms and sod webworms (lawn moths), apply in late afternoon. Water lawn lightly after application. To control ants, billbugs, chinch bugs, cutworms, and white grubs, water lawn thoroughly after application.

When to Apply:

Apply when insects are present. To control ants, armyworms, Bermudegrass mites, chinch bugs, cutworms, leafhoppers, and sod webworms (lawn moths), apply at 4-6 week intervals. To control white grubs, apply any time between July and early October. To control billbugs, apply when activity is first observed, or when chewed or brown grass indicates damage from these insects. Repeat as necessary.

GUARANTEED FERTILIZER ANALYSIS

Nitrogen (N) 30%
Available Phosphoric Acid (P₂O₅) 3%
Soluble Potash (K₂O) 5%
(Derived from Diammonium Phosphate, Urea & Muriate of Potash).

Fertilizer Rate: Apply the contents of this bag to 10,000 sq. ft. This supplies .6 lbs. nitrogen per 1,000 sq. ft. of turf. Applied to 8,000 sq. ft. it supplies .75 lbs. "N" per 1,000 sq. ft. of turf. To 6,400 sq. ft. it equals .93 lbs. "N" per 1,000 sq. ft.

SPREADER SETTINGS

Settings will vary with type and "age" of equipment. Check your calibrations.

	20 lbs. per —	6,400 sq. ft.	8,000 sq. ft.	10,000 sq. ft.
Scott		5	4½	4
Cyclone		4	3½	3

Precautionary Statements
Hazards to Humans & Domestic Animals

CAUTION

Harmful if swallowed. Avoid contamination of food and feed. Do not store near food or feed products. Avoid inhalation of dust. Avoid contact with skin, eyes, and clothing. Wash thoroughly after handling. May be absorbed through skin. Keep children and pets off treated areas until this material is washed into the soil and grass is dry.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

CONTAINER DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

NOTICE: Buyer assumes all risk and liability of use, storage and/or handling of this material not in accordance with the terms of this label.

ACCEPTED

MAY 6 1981

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 2169-273