



**DANDELION, CHICKWEED  
and  
BROADLEAF  
SPOT  
WEED KILLER**

READY TO USE

FOR LAWNS, PATIOS, DRIVEWAYS,  
FENCING & VACANT LOTS

**ACCEPTED**

MAY 21 1982

Under the Federal Insecticide  
Fungicide and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 2169-298

**Controls Poison Ivy, Dandelion,  
Plantain, Chickweed, Wild  
Onion and Many Other  
Broadleaved Weeds**

<b>Active Ingredients</b>	
**Dimethylamine salt of 2,4-dichlorophenoxy acetic acid	12.1%
*Dimethylamine salt of dicamba	31%
3,6-dichloro-o-anisic acid	66.48%
<b>Inert Ingredients</b>	<b>100.00%</b>
**Equivalent to 1.0% 2,4-dichlorophenoxy acetic acid	
***Equivalent to 25% 3,6-dichloro-o-anisic acid	

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel For Additional Precautionary Statements

EPA Reg. No. 2169-298

EPA EST. No. 2169-KS-1

**STATEMENT OF PRACTICAL TREATMENT**

**If Swallowed** - Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Never give anything by mouth to an unconscious person. **If On Skin or In Eyes** - In case of contact, wash skin with plenty of soap and water; for eyes flush with plenty of water. Get medical attention if irritation persists.

NET CONTENTS \_\_\_\_\_ 40 Fluid Ounces \_\_\_\_\_ 1 Quart 1 Gal

PATTERSON GREEN-UP COMPANY  
Div. Larry Cartwright, Inc.  
1331 Union Ave. Box 402  
Kansas City, MO 64101

Dandelion, Chickweed and Broadleaf SPOT WEED KILLER EPA Reg. No. 2169-298

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Weeds Controlled - Black Medic, Canada Thistle, Chickweed, Clover, Curly Dock, Dandelion, English Daisy, Fleabane, Florida Pusley, Ground Ivy, Heal-All, Henbit, Knotweed, Lambsquarter, Mustard, Pennywort, Morning Glory, Pigweed, Plantain, Poison Ivy, Poison Oak, Prickly Lettuce, Purslane, Sheep Sorrel, Spotted Spurge, Thistle, Wild Onion. (This product will not kill "Grassy Weeds". Use a Vegetation Killer EPA Reg. No. 2169-225 or Liquid Edger EPA Reg. No. 2169-294.

Where To Use - Lawns, Picnic Areas, around Patios and Driveways, Cemeteries, along and under Fencing, and Vacant Lots.

When To Apply - Spot treat weeds when air temperatures are above 70° and the weeds are actively growing. Lower temperatures will reduce herbicide effectiveness. Do not over dose. Spray when air is calm in morning or late afternoon to avoid wind drift of herbicide. Treat weeds when they become unsightly and present a problem.

How To Apply - This product is Ready To Use. Do not dilute. It contains a wetting agent to help kill "hard-to-kill" weeds. Hold sprayer as close as possible (1-2 feet) to wet the weed foliage. Direct the sprayer nozzle at each weed and wet to point of "runoff" trying to hit the growing point. Re-treat hard-to-kill weeds within 10-14 days.

Reseeding The Area - After weeds have died remove the dead vegetation. Prepare the seed bed by additions of top soil, peat or other amendments. Work into the soil. Wait 2 weeks then seed area at 1-1/2 times the recommended seeding rate. Keep soil moist through the first cutting.

**PRECAUTIONARY STATEMENTS**

Hazards To Humans & Domestic Animals

CAUTION- Harmful if swallowed. Avoid breathing spray mist. Avoid contact with eyes, skin and clothing. Wash hands after use.

**ENVIRONMENTAL HAZARDS**

Do not apply directly to water. Do not treat under the drip line or to the root systems of sensitive ornamental shrubs and plants. Clover, Dichondra and certain grasses such as Bentgrass, St. Augustine or Carpetgrass are sensitive to herbicides and may be injured by the use of this product. Do not contaminate waters used for irrigation or domestic purposes. Be careful when treating weeds not to spray surrounding desirable grasses unless damage can be tolerated. Avoid spraying or spattering of nearby flowers and other desirable plants.

**STORAGE & DISPOSAL**

Do not store near fertilizers, seeds, insecticides or fungicides. Do not contaminate water, food or feed by storage or disposal. Do not reuse this container. Wrap bottle and put in trash collection.

NOTICE Buyer assumes all risk and liability of use, storage, and/or handling of this material not in accordance with the terms of this label.

Cross-contamination is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry. **LEMON ODOR DISINFECTANT CLEANER II** has been formulated to aid in the reduction of cross-contamination in these areas.

**LEMON ODOR DISINFECTANT CLEANER II** is a one-step disinfectant cleaner that is effective against a broad spectrum of bacteria, virucidal, fungicidal, and will prevent the growth of mold and mildew and their odors when used as directed.

**LEMON ODOR DISINFECTANT CLEANER II** is an effective one-step sanitizer-cleaner for use on non-food contact surfaces.

When used as directed, **LEMON ODOR DISINFECTANT CLEANER II** will deodorize surfaces in toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause malodors.

#### Precautionary Statements

Hazards to Humans and domestic animals

### **DANGER**

Keep out of reach of children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.

#### **STORAGE AND DISPOSAL**

- DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL
- OPEN DUMPING IS PROHIBITED
- DO NOT REUSE EMPTY CONTAINER

#### **PESTICIDE DISPOSAL**

PESTICIDE, SPRAY MIXTURE OR RINSATE THAT CANNOT BE USED OR CHEMICALLY REPROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES.

#### **CONTAINER DISPOSAL**

TRIPLE RINSE (OR EQUIVALENT) AND DISPOSE IN AN INCINERATOR OR LANDFILL APPROVED FOR PESTICIDE CONTAINERS, OR BURY IN A SAFE PLACE.

#### **GENERAL**

CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES