DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER KEEP OUT OR REACH OF CHILDREN.

Corrosive Causes eye damage. Do not get in eyes. Wear goggles or face shield when handling concentrate, if spiashed in eyes, immediately flush. eyes with plenty of water for at least 15 minutes. For further treatment, get

medical attention
May be fatat if swariowed inhaled or absorbed through skin. Avoid exposure. Avoid contact with skin and clothing. In case of contact wash with soap and water. In case of poisoning, call a physician immediately. Have patient lie down and keep quiet, if swallowed, vomiting should be induced. Administer mink or water freely and induce vomiting should be induced. Administer mink or water freely and induce vomiting by giving one dose in 2 or 15 million of syrup of ipecacl. If vomiting does not occur within 10 to 20 minutes administer second dose if syrup of ipecaclis not available induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. Never, give anything by mouth to an unconscious person. Professional medical assistance should be secured immediately. Wash contaminated forthing with soas about the secured immediately. Do not have the result of the secured in the story miles. clothing with soap and hot water before reuse. Do not breathe spray mist. Do not contaminate feed or food. Keep out of reach of children. Always

wash thoroughly with soap and warm water after handling.

NOTE TO PHYSICIAN: Atropine sulphate is antidotal 2-PAM is also antidotal and may be administered in conjunction with atropine.

ENVIRONMENTAL HAZARDS
This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed Do not apply directly to lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply where run-off is likely

This product is toxic to bees and should not be applied when they are actively visiting the area

PHYSICAL & CHEMICAL HAZARDS

Do not use pour spill or store near heat or open frames

STORAGE & DISPOSAL

Do not contaminate water food or feed by storage or disposal. Do not

reuse bottle container. Vitap bottle and put in trash collection



"2-Way Action" USE ON ORNAMENTAL FLOWERS, SHRUBS, AND TREES TWO WAY PROTECTION AGAINST INSECTS

ACTIVE INGREDIENTS Dimetry 222-trichloro-1-hydroxyethyii phosphonate 5: '2-ethyisulfinyl)iethyl 0:0- Dimethyl phosphorothioste Arcma's Petroeum Distillate NERT:NGMED/ENTS 18 >>

DANGER: KEEP OUT OF REACH OF CHILDREN

See 5 de Paner For Additional Precautionani Statements EPA Reg. No. 2169-300 — EPA Est. No. 2169-KS-1

NET CONTENTS 1 QUART

Kanase City, Missouri 64101

INSECT CONTROL ON OFNAM WHERE TO USE — This product may be used plants * owers, shrubs evergreens and dec Roya Purple Smoke trees (Cotinus Sp.) or necessary spray one or two branchiets and op-overal treatment. Do not use on plants used WHEN TO USE - Spray when insects or " antic pated. Repeat as needed for control

INSECTS CONTROLLED — This product , protect on from insect attack. The spray k add tion the spray is absorbed by the plant systemic action

Aph-de Armyworms Armyworms
Bagworms
Birch Leaf Miners
Gumbing Sutworms
Derking Ground Beetle
Dramondoack Moth Dipterous Leaf Miners

Horry Leaf Miners Hore worms Imported Cabbagewor Leathoppers Lygus Bugs Miles Nantucket Pine T.p.M.

Pine Needle Scale HOW TO MIX — Use 2 tablespoonfuls (1 fluid (one quart makes 32 gallons of spray) thoroughly wet to point of run-off. Use a hose for shrubbery, a Gilmore sprayer or a suitable as indicated above. For best coverage on wax suitable approved Spreader Sticker in the so NOTICE - Buyer assumes all risk and habit

handing of this material when not used in acthis abei STATEMENTS OF PRACTICAL
M Swellowed: Call a physician or Poison C

Induce romiting by giving victim 1 or 2 glasses of throat with finger. Never give anything of

H In Eyes. Frush eyes with pienty of water medical attention.

if On Stin. Wash with soap and water


If Inhaled: Remove victim to fresh air. Apply

P.O. Box 4029

patterson GREEN UP company

39 6 ..

Division Curry Certwright I



LEST DOCUMENT AVA

HERETARY WE MANAGE

)NS FOR USE

se this product in a manner inconsistent

ARY STATEMENTS **B AND DOMESTIC ANIMALS** IT OR REACH OF CHILDREN.

in not get in eyes. Wear goggles or face e if spiashed in eyes, immediately flush st 15 minutes. For further treatment, get

or absorbed through skin. Avoid expos-ciothing. In case of contact, wash with ling call a physician immediately. Have swallowed vomiting should be induced I induce vamiling by giving one dose (. 3 miling does not occur within 10 to 20 it syrup of ipecac is not available. Induce throat Repeat until vomit fluid is clear in unconscious person. Professional lured immediately. Wash contaminated refore reuse. Do not breathe spray mist Keep out of reach of children. Always

airm water after handling sulphate is aniidotai 2-PAM is also aniin conjunction with atropine

NTAL HAZARDS orde Birds feeding on treated areas may exes streams or ponds. Do not contamiant or disposal of wastes. Do not apply

I should not be applied when they are

IEMICAL HAZARDS lar heat or open frames

" feed by storage or disposal. Do not e and put in trash collection.



"2-Way Action" USE ON ORNAMENTAL FLOWERS, SHRUBS, AND TREES TWO WAY PROTECTION AGAINST INSECTS

ACTIVE -NGREDIENTS
Dimethy 2.2.2 trichloro-1-hydroxyethyli phosphonate
S-12-ethylsuitinylljethyl 0.0- Dimethyl photonorothicate

Archard Petroleum Distillate MERT NGREDIENTS

18 2% 60% 39 5 ..

DANGER: KEEP OUT OF REACH OF CHILDREN

PS de Panel For Additional Predautionani Statements
EPA Reg. No. 2169-300 EPA Est. No. 2169-85-1

NET CONTENTS 1 QUART

WHERE TO USE — This product may be used out-of-doors on ornamental plants. Towers shrubs evergreens and deciduous trees. Do not use on Roya. Purple Smoke trees. Cotifius. Sp.) or on Carnations or Zinnias. If necessary spray one or two branchiets and observe for 4 to 5 days before overal treatment. Do not use on plants used for food or forage.

WHEN TO USE - Spray when insects or their damage is first seen or anticipated Repeat as needed for control

MISECTS CONTROLLED - This product provides plants with a 2 way protection from insect attack. The spray kills insects on contact and in addition the spray is absorbed by the plant and kills sucking insects by system claction

Aphids
Aimyworms
Bagwinins
Bagwinins
Brich Leef Miners
Climbing Cutworms
Darking Ground Beetle
Diamonottack Mori
Dipterous Leef Miners

Hornworms Imported Cabbageworm Learn opers
Lygus Bugs
Mites
Mentucket Pine Tip Moth
Pine Needle Scale

Red Spider Mites Salt marsh Caferpiliar Slink Bugs Tarnished Prant Bug Thrips
Tobacco Budworm
Metworms
Vinitefiles

HOW TO MIX — Use 2 tablespoonfuls (1 fluid ounce) per gallon of water tone quart makes 32 gallons of spray). Spray plants until they are thoroughly well to point of run-off. Use a hose-end type sprayer designed for shrubbery, a Gilmore sprayer or a suitable pressure sprayer and dilute as indicated above. For best coverage on waxy or hard-to-wet plants use a suitable approved Spreader Sticker in the spray solution

NOTICE — Buyer assumes all risk and hability of use storage and or handing of this material when not used in accordance with the terms of

STATEMENTS OF PRACTICAL TREATMENTS

N Swellowed: Call a physician or Poison Control Center immediately Induce romiting by giving victim 1 or 2 grasses of water and touching back of throat with finger. Hever give anything by mouth to an unconscious person

If In Eyes. Flush eyes with pienty of water for at least 15 minutes. Get

M On Skin: Wash with soap and water

If Inhaied: Remove victim to fresh air. Apply respiration if indicated

P.O. Box 4029

patierson GREEN UP company

Kensan City, Meaguri 64101

Division Curry Certwright Inc.

ACCEI SEP 2 1 1982 $t_{i} \in \mathcal{F}$ Table Committee and I m ary distriction LEATE: 110 2/69-300

TEST DOCUMENT AVAILABLE

MANAGLE