

EVA

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with the labeling.

**General Information** — This product is recommended for selective Post-Emergent weed control in Lawns and Ornamental Turf and Non-Crop Areas. Apply when temperatures are warm (70°F+) and weeds are actively growing.

**Mixing** — Fill the spray tank to full and then thoroughly combine the product into the spray solution, then fill tank to proper level. Do not store solution in tank over night. Clean application equipment after using by flushing with water. (See "Storage & Disposal" Statement)

**How To Apply** — Use a hand pump sprayer, a garden type pressure sprayer or sprinker can. Do not use a sprayer that is used for the application of insecticides or fungicides due to possible contamination. Thoroughly wet all target weeds. Avoid wetting desirable turf grass where possible. A fan type nozzle will give best results. Apply on a calm day to avoid spray drift to susceptible plants.

**Weeds Controlled** — Greasy Weeds: Crabgrass, Dandelion, Sandbar, Goose grass, Nutgrass (Nutsedge), Foxtail, Barnyard Grass, Bahagras, Johnson grass, Broadleaf Weeds: Cocklebur, Puncture Vine, Chickweed, Wood Sorrel, and Pigweed.

### ORNAMENTAL TURF GRASS

Apply as a post-emergent spray to control weeds listed herein. Do not use on new lawns until after the second cutting. Desirable turf grass may be temporarily discolored without lasting effects. Zoysia, Bluegrass, and Bermuda grass are quite tolerant. Do not use on St. Augustine or Centipede grass. Bent grass and Fescue may be damaged.

Mow the turf to 1 1/2 inches before treatment. **MIXING RATE** — Add 4 fluid ounces of this product to 2 gallons water to treat 1,000 sq. ft. (This is equal to 1 1/2 gallons of this product per acre.) Thoroughly wet all weeds. Plan on an additional application within 10 to 14 days to give desired control.

The spray is particularly effective for control of Crabgrass, Foxtail and Chickweed in the lawn. If possible treat weeds when in the seedling stage and before they go to seed. Best results will be obtained if the soil is moist. Small areas may be watered before application to increase the spray effectiveness.



MSMA Liquid For Selective Post-Emergent Weed Control  
Contains 1.5 lb. MSMA Per Gallon  
CONTROLS CRABGRASS, DALLIS GRASS, SAND-BUR  
and for Greasy Weeds such as Johnson Grass and Certain  
Broadleaf Weeds such as Cocklebur and Other Weeds as Listed  
One Pint treats 4,000 sq. ft.

**ACTIVE INGREDIENT:**  
Monosodium Acid Metharsilate 16.0%  
**INERT INGREDIENTS:** 84.0%  
**Total:** 100.0%  
Total Arsenic (as elemental) as water-soluble form 7.40%  
EPA REG. NO. 2169-303 EPA Est. No. 2169-MO-1

**CAUTION: KEEP OUT OF REACH OF CHILDREN**  
See Side Panel For Additional Precautionary Statements

### NON-CROP AREAS

This product is useful in the maintenance of drainage ditches, rights-of-way, fence rows, storage yards and similar areas to control weeds as listed herein. **MIXING RATE** — Add 4 fluid ounces in a maximum of 3 gallons of water and apply to 1,000 sq. ft. This is equal to 1 1/2 gallons of this product per acre. Make sure to wet plants thoroughly. Plan on a second treatment for best control.

### PRECAUTIONARY STATEMENTS

Hazardous To Humans & Domestic Animals

#### CAUTION:

Harmful if swallowed. Avoid contact with skin. Wash hands after using. Avoid contact with eyes. In case of contact flush with plenty of water. Avoid breathing the spray mist. Keep children and domestic animals off treated areas until this material has been washed into the soil.

### ENVIRONMENTAL HAZARDS

Do not contaminate water by cleaning of equipment or disposal of wastes. Do not feed treated forage to livestock or graze treated areas. Do not spray or allow drift onto vegetables, ornamentals or other desirable plants. Do not apply when weather conditions favor drift from target areas. Do not apply directly to water.

### STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not re-use empty container. Wrap container and put in trash collection.

### STATEMENTS OF PRACTICAL TREATMENT

**If Swallowed:** Call a Physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with fingers. Do not induce vomiting or give anything to an unconscious person.

**If In Eyes:** Flush with plenty of water and call a physician immediately.  
**If On Skin:** Remove contaminated clothing. Wash immediately with soap and water. Call a physician immediately.

### NET CONTENTS: 1 QUART

Buyer assumes all risk and liability for use, storage and/or handling of this product not in accordance with the terms of this label.

P.O. Box 4029

patterson GREEN UP company

Kansas City, Missouri 64101

Division Curry Cartwright Inc.

ACC  
OCT 28 1982  
EPA Reg. No. 2169-303

000000  
000000

BEST DOCUMENT AVAILABLE