111 5 p 1500

345 140²²³ 17

MAY 1 1985

H. R. McLane
Patterson Green-Up Company
Div. Curry Cartwright, Inc.
1331 Union Ave.
Kansas City, MO 64101

Dear Mr. McLare:

Subject: Amendment - Updated Formula and Revised Label

72% Chlordane Emulsifiable Concentrate

EPA Registration No. 2169-320

Your Application Dated October 24, 1984

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

The revised formula is also acceptable and has been included in our files.

Sincerely yours,

George T. LaRocca Product Manager (15) Insecticide-Rodenticide Branch Registration Division (TS-767)

Enclosure

RD-IRD:JOB-50447:LaRocca:Kendrick:898-1270:EK:RD-27:3/7/85:Del.3/14/85

BOOT AVAILABLE COPT

	CONCUMENCES		
SYMBOL >			
BURHAME TI GROUP			
DATE > 3//2/84			
OFFICIAL EN F. COMM			



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

SUBTERRANEAN TERMITES — HOMEOWNER USE MIXING INSTRUCTIONS — Use a 1% water emulsion for Subterranean Termites. Mix 12 gallon of this product in 47 on softwater to produce the 1% solution (8 Fluid Ounces fix. gallons of water)

TERMITE CONTROL IN EXISTING STRUCTURES Buildings with Basements or Crawl-Spaces

First remove all wood debris and wood forms. Around piers pipes, chimney bases and alling foundations of poured concrete dig a trench 6 inches wide and 4 inches deep. For brick and block foundations dig the trench about 12 inches deep. If footing is more than 12 inches deep, make holes with a crowbar pipe or a rod about one foot apart that extend from the trench bottom to the top of the footing. Make holes closer in hard-packed clay soils. NEVER DIG BELOW THE TOP OF THE FOOTING.

Apply the emulsion (or solution) in the trench at a rate of 4 gallons per 10 linear feet per foot of depth. Apply half of this to the back-fill. Likewise, treat along the inside of foundations of crawl-space buildings. Cover treated soil with a thin layer of untreated soil.

For raised porches, terraces, and entrance slabs, drill holes at one foot intervals, 6 inches from the foundation, and pour naif gallon of emulsion (or solution) into each hole. Refill holes. Slabs with heat ducts or radiating heat pipes should be treated by commercial pest control operator.

The object is to establish a treated soil barrier which wiprevent termite entry. Other critical areas may also require treatment particularly if there are inaccessible areas basements or siab-type construction, it is suggested that you contact the Agricultural Cooperative Extension Service for advice or consult a Commercial Pest Control Service.

Avoid contamination of public and private water supplies by following these precautions. Do not allow a hose or any type of faucet extension to reach into the termite chemical solution while filling or mixing this material with water. Use anti-back-flow or afiti-siphonage equipment on all filling equipment. These devices can be purchased at hardware or plumbing supply stores. Use of anti-back-flow equipment will help to insure that the user of this toxic chemical will not contaminate domestic water supplies. Refer to Federal (Federal Housing Administration), state, and local specifications for safe distances of treatment areas from wells.

ACCEPTED
with CORNED
in RPA Latter 1

APR 2919

Under the Federal Fungicide, and Roste Daniended, 1915 Litered under 2

EMULSIFIAE

SUBTERRANEA FOR USE

ACTIVE INGRE Chlordane Petroleum INERT INGREI

> Equivalent to API) Orrac 291 interprise numbound

KEEP OUT OF

See Side Pane For EPA Reg. No. 2169-

STATEMENTS

N Swithowed: Call a physician or Pr grasses of hater and induce vomiting yomiting should be induced underanything by mouth to an unconsciol R Inhelad. Remove victim to fresh a # On Sain. Remove contaminated co and vices:

ill her saler

If in Type: Frush eyes with prenty of
leate Te Physician. Solvent may pre
material was taken internally.

NET CON

Divinio 1331 Union Avenu BEST AVAILABLE COPY

::DIRECTIONS FOR USE (Cont.)

Soil in the vicinity of wells, distends or ponds should not be treated this viater saturated, subject to excessive saturation due to an accumulation of water or if the soil to be treated around the perimeter of the structure is at a grade lower than surrounding yard or property area. If this is the situation treat as follows. Do Not Apply Under Pressure. Soil should be removed to an area safe from well or domestic water contamination, treated, allowed to stand undisturbed for two to four hours then returned to the trench which has been lined with 4 mill plastic sheeting. Be careful not to puncture the plastic sheeting when returning soil to the trench. Do not treat structures that contain disterns or wells.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING May be fatal if swallowed. Do not get in eyes, on skin, or on clothing Contact with skin can cause toxic symptoms. Avoid breathing spray mist. In case of contact with skin wash with plenty of soap and water. Wash thoroughly after handling and before smoking or eating.

A committee of the National Academy of Sciences has stated that. There are no adequate data to show that these compounds are carcinogenic in humans, but because of their carcinogenicity in certain mouse strains and the extensive similarity of the carcinogenic action of chemicals in animals and humans, the committee concluded that Chlordane, Heptachlor, and or their metabolites may be carcinogenic in humans.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OF CHEMICAL HAZARDS

Do not use pour spill or store near heat or open flame

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Do not re-use empty container. Wrap container and put in trash collection.

NOTICE. Buyer assumes all risk and liability of use, storage and/or handling of this material not in accordance with the terms of this label.