



ANT, ROACH AND INSECT POWDER

FOR CONTROL OF
Cockroaches, Ants, Fleas,
Brown Dog Ticks, Spiders, Wasps,
Crickets, Silverfish and Other
Insects as Listed

For Commercial & Home Use
Non-Food Areas

ACTIVE INGREDIENT:

Bio-dicarb (2,2-dimethyl-1,3-benzoxazol-4-yl methylcarbamate*)

INERT INGREDIENTS

Total

*Protected by U.S. Patent No. 3,736,336

EPA Reg No. 2169-323 EPA Est. No. 2169-KS-1

KEEP OUT OF REACH OF CHILDREN
CAUTION

See Side Panel For Additional Precautionary Statements

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED — Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

IF INHALED — Keep patient strictly at rest and transfer to hospital immediately to get medical attention.

IF ON SKIN — Wash with soap and warm water.

IF IN EYES — Rinse thoroughly with clean water.

NOTE TO PHYSICIAN — Contains Anticholinesterase Carbamate insecticide. In cases of overexposure Atropine Sulfate (2 mg. equivalent to 1.30 grain adult dose) should be given and repeated as necessary until fully antipozed.

NET WEIGHT: 1 POUND

BEST AVAILABLE COPY

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Recommended for use in Non-Food areas. This product is for residual pest control in and on buildings and structures and their immediate surroundings. Permitted areas of use include, but are not limited to, houses, garage trailers, campers, storage sheds, apartment buildings, stores, warehouses, industrial buildings, schools, nursing homes, hospitals, restaurants and hotels.

INDOOR USE

This product is intended for application with a shaker or puffer container to hiding and runway areas and those places where pests are found. The amount to be applied will vary with the site, but should usually be in the range of 1/4 to 3/4 ounces of dust per square yard.

Cockroaches, Ants, Crickets, Silverfish and Firebrats: Thoroughly dust all areas where these pests crawl and hide, especially cracks and crevices around sinks, stoves, refrigerators and cabinets, behind baseboards, around doors and windows and in attic, basements and crawl spaces. For Ants, apply to ant trails and around doors and windows where they may enter premises.

Brown Dog Ticks and Fleas in Buildings: Dust interior areas such as, but not limited to, beds and nesting quarters, head cracks and crevices, under the edges of rugs and draperies, along the walls and under cushions of upholstered furniture and other places where these pests may hide. In the case of fleas, dust the carpeted area after treatment of pet area and replace with clean fresh bedding. After dusting, seal the treated area in an EPA approved dusting garment for pet use. **DO NOT TREAT ANIMALS OR THEIR BEDDING WITH THIS PRODUCT.**

Spiders: Dust along and behind baseboards, windows, door frames, corners, closets, storage areas, kitchen cabinets, trunks, suitcases and other areas where spiders may hide.

Wasps: This is best to treat wasp nests at night when wasps are inactive and have returned to the nest. Do not wear loose fitting clothing — take necessary precautions to avoid stings. First treat the site carefully dust near nest and check one or two days after treatment to ensure complete kill and retreat if necessary. If possible, remove and destroy nest to prevent marching of new insects. Flying and bees should be carefully dust entrance and surrounding areas. Retreat in one or two days if wasp activity is still present. Do not use this product to treat nests overhead.

Sowbugs, Pillbugs, Ground Beetles, Earwigs, Millipedes, Centipedes and Scorpions: Apply around doors, windows and other places where these pests may enter. Treat baseboards, storage areas, and cracks and crevices especially in dark, musty areas where these pests may hide.

OUTDOOR USE

Perimeter Treatment: Use this product as a residual treatment for control of Ants, Brown Dog Ticks, Centipedes, Cockroaches, Crickets, Earwigs, Firebrats, Fleas, Ground Beetles, Millipedes, Pillbugs, Scorpions, Silverfish, Sowbugs, Spiders and Wasps. Make a residual treatment around windows and doors, porches, screens, eaves, patios, garages, under stairways and in crawl spaces and other areas where pests hide.

To help prevent invasion of buildings and structures by the above pests, treat a band of soil and vegetation 6 to 10 feet wide around and adjacent to the building or structure. Also treat the building foundation and crawl spaces where pests are active and may find entrance. Apply thoroughly and uniformly to the band area. Pay particular attention to ant trails and wasp nests in the band area. Wasps, nests in trees and shrubs may be treated as noted above.

Imported Fire Ant Mound Treatment

To Make a Liquid Application: Stir 1/2 cup of this product into 1 gallon of water. Pour a small amount of material around the perimeter of the mound. Apply the remaining mixture to the mound in a 1/2 to 1 foot wide band as it penetrates insect galleries using 2 gallons of mixture per mound. This method is most effective when used on smaller mounds, however, thorough penetration of the insect galleries must be achieved. A second treatment may be necessary if complete control is not obtained.

Do not disturb the mound prior to application. It may be necessary to re-apply after a rain or rainfall. Applications may not be as effective during hot, dry periods.

To Make A Dust Application: Use as for established Fire Ant Mounds, apply between 1/2 to 3 level tablespoons of dust to cover 9 sq. ft. (3 ft. x 3 ft.) of the area surrounding the center. Apply the same amount directly to the center area where the ants enter the ground. Apply gently so as not to disturb the insects. Use a spoon or suitable dusting equipment, not kitchen utensils. Repeat as necessary for control. Treat new mounds as they appear. One ounce of this product equals 4 1/2 level tablespoons.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMAN AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Do not breathe dust. Do not allow to contact skin, eyes or clothing.

Wash hands and exposed skin before eating, drinking, smoking, and after handling. Wash all contaminated clothing thoroughly before reuse.

Do not apply to humans, animals, clothing or bedding.

Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed.

Do not contaminate feed or food products of livestock and poultry with this insecticide and keep from children.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wild life. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as directed on this label.

This product is highly toxic to bees exposed to direct treatment residues on crops. Protective information may be obtained from your cooperative Agricultural Extension Service.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Keep pesticide in original container. Store in a cool, dry place, preferably in a locked storage area. **PRODUCT DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** Do not re-use container. Rinse thoroughly before discarding in trash.

NOTICE: Buyer assumes all risk and liability of use, and/or handling not in accordance with the terms of this label.