

Use In The Dormant Or Growing Season Kills Grassy & Broadleaf Weeds In Bermuda Lawns

COVERS 5,000 SQ. FT.

Contains "Kerb" Herbicide Rohm & Haas Company Reg. T.M. U.S. Patents 3,534,098 and 3,640,699.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel For Additional Precautionary Statements

STATEMENTS OF PRACTICAL TREATMENTS

<u>If Swallowed</u> - Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Never give anything by mouth to an unconscious person. <u>If In Eyes</u> - Rinse eyes with plenty of water. Get medical attention if irritation persists. <u>If On Skin</u> - Wash with soap and water.

EPA Reg. Number 2169-

EPA Est. No. 2169-MO-1

ACCEPTED

2169-330 MAY - 81984

NET WEIGHT 20 Pounds

PATTERSON GREEN-UP COMPANY Div. Curry Cartwright, Inc. 1331 Union Avenue-Box 4029 Kansas City, MO - 64101 DIRECTIONS FOR USE

Page 2 of 3 7459 330 Paper inconsists

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PRECURB is a selective herbicide for use on Dormant or Actively growing Bermudagrass lawns & ornamental turf. At recommended rates it is generally effective against the following list of Annual and Perennial Grasses and certain Broadleaf weeds as listed.

GRASSES - Annual Bluegrass(Poa Annua), Perennial Bluegrass, Barnyardgrass, Canarygrass, Cheatgrass, Crabgrass, Fall Panicum, Foxtail, Foxtail Barley, Goosegrass, Lovegrass, Orchardgrass, Quackgrass, Ryegrass, and Volunteer Oats, Barley, Rye and Wheat.

BROADLEAF WEEDS - Annual Morning Glory, Carpetweed, Chickweed, Henbit, Knotweeds, Lambsquarter, Nettels, Nightshade, Purslane, Smartweed, and Volunteer Tomato.

WHERE TO USE - For use only on Bermudagrass lawns since bermuda is resistant to the herbicide action of Precurb. It also is not effective against Nutgrass, Johnson Grass or any number of Composite Family plants such as Dandelion, Dogfennel, Groundsel, Sow Thistle & Wild Lettuce or leguminous species such as Clover or Black Medic. These must be controlled by other suitable EPA approved herbicides.

This product is especially effective for Pre & Post Emergence control of Poa Annua (Annual Bluegrass) growing in Bermudagrass. It will control "Poa" from pre-germination and seedling stages through tillering, heading and seed formation. It kills plants slowly. Target weeds may first become dark green & then gradually turn yellow & die over a 3 to 5 week period.

The following plants are sensitive to Precurb treatments and should not be treated unless extensive damage can be tolerated: Dichondra, Bluegrass, Annual and Perennial Ryegrass (includes all new patented strains of Ryegrass), Fescue Grasses, and Bentgrass.

Do not use on areas that are to be overseeded with susceptible cool season grasses within 90 days of treatment. Do not treat fairways or approaches that drain into Bentgrass greens.

HOW IT WORKS - This product works mainly thru the root absorption of the herbicide. If no rain occurs, the application should be followed with a light overhead irrigation to move the chemical into the root zone. Avoid heavy irrigation of more than 1 inch water which might wash or leach the herbicide from the area of application.

HOW & WHEN TO USE: Apply contents of bag to 5,000 Sq.Ft. of lawn surface. The turf should be mowed first, catching the clippings. Do not feed clippings to Livestock. May be applied to Bermudagrass during the dormant or growing season. A Fall-Winter application should be made where weeds have become established during the summer months. All sussceptible weeds will die during the winter. Fall treatment should be made on winter annuals such as Chickweed. For Quackgrass and other perennial weedy grasses apply in the fall prior to winter freeze-up.

SPREADER SETTINGS : Scott 5 1/2 Cyclone 3 1/2

Walking speed and spreader condition may require adjustments in setting.

BEST DOCUMENT AVAILABLE +

Page 3 of 3

DIRECTIONS FOR USE(Cont.)

PRECAUTIONARY STATEMENTS Hazards To Humans & Domestic Animals

CAUTION - Harmful if Swallowed. Take special care to avoid contact with eyes, skin or clothing. In case of contact wash with soap and water. In case of eye contact wash with plenty of water. Do not breath dust. Wash clothing & gloves after handling and before eating or smoking.

ENVIRONMENTAL HAZARDS

Do not contaminate water by cleaning of equipment of disposal of wastes. Keep out of any body of water.

STORAGE & DISPOSAL

A not contaminate water, food or feed by storage or disposal. Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved disposal facility. Container Disposal: Securely wrap original bag in several layers of newsapaper and discard in trash.

NOTICE - Buyer assumes all risk and liability of use, storage and/or handling of this material not in accordance with the terms of this label.

÷...

BEST DOCUMENT AVAILABLE

U.S. ENVIRONMENTAL PROTECTION AGENCY		DATE OF ISSUANCE
OFFICE OF PESTICIDES PROGRAMS	EPA REGISTRATION NO.	DATE OF ISSUANCE
REGISTRATION DIVISION (BH-567) AASHINGTON, C.C. 2^40	TERM OF ISSUANCE	
NOTICE OF PESTICIDE:	NAME OF PESTICIDE PRODU	ст
(Under the Federal Insecticide, Fundicide, and Rodenticide, Act, as amended)		
AME AND ADDRESS OF REGISTRANT (Include ZIP code)		
r-	Г	
L	BEST DOCUME	NT-AVAILABLE
NOTE: Changes in labeling formula differing in substance submitted to and accepted by the Registration Division pri- productalways refer to the above U.S. EPA registration nu	or to use of the label in commer	
On the basis of information furnished by the registrant, the the Federal Insecticide, Fungicide, and Rodenticide Act.	above named pesticide is here	by Registered/Reregistered unde
A copy of the labeling accepted in connection with this Re	egistration/Reregistration is ret	lurned herewith.
Registration is in no way to be construed as an indorsement health and the environment, the Administrator, on his moti- loide in accordance with the Act. The acceptance of any n Act is not to be construed as giving the registrant a right to by others.	on, may at any time suspend or ame in connection with the regi	cancel the registration of a pest stration of a product under this
• •		
••		
· •		
· •		
· • • • ·		
· · ·		
· • •		
· • • • • • • • • • • • • • • • • • • •		
· • •		
· · ·		
· • • • • • • • • • • • • • • • • • • •		
· · ·		
ATTACHMENT IS APPLICABLE		

Ķ

1

T

÷

......