

U.S. ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (HJ-567)
WASHINGTON, D.C. 20460

EPA REGISTRATION NO.

DATE OF ISSUANCE

29 OCT 1994

TERM OF ISSUANCE

NAME OF PESTICIDE PRODUCT

NOTICE OF PESTICIDE.

☐ REGISTRATION
☐ REREISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

186/129055
17/1

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by other.

☐ ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

219-231

Homeowner Protective Clothing
Homeowner applicators must wear the protective clothing during the application process: long-sleeved shirt, long pants, chemical-resistant gloves, and chemical-resistant shoe coverings.

CAUTION: Do not allow children to play in or on this product. Children and pets should not be allowed in treated areas until treated surfaces are dry.

PRECAUTIONARY STATEMENTS

HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

WARNING — Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. May be fatal if swallowed or absorbed through the skin. Do not breathe vapor or spray mist.

Wash hands, arms and face thoroughly with soap and water after handling and before eating or smoking. Do not use on humans or household pets. Keep children and animals away from treated areas until spray has dried. Food utensils such as a teaspoon or measuring cup should not be used for food purposes after use with pesticides.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to lakes, streams, or ponds. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label. This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

~~2. Contaminate water food or feed by storage or disposal.
Storage - Store in a cool dry place
Pesticide Disposal - Pesticide, any mixture, or free water that
cannot be used according to instructions must be disposed of
according to appropriate Federal, state or local procedures.
Container Disposal - Triple rinse (or equivalent). Then offer for
recycling or reconditioning, or puncture and dispose in a sanitary
landfill or by other approved state and local procedures.~~



LINDANE 20% INSECTICIDE

**INSECT CONTROL FOR ORNAMENTALS — FRUIT TREES — FLOWERS
BULBS & VEGETABLES**

ACTIVE INGREDIENTS	
Lindane (Gamma Isomer of Benzene Hexachloride)	20.00%
Xylene	80.00%
INERT INGREDIENTS	
TOTAL	100.00%

12 PT. • WARNING: KEEP OUT OF REACH OF CHILDREN ← 8 PT.
See Side Panel For Additional Precautionary Statements

NET CONTENTS: 1 PINT

DIRECTION

It is a violation of Federal law inconsistent with its labeling. See attached supplemental label on ornamentals, fruit trees, Rose Brestock.

STATEMENT OF PRA

- # Swallowed — Call a physician immediately. Gastric lavage is indicated. DO NOT INDUCE VOMITING.
- # Inhaled — Remove victim to fresh air. Indicated.
- # On Skin — Remove contaminated areas with soap and water.
- # In Eyes — Flush eyes with plenty of water. Consult ophthalmologist.

For additional precautions and product rules to attached brochure. Safety makes no warranty. The use of this product other than as recommended assumes all risk of use and of injury. Use or handling is contrary to law.

EPA Form No. 2162.

NET CONT

P.O. Box 4029

patterson GREEN UP company

Kansas City, Missouri 64101

Division Curry-Carter

STORAGE & DISPOSAL ← 8 PT.

Do not contaminate water, food, or feed by storage or disposal.

STORAGE - Store product in original container in a cool, dry, locked place out of reach of children.

DISPOSAL - Do not re-use empty container. Wrap container and put in trash.

proper application. (1 tsp. = 1 fluid teaspoonful; 1 tbsp. = 1 fluid tablespoonful).

INSECT CONTROL FOR ORNAMENTALS, FRUIT TREES, FLOWERS, BULBS, VEGETABLES

(Do not use on root crops or in soil in which root crops are to be planted)

PLANTS	INSECTS	DOSAGE RATE IN FLUID MEASURE	COMMENTS
Elm, Birch, Locust, Holly	Leaf Miners	1 tsp./gal. water	Apply when adult miners appear in April & mid-May. Treat when smaller miners appear in July.
Pines	Pine Bark Beetles	3 Fluid Ounces per gal. water	Apply to trunks up as high as sprayer will reach. Spray to point of run-off in April or May.
Pine, Spruce	White Pine Weevil	1 tbsp./gal. water	Thoroughly spray entire tree in late April when buds swell.
Taxus, Hemlock	Taxus Weevil	1 tbsp./gal. water	Apply in May or early June in the trunks & around tree base. Soak the bark and soil surface.
Dogwood, Lilac, Rhododendron	Dogwood Borer, Lilac Borer, Rhodo. Borer	1 tbsp./gal. water	Make 3 applications. May 1st; June 1st; July 1st. Treat limbs, twigs and base of trunk.
Apples, Peach, Cherry	Bark Beetles Flat-headed & Round-headed Borer	1 tbsp./gal. water	Apply to bark of tree and large limbs in spring. Apply to trunk, crotch to ground. Soak bark to runoff. Do not apply to fruit or foliage. Do not apply within 60 days of harvest.
Peaches	Peach Tree Borer	1 tbsp./gal. water	Apply to bark of tree and large limbs in spring. Apply to trunk, crotch to ground. Soak bark to runoff. Do not apply within 60 days of harvest.
Maple, Aspen, Poplar, Ash, Willow, Elm, Locust	Aphids, Bark Beetles, Borers	2 tbsp./gal. water	Apply in spring when buds begin to break. Repeat in 10-14 days. For Aphids, apply when present in summer & fall.
Birch	Bronze Birch Borer	1 tbsp./gal. water	Make 3 treatments. May 1st; June 1st; July 1st. Soak bark.
Bulbs (Tulip, Iris, Gladiolus, Lilac)	Aphids, Bulb Fly, Iris Borer, Thrips	1 tbsp./gal. water	Treat when insects appear. For Iris borer soak soil around tuberous roots May & June.
Vegetable Sets, Cabbage	White Grubs, Cutworms, Wireworms, Soil Treatment	1 tbsp./2 gal. water. Use 2 gal. of mixture to treat 250 sq. ft. of soil area.	Do not apply after thinning. Do not treat plant foliage. Do not use in soil to be used for root crops. Apply around base of plant within 24 hours after sets are placed in soil. Repeat in 14 days.
Melons, Peppers, Okra, Tomatoes	Same for insects as for Cabbage	Same as for cabbage	Do not apply after edible parts start to form.
Flowers, Roses, Petunias, Carnations, etc.	Aphids, Thrips, White Flies, Leafhoppers	1 tbsp./2 1/2 gal.	Apply as insect appears. Repeat sprays as needed for control. Thoroughly spray.