

Cross infection is of major housekeeping concern not only in hospitals, but in schools, institutions and industry. **BAC-STOP 64** is formulated for this problem area. It both cleans and disinfects effectively when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-infection.

WARNING

Keep out of reach of children. May cause severe eye irritation or eye damage. Causes skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, give milk, raw egg white, gelatin solution; or if these are not available, drink water. Call a physician immediately.

THREE-M-SUPPLY COMPANY

1215 East Columbia • Seattle, Washington 98122 • 329-1200
Tacoma – 383-3988 • Spokane -- 747-0597
Wenatchee – 663-7653

BAC-STOP 64

Cleaner –Disinfectant--Deodorizer – Fungicide
for Hospital and Institutional Use

AOAC Phenol Coefficients

Staph. aureus (ATCC No. 6538)	100
Salmonella typhosa (ATCC No. 6539)	43.8

Active Ingredients

Didecyl dimethyl ammonium chloride	4.25%
Tetrasodium ethylenediamine tetraacetate	1.60%
Sodium carbonate	2.00%
Sodium metasilicate, anhydrous	0.50%

Inert Ingredients	91.65%
	100.00%

EPA Registration No.	2175-4
-----------------------------	--------

Net Contents: 1 gallon

WARNING

KEEP OUT OF REACH OF CHILDREN. SEE LEFT PANEL
FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

BAC-STOP 64

Cleaner—Disinfectant--Deodorizer--Fungicide
for Hospital and Institutional Use

AOAC Phenol Coefficients

Staph. aureus (ATCC No. 6538)	100
Salmonella typhosa (ATCC No. 6539)	43.8

Active Ingredients

Didecyl dimethyl ammonium chloride	4.25%
Tetrasodium ethylenediamine tetraacetate	1.60%
Sodium carbonate	2.00%
Sodium metasilicate, anhydrous	0.50%

Inert Ingredients	91.65%
	100.00%

EPA Registration No.	2175-4
-----------------------------	--------

Net Contents: 1 gallon

WARNING

KEEP OUT OF REACH OF CHILDREN. SEE LEFT PANEL
FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

USE DIRECTIONS

Add two ounces per gallon water.

Apply **BAC-STOP 64** to walls, floors and other hard surfaces such as tables, chairs and bed frames with a cloth or mop. For heavily soiled areas, a preliminary cleaning may be required.

At two ounces per gallon use-level, **BAC-STOP 64** is effective against *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Salmonella choleraesuis*, and *Trichophyton interdigitale*. Germicidal performance against the first three organisms has been confirmed by the AOAC Use-Dilution Test. At 2 ounces per gallon the broad spectrum effectiveness of **BAC-STOP 64** is shown by its germicidal action against the following additional organisms:

- Escherichia coli*
- Klebsiella pneumoniae*
- Salmonella schottmuelleri*
- Streptococcus faecalis*
- Shigella dysenteriae*
- Brevibacterium ammoniagenes*
- Enterobacter aerogenes*
- Proteus mirabilis*
- Streptococcus Pyogenes*

Fungicidal performance against *T. interdigitale* was determined by the AOAC Fungicidal Test.

Rinse empty container with water before discarding it.