

UTILITY is an industrial cleaner which disinfects as it cleans. It is especially designed for schools, institutions, and industry. A single application removes dirt and grime, disinfects, and is virucidal. When used as directed, the hard surface disinfecting action of UTILITY will reduce the hazard of cross-infection.

UTILITY is an extremely effective one-step sanitizer. It cleans and sanitizes in waters up to 1000 ppm hardness with no potable water rinse required. This hard water tolerance is in excess of most potable waters and will insure complete sanitizing action when used as directed.

When used as directed, UTILITY will deodorize toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause mal odors.

WARNING

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Keep out of reach of children. Causes eye and skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food.

STORAGE AND DISPOSAL

- DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.
- OPEN DUMPING IS PROHIBITED.
- DO NOT REUSE EMPTY CONTAINER

PESTICIDE DISPOSAL

PESTICIDE, OR RINSATE THAT CANNOT BE USED OR CHEMICALLY REPROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES.

CONTAINER DISPOSAL

TRIPLE RINSE (OR EQUIVALENT) AND DISPOSE IN AN INCINERATOR OR LANDFILL APPROVED FOR PESTICIDE CONTAINERS, OR BURY IN A SAFE PLACE.

(Cont. d on right panel.)

ACCEPTED
 SEP 1 2 1980
 Fungicide and Rodenticide Act
 as amended, for the pesticide
 registered under
 EPA Reg. No. 2175-11

UTILITY

Cleaner-Disinfectant-Deodorizer-Fungicide-Virucide*
for Institutional Use

AOAC Phenol Coefficients

Staph. aureus (ATCC No. 6538)	50.0
Salmonella typhosa (ATCC No. 6539)	20.0

Active Ingredients

Didecyl dimethyl ammonium chloride	2.5%
Tetrasodium ethylenediamine tetraacetate	2.0%
Sodium carbonate	1.5%

Inert Ingredients

94.0%
100.0%

KEEP OUT OF REACH OF CHILDREN

WARNING

Causes eye and skin irritation.
 Avoid contamination of food. Harmful if swallowed.
 Avoid getting product in the eyes. In case of contact, flush copiously with water and seek medical attention.
 Avoid getting product on the skin. In case of contact, flush copiously with water immediately to avoid possible skin irritation.
Statement of Practical Treatment
 In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, raw egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No. 2175-11

Est. No. 2175 WA1

Net Contents

36

Manufactured By:
 Three Star Supply Co. • 1215 E. Columbia • Seattle, WA 98122

STORAG
 GENER
 CONSUM
 APPROV
 BURNII

It i
 with i
 Ad
 Ap
 and b
 At
 Stapl
 Trich
 again
 Test
 AO

Sirr
 Va
 the
 ina

st
 cr

M144

BEST L

NT AVAILABLE

UTILITY

Cleaner—Disinfectant—Deodorizer—Fungicide—Virucide*
for Institutional Use

AOAC Phenol Coefficients

Staph. aureus (ATCC No. 6538)	50.0
Salmonella typhosa (ATCC No. 6539)	20.0

Active Ingredients

Didecyl dimethyl ammonium chloride	2.5%
Tetrasodium ethylenediamine tetraacetate	2.0%
Sodium carbonate	1.5%

Inert Ingredients

94.0%
100.0%

KEEP OUT OF REACH OF CHILDREN

WARNING

Avoid eye and skin irritation.
Avoid contamination of food. Harmful if swallowed.
Avoid getting product in the eyes. In case of contact, flush copiously with water and medical attention.
Avoid getting product on the skin. In case of contact, flush copiously with water immediately to avoid possible skin irritation.

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, raw egg whites, gelatin solution; if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

SEE LEFT PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

Registration No. 2175-11

Est. No. 2175 WA1

Contents

Manufactured By:

Three-M Supply Co. • 1215 E. Columbia • Seattle, WA 98122

(STORAGE & DISPOSAL Instructions continued from left panel.)

GENERAL

CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES SUCH AS LIMITED OPEN BURNING.

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Add two ounces per gallon water.

Apply **UTILITY** to walls, floors and other hard surfaces such as tables, chairs and bed frames with a cloth or mop.

At two ounces per gallon use-level, **UTILITY** is effective against Staphylococcus aureus, Salmonella choleraesuis, Escherichia coli, and Trichophyton interdigitale, the athlete's foot fungus. Germicidal performance against the first three organisms has been confirmed by the AOAC Use-Dilution Test. Fungicidal performance against T. interdigitale was determined by the AOAC Fungicidal Test.

*At two ounces per gallon use-level, **UTILITY** is virucidal against Herpes Simplex (a member of the virus family that causes infectious mononucleosis), Vaccinia (representative of the pox viruses), and Influenza A₂, as represented by the strains commonly called the Hong Kong Flu and the London Flu Virus, or inanimate environmental surfaces.

Note, this product is not effective against Ps. aeruginosa at this use-level.

For sanitizing add one ounce per gallon of water.

Use **UTILITY** for sanitizing and cleaning utensils, equipment, and other hard surfaces. When sanitizing food processing equipment and utensils and food contact surfaces, a potable water rinse is required.

37

BEST DOCUMENT AVAILABLE