Net Contents 55 Gallons/208 Liters



Appencie

For Industrial Use Only Controls Bacteria, Fungi and Yeast in Papermills

Active Ingredient (2.2.0 for a n.3 a to proponamidal Inert Ingredients)

800 s

Keep Out of Reach of Children

DANGER

See side panel for additional precaptionary statements.

the Certure (1) in Diamond Shamrock Chemicals Company
Process Chemicals (1), sion
Morestown (1) we greatly 0.7966 1931
Telephone 1,001 pc 1,100)

EPA Registration No 2204-23. EPA Ect. 464 MET.



Do Not Ship or Store with Food, Feeds, Drugs, or Clothing Heavily fouled systems should be boiled out, then treated with 0.15-0.35 lb Nopcocide 22/ton of puper (dry basis), as necessary for control.

Moderately four ad systems should be treated continuously with 0.35-0.50 lb Nopcocide 22/ton of paper (dry basis) until the slime accumulation is controlled. Addition rates can then be reduced to 0.15-0.35 lb Nopcocide 22/ton of paper on a continuous or intermittent basis, as needed for control. Dislodged slime may cause breaks in the paper and a clean-up of the paper machine may oe advisable.

Slightly 'ouled systems should be treated continuously with 0.15-0.35 to Nopcocioe 22/ton of paper (dry basis) until stime is controlled, then added on an intermittent basis to maintain control.

STORAGE AND DISPOSAL

Do r . . contaminate water, food or feed by storage or disposal.

Storage: To maintain product quality, store at temperatures below 60°C. Keep container tightly closed when not in use.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Do not reuse empty container Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfiff, or by other procedures approved by state and local authorities.

Warranty and Limitation of Damages

Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions. Seller makes no other express or implied warranty, including any other express or implied warranty, including any other express or implied warranty of Fitness or of Merchantability, and no agent of Seller is authorized to do so except in writing with a specific reference to this warranty. In no event shall Seller is liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.

Printed in U.S.A.

R-0045 4/86-000

Nopcocide 22 Precautionary Statements

Hazards to Humans and Domestic Animals

Danger •

:]

Causes severe burns of eyes. Eye contact may cause loss of visios. May burn the skin. May be harmful or tatal if swallowed."

Do not get in eyes, on skin, or on clothing. Chemical worker's goggles must be worn when handling. Wash thoroughly after handling.

First Aid

In case of eye contact, immediately flush with plenty of water for at least 15 minutes. Call a physician.

In case of skin contact, immediately wash skin with soap and plenty of water. Wash contaminated clothing before reuse. Get medical attention if imitation persists.

If swallowed, immediately induce vomiting by giving two glasses of water and sticking finger down throat. Repeat until vomit is clear. Call a physician. Never give anything by mouth to an unconscious person.

Environmental Hazards

This product is toxic to fish. Apply this product or ly as specified on this label. Do not contaminate water by cleaning of equipment, or disposal of wastes. Note: Do not discharge into takes, streams, ponds or public waters unless in accordance with an NPDES permit. For guidance, contact your Regional Office of the EPA.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

Note: Add Nopcocide 22 separately to the system. Do not mix it with other additives, in order to avoid decomposition of Nopcocide 22 due to the high pH of many additive formulations.

Paper Mills

For the control of bacterial, fungal and yeast growths in pulp, paper and paperboard mills, add Nopcocide 22 at the rate of 0.15-0.50 lb/ton of pulp or paper (dry basis). Addition may be continuous or intermittent, depending upon the type of system and severity of contamination. It should be made with a metering pump at a location that will insure uniform distribution of Nopcocide 22 in the mass of fiber and water, such as the beaters, jordan inlet or discharge, broke chests, furnish chests, save-alts and white-water tanks.

ACCEPTED

36 SEP 1908

27 64-23

UNDER THE FEDERAL INSCRICTOR FOR ECCHOSIC POSCH ANGIEST AND FOR EXCHOSIC POSCH ANGISTIC FOR ENGINEER TO ATTACHEL CONS ENTS