

PM 04 2205-7
BEST AVAILABLE IMAGE
1/6/98
Page 121

Attachment A

ACCEPTED
JAN 6 1998
2205-7

MENTHOL

FOR USE IN OVER-WINTERING HONEY BEE HIVES
FOR THE CONTROL OF TRACHEAL MITE

PACKED FOR AND DISTRIBUTED BY

DADANT & SONS, INC.

51 South 2nd Street
HAMILTON, IL 62341

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
Treat each over-wintering hive with 1.8 ounces (50 grams) of menthol when there is no surplus honey flow and daytime temperatures are expected to reach at least 60 degrees Fahrenheit.

Menthol should be enclosed in approximately a 7 inch square plastic screening or similar porous packet placed on the top bars or on the bottom board of the over-wintering hive. Menthol placed on the top bars is the preferred method of treatment at temperatures below a daytime high of 60 degrees Fahrenheit. If daytime high is above 60 degrees Fahrenheit, place the menthol packet on the bottom board. Replace the packets in the overwintering hive with fresh packets as needed to maintain menthol in the hive.

Ten to twelve weeks after the initial treatment remove all menthol packets from the hive. Do not use menthol during surplus honey flow periods. Remove all menthol packets from hives at least 1 month before the beginning of the surplus honey flow to prevent contamination of marketable honey.

If colonies are treated during the honey flow, the bees may be repelled from the bee hive and honey production reduced.

The use of menthol in areas where there is no stop in brood production may result in a reduction in honey production.

ACTIVE INGREDIENT:

Menthol	99.5 %
Inert ingredient	0.5 %
	100.00%

NET CONTENTS 55 LBS. (25 KILOS)

EPA REGISTRATION NUMBER: 61260-1-2205

EPA EST. NO. 2214-FL-1

KEEP OUT OF REACH OF CHILDREN

DANGER

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Causes irreversible eye damage. Harmful or fatal if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles and chemical-resistant gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

STATEMENT PRACTICAL TREATMENT

- IF SWALLOWED:** Call a physician or Poison Control Center immediately. Do not give anything by mouth or induce vomiting to an unconscious person.
 - IF INHALED:** Remove victim to fresh air. Apply artificial respiration if indicated.
 - IF ON SKIN:** Remove contaminated clothing and wash affected area with soap and water. Get medical attention if irritation persists.
 - IF ON EYES:** Flush eyes with plenty of water for 15 minutes. Call a physician immediately.
- This label must be in the possession of the user at the time of the pesticide application.

STORAGE AND DISPOSAL

- Do not contaminate water, food, or feed by storage or disposal.
- STORAGE:** Keep container tightly closed. Store in original container. Keep cool in storage.
- Cardboard Containers with Plastic Liners:** Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If cardboard container is contaminated and cannot be reused, dispose of in the same manner.
- Paper and Plastic Bags:** Dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.
- Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.
- Worker Safety Reentry Interval:** The reentry time is zero, but when opening treated hive, allow accumulated vapors to vent before working hive.