

PM 22 2212-5 /
12-31-89

Formulated for hospital use Legphene contains three distinctive active phenols, carefully formulated with selected surfactants, wetting, chelating and solubilizing agents, in effect, providing the industry with a reliable and versatile germicidal concentrate. Legphene is effective against a wide range of gram positive and gram negative bacteria including Tuberculocidal activity.

For use in Hospitals, Nursing Homes, Public Areas, Institution, Hotels, or Industrial areas. LEGPHENE is recommended for operating room use.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL

Pesticide spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to federal or approved state procedures under subtitle C of the resource conservation and recovery act.

CONTAINER DISPOSAL

Triple rinse (or equivalent) then offer for recycling or reconditioning or dispose of in a sanitary landfill or by incineration if allowed by state and local authorities.

GENERAL

Consult Federal, State or local disposal authorities for approved alternative procedures.

LEGPHENE
BROAD SPECTRUM
GERMICIDAL
CLEANER
CONCENTRATE

1 oz./gallon

*ONE STEP: Detergent, Disinfectant, Deodorant
Germicidal, Fungicidal, Tuberculocidal*

ACTIVE INGREDIENTS:	
Potassium ortho-benzyl-parachlorophenate...	4.0%
Potassium paratertertiary amylphenate...	3.8%
Potassium ortho-phenylphenate...	2.4%
INERT INGREDIENTS:...	89.8%
TOTAL:...	100.0%

KEEP OUT OF REACH OF CHILDREN

DANGER:

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.



E.P.A. Registration No. 2212-5
E.P.A. Establishment Registration No. 2212-NY-1
WALTER G. LEGGE COMPANY, INC.
444 CENTRAL AVENUE
PEEKSKILL, N.Y. 10566
1-800-345-3443

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner not in accordance with its labeling.

Hard non porous surfaces: To clean, disinfect and deodorize walls, floors, furniture and other hard non porous inanimate surfaces add (1) ounce Legphene per gallon of water. Apply solution using a mop, cloth or mechanical spray device so as to wet all surfaces thoroughly. Gross film and heavy soil must be removed prior to disinfecting. Allow treated surfaces to remain wet for 10 minutes and air dry. Prepare a fresh solution daily or as work solution becomes visibly dirty. Do not reuse solution.

As an effective tuberculocidal, heavy soil or gross filth from surfaces must be removed. Legphene has been tested under the A.T.C. Tuberculocidal activity test method, effective in 10 minutes contact at 20°C.

FUNGICIDAL ACTIVITY.

Legphene is effective against *Trichophyton Interditale* (Pathogenic Fungus) at 1:128 (1 oz./gallon) on hard, non-porous surfaces such as shower room floors, locker room benches, and bath mats.

STATEMENT OF PRACTICAL TREATMENT

In case of contact with eyes, flush out immediately with plenty of water and get medical attention. If contact with skin occurs, flush off with water. If taken internally, drink milk, egg whites or gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol.

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Schedule for Phase 2 Response. Page 2-12. Active to Inert Change in Status.

Formulated for hospital use Legphene contains three distinctive active phenols, carefully formulated with selected surfactants, wetting, chelating and solubilizing agents, in effect, providing the industry with a reliable and versatile germicidal concentrate. Legphene is effective against a wide range of gram positive and gram negative bacteria including Tuberculo-cidal activity.

For use in Hospitals, Nursing Homes, Public Areas, Institution, Hotels, and Industrial areas LEGPHENE is recommended for operating room use.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL

Pesticide spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to federal or approved state procedures under subtitle C of the resource conservation and recovery act.

CONTAINER DISPOSAL

Triple rinse (or equivalent) then offer for recycling or reconditioning or dispose of in a sanitary landfill or by incineration if allowed by state and local authorities.

GENERAL

Consult Federal, State or local disposal authorities for approved alternative procedures.

LEGPHENE
BROAD SPECTRUM
GERMICIDAL
CLEANER
CONCENTRATE

1 oz./gallon

ONE STEP. Detergent, Disinfectant, Deodorant
Germicidal, Fungicide, Tuberculo-cidal

ACTIVE INGREDIENTS:

Potassium ortho-benzyl-parachlorophenate...	4.0%
Potassium paratertertiary amyphenate...	3.8%
Potassium ortho-phenylphenate...	2.4%
INERT INGREDIENTS:...	89.8%
TOTAL:...	100.0%

KEEP OUT OF REACH OF CHILDREN

DANGER:

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.



E.P.A. Registration No. 22-55
E.P.A. Establishment Registration No. 1-117-1
WALTER G. LEGGE COMPANY, INC.
444 CENTRAL AVENUE
PEEKSKILL, N.Y. 10566
1-800-345-3443

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Hard non porous surfaces: To clean, disinfect and deodorize walls, floors, furniture and other hard non porous inanimate surfaces add (1) ounce Legphene per gallon of water. Apply solution using a mop, cloth or mechanical spray device so as to wet all surfaces thoroughly. Gross filth and heavy soil must be removed prior to disinfecting. Allow treated surfaces to remain wet for 10 minutes and air dry. Prepare a fresh solution daily or as work solution becomes visibly dirty. Do not reuse solution.

As an effective tuberculo-cidal, heavy soil or gross filth from surfaces must be removed. Legphene has been tested under the A.T.C. Tuberculo-cidal activity test method, effective in 10 minutes contact at 20°C.

FUNGICIDAL ACTIVITY:

Legphene is effective against *Trichophyton Inter-dital* (Pathogenic Fungus) at 1:128 (1 oz./gallon) or hard, non-porous surfaces such as shower room floors, locker room benches, and bath mats.

STATEMENT OF PRACTICAL TREATMENT

In case of contact with eyes, flush out immediately with plenty of water and get medical attention. If contact with skin occurs, flush off with water. If taken internally, drink milk, egg whites or gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol.

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

BEST AVAILABLE COPY

Formulated for hospital use Legphene contains three distinctive active phenols, carefully formulated with selected surfactants, wetting, chelating and solubilizing agents, in effect, providing the industry with a reliable and versatile germicidal concentrate. Legphene is effective against a wide range of gram positive and gram negative bacteria including Tuberculo-cidal activity.

For use in Hospitals, Nursing Homes, Public Areas, Institution, Hotels, and Industrial areas. LEGPHENE is recommended for operating room use.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL

Pesticide spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to federal or approved state procedures under subtitle C of the resource conservation and recovery act.

CONTAINER DISPOSAL

Triple rinse (or equivalent) then offer for recycling or reconditioning or dispose of in a sanitary landfill or by incineration if allowed by state and local authorities.

GENERAL

Consult Federal, State or local disposal authorities for approved alternative procedures.

LEGPHENE

BROAD SPECTRUM

GERMICIDAL CLEANER

CONCENTRATE

1 oz./gallon

*USE STEP: Detergent, Disinfectant, Deodorant
Germicidal, Fungicidal, Tuberculocidal*

ACTIVE INGREDIENTS:

Potassium ortho-benzyl-parachlorophenate...	4.0%
Potassium paratertriary amyphenate...	3.8%
Potassium ortho-phenylphenate...	2.4%
INERT INGREDIENTS:...	89.8%

TOTAL:...

100.0%

KEEP OUT OF REACH OF CHILDREN

ANGER:

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.



E.P.A. Registration No. 2212-5
E.P.A. Establishment Registration No. 2212-NY-1

WALTER G. LEGGE COMPANY, INC.
444 CENTRAL AVENUE
PEEKSKILL, N.Y. 10566
1-800-345-3443

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Hard non porous surfaces: To clean, disinfect and deodorize walls, floors, furniture and other hard non porous inanimate surfaces add 1/4 ounce Legphene per gallon of water. Apply solution using a mop, cloth or mechanical spray device so as to wet all surfaces thoroughly. Gross filth and heavy soil must be removed prior to disinfecting. Allow treated surfaces to remain wet for 10 minutes and air dry. Prepare a fresh solution daily or as work solution becomes visibly dirty. Do not reuse solution.

As an effective tuberculocidal, heavy soil or gross filth from surfaces must be removed. Legphene has been tested under the A/C Tuberculocidal activity test method, effective in 10 minutes contact at 20°C.

FUNGICIDAL ACTIVITY:

Legphene is effective against *Trichophyton Inter-ditale* (Pathogenic Fungus) at 1/28 (1 oz./gallon) on hard, non-porous surfaces such as shower room floors, locker room benches, and bath mats.

STATEMENT OF PRACTICAL TREATMENT

In case of contact with eyes, flush out immediately with plenty of water and get medical attention. If contact with skin occurs, flush off with water. If taken internally, drink milk, egg whites or gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol.

...in accordance with
...Guidance for Phase 2
...Change in Status

Reg # 2212-5

PM-32

12/31/89

181

Formulated for hospital use Legphene contains three distinctive active phenols, carefully formulated with selected surfactants, wetting, chelating and solubilizing agents, in effect, providing the industry with a reliable and versatile germicidal concentrate. Legphene is effective against a wide range of gram positive and gram negative bacteria including Tuberculo-cidal activity.

For use in Hospitals, Nursing Homes, Public Areas, Institution, Hotels, and Industrial areas. LEGPHENE is recommended for operating room use.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL

Pesticide spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to federal or approved state procedures under subtitle C of the resource conservation and recovery act.

CONTAINER DISPOSAL

Triple rinse (or equivalent) then offer for recycling or reconditioning or dispose of in a sanitary landfill or by incineration if allowed by state and local authorities.

GENERAL

Consult Federal, State or local disposal authorities for approved alternative procedures.

LEGPHENE

BROAD SPECTRUM GERMICIDAL CLEANER

CONCENTRATE

1 oz./gallon

ONE STEP: Detergent, Disinfectant, Deodorant
Germicidal, Fungicide, Tuberculocidal

ACTIVE INGREDIENTS:

Potassium ortho-benzyl-parachlorophenate...	4.0%
Potassium paratertriary amyphenate...	3.8%
Potassium ortho-phenylphenate...	2.4%
INERT INGREDIENTS...	89.8%

TOTAL... 100.0%

KEEP OUT OF REACH OF CHILDREN

DANGER:

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.



E.P.A. Registration No. 2212-5
E.P.A. Establishment Registration No. 2212-NY-1

WALTER G. LEGGE COMPANY, INC.
444 CENTRAL AVENUE
PEEKSKILL, N.Y. 10566
1-800-345-3443

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product a manner inconsistent with its labeling.

Hard non-porous surfaces: To clean, disinfect and deodorize walls, floors, furniture and other hard non-porous inanimate surfaces add (1) ounce Legphene per gallon of water. Apply solution using a rag cloth or mechanical spray device so as to wet all surfaces thoroughly. Gross dirt and heavy soil must be removed prior to disinfecting. Allow treated surface to remain wet for 10 minutes and air dry. Prepare fresh solution daily or use weak solution become visibly dirty. Do not reuse solution.

As an effective tuberculocidal, heavy soil or grime from surfaces must be removed. Legphene has been tested under the A/CAC Tuberculocidal activity test method, effective in 10 minutes contact at 20

FUNGICIDAL ACTIVITY:

Legphene is effective against *Trichophyton In ditale* (Pathogenic Fungus) at 1.128 (1 oz./gallon) hard, non-porous surfaces such as shower room floors, locker room benches, and bath mats.

STATEMENT OF PRACTICAL TREATMENT

In case of contact with eyes, flush out immediately with plenty of water and get medical attention. If contact with skin occurs, flush off with water. If taken internally, drink milk, egg whites or gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol.

Not Reviewed. Registrant claims to be in accordance with the provisions of the Federal Insecticide, Fungicide and Rodenticide Act for Phase 2 of the registration process. Registrant's status is in Status.

BEST AVAILABLE COPY