Formulated for hospital use, LEGPHENE contains three distinctive active phenols, carefully formulated with selected surfactants, wetting, chelating and solubilizing agents, in effect, providing the industry with a reliable and versatile germicidal concentrate.

For use in Hospitals, Nursing Homes, Public Areas, Institutions, Hotels, and Industrial areas. LEGPHENE is recommended for operating room use.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL

Pesticide spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to federal or approved state procedures under subtitle C of the resource conservation and recovery act.

CONTAINER DISPOSAL

Triple rinse (or equal) then offer for recycling or reconditioning or dispose of in a sanitary landfill or by incineration if allowed by state and local authorities.

GENERAL

Consult Federal, State or Local Disposal authorities for approved alternate procedures.



LEGPHENE

BROAD SPECTRUM GERMICIDAL CLEANER CONCENTRATE 1 oz./gallon

ONE STEP: Detergent, Disinfectant, Deodorant, Germicidal, Fungicidal, Virucidal, Tuberculocidal

ACTIVE INGREDIENTS:	
Ortho-benzyl-para-chlorophenol	3.80%
Para-tertiary amylphenol	3.74%
Ortho-phenylphenol	2.35%
INERT INGREDIENTS:	<u> 90.11%</u>
TOTAL:	100.00%


KEEP OUT OF REACH OF CHILDREN DANGER:

Corrosive. Concentrate causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.

E.P.A. Registration No. 2212-5 E.P.A. Establishment Registration No. 2212-NY-1

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Hard non-porous surfaces: To clean, disinfect and deodorize wills, floors, furniture, shower/bothing areas, lavatories and other hard non-porous inanimate surfaces add (1) ounce LEGPHENE per gallon of water. Apply solution using a mop, cloth or coarse spray device so as to wet all surfaces thoroughly. Gross filth and heavy soil must be removed prior to disinfecting. Allow treated surfaces to remain wet for 10 minutes and air dry. Prepare a fresh solution daily or more often if the solution becomes diluted or soiled. Do not reuse solution. LEGPHENE has been tested under the AOAC Tuberculocidal activity test method, effective in 10 minutes at 20 C.



*VIRUCIDAL PERFORMANCE

At 1 oz. per gallon use level, LEGPHENE was evaluated in the presence of 5% serum and 400 ppm hard water for a contact time of 10 minutes at room temperature (20-23 C) against the HIV-1 (AIDS VIRUS) found on inanimate, hard, non-porous environmental surfaces.*Kills HIV on pre-cleaned environmental surfaces/ objects previously soiled with blood/body fluids in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/ objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type1 (HIV-1) (associated with AIDS). "SPECIAL INSTRUCTIONS FOR CLEANING AND **DECONTAMINATION AGAINST HIV-1 ON** SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS"

Contact Time: Leave surface wet for 10 minutes with 1 oz. per gallon use dilution.

Cleaning Procedure: Blood and other body fluids containing HIV must be thoroughly cleaned from surfaces and objects before application of LEGPHENE.

Personal Protection: Clean-up should always be done wearing protective latex gloves, gowns, masks, and eye protection. Disposal of Infectious Material: Blood, body fluids, cleaning materials, and clothing should be autoclaved and disposed of according to local regulations for infectious waste disposal. GERMICIDAL ACTIVITY:

LEGPHENE is effective against a wide range of organisms as demonstrated by the AOAC test method. Representative organisms include: (TB) Mycobacterium Bovis BCG, HIV-1, staphylococus aureus, salmonella choleraesius, pseudomonas aeruginosa, seratta macescens, influenza virus, herpes simplex, vaccina (pox virus), trichophyton Interdigitale, and escherichia coli.

STATEMENT OF PRACTICAL TREATMENT
In case of contact with eyes, flush out immediately with plenty
of water and get medical attention. If contact with skin
occurs, flush off with water. If swallowed, promptly drink large
quantity of water. Avoid alcohol. Call a physician.

Walter G. LEGGE Company, Inc. 444 Central Ave Peekskill NY 10566 914-737-5040 or 800-345-3443 FAX 914-737-2636 or 800-332-2636

Poper 1 2