

ELIMSTAFH, when used in the presence of 1% blood serum and 100 ppm hardness, has a 100% survival time in AOA use dilution test against a broad spectrum of gram positive and gram positive organisms as determined by:

- Escherichia aeruginosa
- Staphylococcus aureus
- Salmonella choleraesuis
- Bacterioides coli
- Streptococcus pyogenes
- Klebsiella pneumoniae
- Enterobacter aerogenes
- Salmonella schottlandii
- Streptococcus faecalis
- Shigella dysenteriae
- Salmonella typhi
- Serratia marcescens

ACCEPTED
WITH COMMENTS
EPA REG. NO. 2212-10

SEP 2 1970

EPA REG. NO. 2212-10

VIRICIDAL CONTROL
ELIMSTAFH passes the AOA impregnated test against T. mentagrophytes (the athlete's foot fungus) in the presence of 1% blood serum and 400 ppm hard water when used at the 1 ounce use level in areas such as shower and bath rooms, locker and dressing areas, etc.

VIRICIDAL PERFORMANCE
ELIMSTAFH was proven an effective viricide in 1% blood serum and 400 ppm hard water at the 1 ounce use level against the following viruses: Influenza A/Brazil (a rept and active flu virus), Vaccinia (chicken pox), Herpes simplex on inanimate environmental surfaces.

SANITIZING-NON-FOOD CONTACT SURFACES
At 1 ounce per 5 1/2 gallons of water ELIMSTAFH is an effective sanitizer against Staphylococcus aureus and Klebsiella pneumoniae on hard porous and non-porous environmental surfaces. Treated surfaces must remain wet for 60 seconds.

STORAGE AND DISPOSAL
-DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL
-OPEN FLAMING IS PROHIBITED
-DO NOT REUSE EMPTY CONTAINER

PESTICIDE DISPOSAL
PESTICIDE SPRAY MIXTURE OR RINSE WATER THAT CANNOT BE USED ACCORDING TO LABEL INSTRUCTIONS MUST BE DISPOSED OF ACCORDING TO FEDERAL OR APPROVED STATE PROCEDURES UNDER SUBTITLE C OF THE RESOURCE CONSERVATION AND RECOVERY ACT.

CONTAINER DISPOSAL
TRIPLE RINSE (OR EQUIVALENT) THEN OFFER FOR RECYCLING OR RECONDITIONING, OR DISPOSE OF IN A SANITARY LANDFILL, OR BY INCINERATION IF ALLOWED BY STATE AND LOCAL AUTHORITIES.

GENERAL
CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES.

ELIMSTAFH
FLOOR SEALER, POLISH, CLEANER
EPA REG. NO. 2212-10

YOU ALWAYS HAVE
LEGGE
TO STAND ON



FLOOR SEALERS CONDUCTIVE PRODUCTS FLOOR POLISHES FLOOR CLEANERS GERMICIDAL CLEANERS

<u>Active Ingredients</u>	
Octyl decyl dimethyl ammonium chloride	5.25%
Dioctyl dimethyl ammonium chloride	1.5%
Didecyl dimethyl ammonium chloride	1.62%
Alkyl (C14, 50%; C12, 40%; C16, 10%) dimethyl benzyl ammonium chloride	4.60%
<u>Inert Ingredients</u>	
	89.14%
	100.00%

KEEP OUT OF REACH OF CHILDREN
DANGER

See side panel for additional precautionary statements.

EPA REGISTRATION NO.
EPA ESTABLISHMENT NO. 2212-01-1

MANUFACTURED BY

WALTER G. LEGGE COMPANY, INC.
122 East 42nd Street, New York, N.Y. 10017

NET CONTENTS:

ELIMSTAFH FOR USE
ON HARD SURFACES

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

ELIMSTAFH is a "ONE STEP" detergent, disinfectant, sanitizer, fungicide, viricide, which is effective in 1% blood serum and 100 ppm hardness simultaneously. ELIMSTAFH has been formulated for use in hospitals, nursing homes, public areas, institutions, hotels and industrial areas. ELIMSTAFH is recommended for operating room use.

To Clean, Disinfect and Deodorize walls, floors and other hard non-porous inanimate surfaces add one (1) ounce ELIMSTAFH per gallon of water. Apply solution using a mop, cloth or mechanical spray device so as to wet all surfaces thoroughly. Gross dirt and heavy soil must be removed prior to cleaning. Allow treated surfaces to remain wet for 10 minutes and air dry. Prepare a fresh solution daily or as work solution becomes visibly dirty.

PRECAUTIONARY STATEMENTS:
Hazard to Human and Domestic Animals

DANGER (50%):
Keep out of reach of children. Corrosive. Causes eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed or absorbed through skin. Avoid contamination of food.

Statement of Practical Treatment
In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician. Remove and wash contaminated clothing before reuse.
If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

Note To Physician: Probable mucosal damage may contraindicate the use of gastric lavage, measures against circulatory shock respiratory depression, and resuscitation may be needed.

FOR USE FOR USE AND STORAGE BY
SALESMAN ONLY.