

Reg # 2217-41

PM-23

174



1217 W. 12TH STREET  
P.O. BOX 4090  
KANSAS CITY, MO 64101

The Certification of Compliance for the 2,4-D Exposure Reduction Program

"I, being an authorized representative of PBI/Gordon Corporation, certify that all containers of **Lawn Weed Killer (Amine Type) (EPA No. 2217-041)** produced by June 15, 1994 for products registered for use only on residential or turf sites, excluding sod farms will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products. I further certify that all container of said product sold or distributed by this company by January 1, 1995 for products registered for use only on residential or turf sites, excluding sod farms will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products."

*J. A. Armbruster*

*2/25/93*

James A. Armbruster, Ph.D.  
Mgr. Regulatory Services

Date

02 7 4

# LAWN WEED KILLER

**ACTIVE INGREDIENTS:**

|  |              |
|--|--------------|
| *Dimethylamine salt of 2,4-dichlorophenoxyacetic acid. . . . . | 26.6%        |
| INERT INGREDIENTS . . . . .                                    | <u>73.4%</u> |
| TOTAL  | 100.0%       |

**THIS PRODUCT CONTAINS:**

2 lbs. 2,4-dichlorophenoxyacetic acid equivalent per gallon or 22.1%.  
Isomer Specific by AOAC Methods.

**KEEP OUT OF REACH OF CHILDREN**

## CAUTION

**STATEMENT OF PRACTICAL TREATMENT**

In case of contact, wash skin with soap and water; For eyes, flush with water for 15 minutes

See Side Panel for Precautionary Statements

**NET CONTENTS 1 PINT**

865/1292 APXXXXXX  
EPA REG. NO. 2217-41  
EPA EST. NO. 2217-KS-1  
Mfd. by PBI/GORDON CORPORATION  
KANSAS CITY, MISSOURI 64101

394

**STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.**

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals**

**CAUTION:** Harmful if swallowed. Avoid contact with eyes, skin or clothing. Avoid inhalation of spray mist.

When using this product, wear long-sleeved shirt, long pants, socks, shoes, and rubber gloves. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

**ENVIRONMENTAL HAZARDS:** This product is toxic to aquatic invertebrates. Drift may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

**DIRECTIONS FOR USE**

**FOR USE ON RESIDENTIAL AND OTHER TURF SITES EXCLUDING SOD FARMS.**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried or dusts has settled.

**STORAGE AND DISPOSAL**

**STORAGE:** Store in original container in a locked storage area inaccessible to children and pets.

**PRODUCT DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL:** Do not reuse container. Rinse thoroughly before discarding in trash.

**- OTHER USE PRECAUTIONS -**

Avoid spray drift to susceptible plants as this product may injure cotton, beans, cucumbers, grapes, roses, tomatoes, other vegetables, flowers, ornamental plants. Coarse sprays applied at low pressures are less likely to drift. Do not overdose. Do not use equipment used in applying this material to apply insecticides or fungicides to susceptible plants or seeds. Do not use on grass seed crops or on turf containing creeping bentgrasses. Do not use on grass seedlings less than 2 months old. Clovers present in turf may be damaged. Do not use on St. Augustinegrass, dichondra, or carpetgrass.

**- GENERAL INFORMATION -**

This product may be used for the control of many broadleaf annual and perennial weeds growing in lawns, turf, vacant lots, and fence rows. In general, this product is most effective when weeds are small and growth is active. It may be applied when the temperature ranges from 65°F to 90°F. Results obtained above and below these temperatures will be considerably slower and more erratic. Do not apply if rain is expected within 4 hours. Application may be made with either power or hand type sprayers. Use with water only. Will not mix with oil. Since local weather and growing conditions may vary the action of this product, it should always be used according to recommendations of State Agricultural Extension Service.

**LAWNS AND TURF:** For control of susceptible or easy to kill weeds in lawns and turf, use 1 tablespoon of this product per gallon of water (1 gallon will cover approximately 1,000 square feet) and apply either as a spot or broadcast spray. For hard to kill or more resistant weeds use 2 tablespoons per gallon of water and apply as necessary for control.

The maximum application rate to turf is 0.7 pounds 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

**VACANT LOTS AND WASTE AREAS:** For controlling broadleaf weeds in these areas use 2 tablespoons of this product per gallon of water and apply to thoroughly wet all weeds. Repeat application every 2 to 3 weeks as necessary to control new growth and any regrowth.

**WEEDS CONTROLLED**

Susceptible or easy to kill weeds.

|             |                      |                |
|-------------|----------------------|----------------|
| Beggarticks | Morningglory, Annual | Ragweed        |
| Cocklebur   | Mustard              | Shepherdspurse |
| Dandelion   | Peppergrass          | Sunflower      |
| Horseweed   | Plantain             | Wild buckwheat |

Slightly resistant weeds that may require repeated applications.

|                  |            |             |
|------------------|------------|-------------|
| Bindweed (field) | Pigweed    | Wild carrot |
| Curly dock       | Red sorrel | Wild garlic |
| Lambsquarter     | Sour dock  | Wild onion  |
| Mexican sandbur  |            |             |

**LIMITED WARRANTY AND DISCLAIMER.** The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.