# PARTITIONS (X)

# MULTI-PURPOSE EMOCKOUT SPRAY

PM 17 EPA # 2217-68 P8. 194 CLF 1/24/90

#### READY TO USE

For Animals, Dairies, Milking Rooms, Flour Mills, elevators, Bakeries, Restaurants, Hotels, Markets, Hospitals, Bottling Plants, Breweries, Canneries, Stores, or other places where food is prepared, handled or stored.

May be applied to the grain surface.

ACTIVE INGREDIENTS																	
*Piperonyl butoxide	•	•	•	•	٠	•	•	•	•		•	•	•	•	•	•	1.0%
Pyrethrins																	
INERT INGREDIENTS																	
													100.0%				

\*Equivalent to 0.8% butylcarbitol 6-propylpiperonyl ether and 0.2% related isomers.

 $PYRENONE^{(R)}$  is a registered trademark of Fairfield American Corporation.

# KEEP OUT OF REACH OF CHILDREN C A U T I O N


See side panel for Precautionary Statements and Statement of Practical Treatment.

# NET CONTENTS 1 GALLON

826 /190 AP052967 EPA REG. NO. 2217-68 EPA EST. NO. 2217-KS-x

Mfd. by PBI/GORDON CORPORATION KANSAS CITY, KS 66118

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.



. STOP! READ THE ENTIRE LABEL FIRST.
OBSERVE ALL PRECAUTIONS AND
FOLLOW DIRECTIONS CAREFULLY

#### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

CAUTION: Harmful is swallowed, inhaled, or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes or clothing.

#### STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Contact a physician or poison control center immediately. Do not induce vomiting. Vomiting may cause aspiration pneumonia.

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas of skin with soap and water. Contact a physician if irritation persists.

IF IN EYES: Flush with plenty of water. Contact a physician if irritation persists.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to lakes, streams, ponds, tidal marshes or estuaries. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

## PHYSICAL CHEMICAL HAZARDS

Do not use or store near heat or open flame. Before fogging, turn electrical equipment and extinguish open flames.

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

# STORAGE & DISPOSAL

storage or disposal. Store in original container in a locked storage area inaccessible to children or pets. Keep from freezing.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent).

Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by ther procedures approved by state and local authorities.

# ON ANIMALS .

To protect animals from horn flies, house flies, mosquitoes, and gnats, apply a light mist sufficient to wet the tips of the hair. To control stable flies, horse flies, deer flies, apply 2 ounces per adult animal, sufficient to wet the hair but not to soak the hide. Repeat treatment once or twice daily or at intervals necessary to give continued protection.

To control bloodsucking lice, apply the spray lightly to infested areas, using a stiff brush to get the spray to the base of the hair. Use 2 ounces or less per animal. Repeat every two or three weeks as required.

# BARNS, MILK ROOMS, DAIRY PLANTS

To control flies, mosquitoes, and gnats, apply as a fog or fine mist, directing spray toward the ceiling and upper corners, until the area is filled with mist, using about 2 ounces per 1,000 cubic feet or space. For best results, close windows and doors before spraying and keep closed for ten to fifteen minutes. Vacate the area and ventilate before reoccupying. Repeat application as necessary.

#### FOG FOR FLYING INSECTS

Use a good compressed air or fog generator to dispense into atmosphere as a fine mist. For house flies, mosquitoes and gnats in food processing establishments, or Indian Meal Moth and Angumois Moth in grain storage or processing plants, use at the rate or 2 to 3 ounces per 1,000 cubic feet (1 gallon per 40,000 cubic feet). Doors, windows and outside ventilation must be closed to contain mist for 20 to 30 minutes. Repeat treatment as needed. Remove animals or pets during operation.

#### FOR CRAWLING INSECTS

Such as roaches, best results are obtained by using coarse mist spray, applying freely. Thoroughly spray all cracks and crevices where the insects could hide, particularly in areas where plumbing is installed.

#### FOOD PROCESSING PLANTS

Use the product as a spacespray in food processing plants only when plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned before using.

## STORED GRAIN

Make a light spray application -- 2 gallons to 1,000 square feet -- directly to the grain surface to control Indian Meal Moth, Angumois Moth and other grain infesting insects that are feeding on cr near the surface of the grain. Make one or more applications, or as needed throughout the storage period.

GRAIN STORAGE BINS, MILLS AND WAREHOUSES

Spray empty bins freely as well as boots, conveyors, floors, or any place where debris accumulates. Follow good housekeeping practices of heavy-duty vacuuming and cleaning, and then thoroughly spray premises.

LIMITED WARRANTY: Manufacturer warrants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled use when applied according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even when label directions are followed.

Exclusion of Other Warranties and Remedies. Except where such disclaimers and exclusions are specifically prohibited by applicable law. THE FOREGOING IS THE ONLY GUARANTEE OR WARRANTY APPLICABLE TO THIS PRODUCT AND IS GIVEN EXPRESSLY AND IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND ALL SUCH WARRANTIES WHICH EXCEED OR DIFFER FROM SAID LIMITED WARRANTY ARE DISCLAIMED BY MANUFACTURER, and, upon Manufacturer's compliance with said limited warranty, BUYER SHALL HAVE NO REMEDY AGAINST MANUFACTURER FOR ANY TYPE OF DAMAGE OR LOSS, and, IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL DAMAGE OR LOSS.

