

G
GORDON'S NET CONTENTS ONE GALLON

LV BRUSH KILLER
FOLIAGE SPRAYING

LV Brush Killer is a mixture of 2,4-D and 2,4,5-T which can be dissolved in fuel oil or emulsified with water. Application can be made any time after the full leaf stage until three weeks before frost. Best results are obtained when the brush to be sprayed is under five feet tall. Brush over eight feet tall may require repeat application or cutting, and stump treatment. Use in such areas as roadsides, brush in pastures, along fence rows and power lines. On such plants as are listed on this label.

217-1
 APPROVED
 Apr 3 1972

DILUTION TABLE (Leaf Spraying)

| | |
|----------------------|-------------|
| LV Brush Killer | and Water |
| 4 Ounces | 3 Gallons |
| 1 1/4 to 1 1/2 Pints | 30 Gallons |
| 2 to 3 Pints | 50 Gallons |
| 2 to 3 Quarts | 100 Gallons |

Use lower rate in spring just after leaves come out.

Wet all stems and leaves thoroughly as complete coverage is necessary for uniform kill. Amount of material required will depend upon the height and denseness of the brush. One thorough application will control 75% or more of the susceptible growth.

While under some conditions repeat applications may be necessary to control regrowth, usually a single treatment per year is sufficient. If brush is dense some plants may not be covered, so a second application may be necessary to control those missed, or any regrowth.

NOTICE: Seller warrants that this product conforms to the ingredients statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment, will vary, Seller makes no claims other than those stated on this label.

862-571

LV BRUSH KILLER

HERBICIDE ESPECIALLY COMPOUNDED FOR USE ON BRUSH AND WOODY PLANTS

CONTAINS POWERFUL LOW VOLATILE ESTERS

ACTIVE INGREDIENTS:

*Mixed octyl Ester of 2,4-Dichlorophenoxyacetic acid 34.2%
 *Mixed octyl Ester of 2,4,5-Trichlorophenoxyacetic acid 32.6%

INERT INGREDIENTS:

33.2%

100.0%

*Equivalent to 22.7% or 2 pounds 2,4-D acid per gal., and 22.7% or 2 pounds 2,4,5-T acid per gal.

CONTROLS

Oak Wild Blackberry
 Hickory Elm
 Osage Orange (Hedge) Persimmon

CAUTION: Keep Out of Reach of Children
 See Side Panels for Additional Cautions

Contents 1 Gallon

862 571

MANUFACTURED BY
PBI - GORDON CORPORATION

KANSAS CITY, KANSAS



GORDON'S NET CONTENTS ONE GALLON

LV BRUSH KILLER

ESPECIALLY COMPOUNDED FOR USE ON
BRUSH AND WOODY PLANTS

CONTAINS POWERFUL LOW VOLATILE ESTERS

ACTIVE INGREDIENTS:

- *Mixed octyl Ester of 2,4-Dichlorophenoxyacetic acid 34.2%
- *Mixed octyl Ester of 2,4,5-Trichlorophenoxyacetic acid 32.6%

INERT INGREDIENTS:

33.2%

100.0%

*Equivalent to 22.7% or 2 pounds 2,4-D acid per gal., and 22.7% or 2 pounds 2,4,5-T acid per gal.

CONTROLS

- | | |
|----------------------|-----------------|
| Oak | Wild Blackberry |
| Hickory | elm |
| Osage Orange (Hedge) | Persimmon |

CAUTION: Keep Out of Reach of Children
See Side Panels for Additional Cautions

Contents 1 Gallon

862 571

MANUFACTURED BY

GORDON CORPORATION

KANSAS CITY, KANSAS

186

LV BRUSH KILLER

STUMP AND TRUNK TREATMENT

Dilute at the rate of 1½ pints to 5 gallons of fuel oil. Apply by spraying or brushing over the entire stump, or from 18 inches to ground on trunks. Make application heavy until run off is evident on entire area and on all sides. Treat freshly cut stumps and trunks any time of year.

THOROUGH COVERAGE IS IMPORTANT

Any new seedling or regrowth which may appear should be treated with LV Brush Killer diluted with water as shown in dilution table.

RESISTANT OR EASY TO KILL SPECIES OF BRUSH

Easy to Kill

- | | |
|------------------------|-------------------------------------|
| ALDER (White) | LY (Yellow) |
| BIRCH | MAPLE (Red) |
| BUCKLEBUSH | MAPLE (Black, Sugar) |
| CANARY (White, Pink) | OAK (Black Jack, Burr, Post, White) |
| CANARY (Yellow, White) | ORANGE (Orange) |
| DOGWOOD | PERSIMMON |
| ELM (European, Winged) | PLUM (Sweet) |
| FRAXINUS | SUNNOC (Smooth, Shagbark) |
| HICKORY | TRUMPET VINE |
| HONEYLOC | TUNE |
| IRONWOOD | WALNUT (Burning Bush) |
| LOCUST | WILLOW (Black, White) |

More Tolerant

- | | |
|-------------|----------------|
| ASH (White) | BITTERSWEET |
| CEDAR (Red) | ROSE (Prairie) |

CAUTION: Harmful if swallowed. Do not use around the home, recreation areas, or similar areas. Avoid contact with eyes, skin or clothing. In case of contact, wash thoroughly with plenty of water. Do not take internally.

Do not store near fertilizers, acids, insecticides or fungicides. Do not apply directly to flowers, vegetables, fruit trees, ornamentals, cotton or other susceptible plants.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes.

CAUTION: Do not graze dairy animals on treated areas within 6 weeks after application. Do not graze meat animals on treated areas within 2 weeks of slaughter.

Do not reuse empty container. Wash thoroughly with water and detergent. Discard in a safe place.

AVOID SPRAY DRIFT. (Coarse sprays are less likely to drift.) Vapors from this product may injure susceptible plants in the immediate vicinity. Do not contaminate irrigation ditches or water used for domestic purposes. Thoroughly clean spraying equipment with a suitable chemical cleaner before using for other purposes or, better yet, to avoid injury to desirable plants do not use the same equipment for other spraying purposes.

862 571

U.S.D.A. Reg. No. 2217-74

187