

2217-98

GORDON'S
72% CHLORDANE EMULSIFIABLE
For the Control of Termites

ACTIVE INGREDIENTS:

*Technical Chlordane.....	72%
Kerosene.....	22%
<u>INERT INGREDIENTS.....</u>	<u>6%</u>
	TOTAL 100%

*Equivalent to 43% octachloro-4,7-methano-tetrahydroindane and 2% other related compounds.

THIS PRODUCT CONTAINS:

1lb. technical chlordane per gallon.

KEEP OUT OF REACH OF CHILDREN

WARNING

Statement of Practical Treatment

If Swallowed: Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately.

If Inhaled: Remove victim to fresh air and apply respiration of indicated.

If On Skin: Wash promptly with soap and water. Rinse thoroughly.

If In Eyes: Rinse eyes for at least 15 minutes with water and call a physician immediately.

See side panels for additional precautionary statements.

NET CONTENTS ONE HALF GALLON (64 FLUID OUNCES)

ACCEPTED
with COMMENTS
in EPA Letter Dated:

OCT 06 1982

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
2217-98

BEST DOCUMENT AVAILABLE

2017-98

STOP! READ THE ENTIRE LABEL FIRST.
OBSERVE ALL PRECAUTIONS AND FOLLOW
DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

WARNING: May be fatal if swallowed. Do not breathe vapor or spray mist. Contact with skin can cause toxic symptoms. Do not get into eyes or on skin or clothing. Avoid contamination of feed and foodstuffs.

Environmental Hazards

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed.

Keep out of lakes, streams, and ponds.

Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Physical or Chemical Hazards

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DISPOSAL:

DO NOT REUSE EMPTY CAN. WRAP CAN AND PUT IN TRASH COLLECTION.

BEST DOCUMENT AVAILABLE

**SUBTERRANEAN TERMITES---TERMITE CONTROL
IN EXISTING STRUCTURES:**

Preparation: Use 72% Chlordane in a 1% water emulsion as follows: add one pint 72% Chlordane to 12 gallons of water and mix thoroughly.

Buildings with Basements or Crawl spaces: First, remove all wood debris and wood forms. Around piers, pipes, chimney bases and along foundations of poured concrete dig a trench 6 inches wide and 4 inches deep. For brick and block foundations dig the trench about 12 inches deep. If footing is more than 12 inches deep, make holes with a crowbar, pipe or a rod about one foot apart that extend from the trench bottom to the top of the footing. Make holes closer in hard-packed clay soils. NEVER DIG BELOW THE TOP OF THE FOOTING. Apply the emulsion in the trench at a rate of 4 gallons per 10 linear feet per foot of depth. Apply half of this to the back-fill. Likewise, treat along the inside of foundations of crawl-space buildings. Cover treated soil with a thin layer of untreated soil.

For raised porches, terraces, and entrance slabs, drill holes at one foot intervals, 6 inches from the foundation, and pour one-half gallon of emulsion into each hole. Refill holes. Slabs with heat ducts or radiating heat pipes should be treated by commercial pest control operator.

The object is to establish a treated soil barrier which will prevent termite entry. Other critical areas may also require treatment, particularly if there are inaccessible areas, basements or slab-type construction. It is suggested that you contact the Agricultural Cooperative Extension Service for advice or consult a Commercial Pest Control Operator.

Avoid contamination of public and private water supplies by following these precautions. Do not allow a hose or any type of faucet extension to reach into the termite chemical solution while filling or mixing this material with water. Use anti-back-flow or anti-siphonage equipment on all filling equipment. These devices can be purchased at hardware or plumbing supply stores. Use an anti-back-flow equipment will help to insure that the user of this toxic chemical will not contaminate domestic water supplies. Refer to Federal (Federal Housing Administration), state, and local specifications for safe distances of treatment areas from wells. Soil in the vicinity of wells, cisterns or ponds should not be treated if it is water saturated, subject to excessive saturation due to an accumulation of water or if the soil to be treated around the perimeter of the structure is at a grade lower than surrounding yard or property area. If this is the situation treat as follows: Do not apply under pressure. Soil should be removed to an area safe from well or domestic water contamination, treated, allowed to stand undisturbed for two to four hours, then returned to the trench which has been lined with 4 mil. plastic sheeting. Be careful not to puncture the plastic sheeting when returning soil to the trench. Do not treat structures that contain cistern or wells.

RETREATMENT?: Retreatment for subterranean termites should only be made when there is evidence of re-infestation subsequent to the initial treatment, or there has been a disruption of the chemical barrier in the soil due to construction, excavations, landscaping, etc. Retreatments may be made to critical areas in accordance with the application techniques described on this label, however, applications should be made as spot treatments only to these areas. Routine retreatment of the entire premises should be avoided.

2217-98

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application of equipment will vary, Seller makes no claims other than those stated on this label.

EPA REG. NO. 2217-98
EPA EST. NO. 2217-KS-1

857/182

Mfd. by
PBI/GORDON CORPORATION
Kansas City, Kansas 66118

BEST DOCUMENT AVAILABLE

465/594/3
17 4

TRP

OCT 06 1982

FMI/Gordon Corporation
1217 West 12th Street
P.O. Box 4090
Kansas City, MO 64101

Attention: Stephen Johnson

Gentlemen:

Subject: Termiticide L.I.P.
Gordon's 720 Chloroane Emulsifiable
EPA Registration No. 2217-98
Application Dated January 20, 1982

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

At the next label printing make the following label revisions:

1. Revise the Statement of Practical Treatment to read:

STATEMENT OF PRACTICAL TREATMENT

If swallowed - Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. DO NOT induce vomiting or give anything by mouth to an unconscious person.

If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.

BEST DOCUMENT AVAILABLE

2017-98

-2-

If on skin - Remove contaminated clothing and wash affected areas with soap and water.

If in eyes- Flush eyes with plenty of water. Call a physician if irritation persists.

2. In the Precautionary Statements, under the subheading "Environmental Hazards," delete the following sentences which may appear:

- o Birds feeding on treated areas may be killed.
- o Birds and other wildlife in treated areas may be killed.
- o Do not apply where runoff is likely to occur.
- o Do not apply when weather favors drift from treated areas.

3. The heading for storage and disposal statements should read "STORAGE AND DISPOSAL."

4. The subheading to the use directions should read:

SUBTERRANEAN TERMITES - DIRECTIONS FOR HOMEOWNER USE TERMITE CONTROL IN EXISTING STRUCTURES.

Submit copies of the revised labeling for our files when available.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

TS-767:LaRocca:DCR-07589:WANG-0007B:tfm:Raven:479-2013: 9/10/82

BEST DOCUMENT AVAILABLE