

**FARMERS  
ATTENTION  
FOR BEST RESULTS  
FOLLOW DIRECTIONS**

**BEFORE FUMIGATION**

First - Open bin doors, cracks, holes or openings in floor and walls, and cover them by covering strips of wet newspaper over them with a layer of clean bedding material. Add a few pounds of grain fumigant to the best result.

Second - If grain is very damp, allow grain to dry out as follows: Add 25% of the grain fumigant to each bushel of grain. Seal bin after treatment and keep sealed in contact with the grain until signs of reinfestation and re-treatment is needed.

**HOW TO APPLY**

Apply fumigant directly to the grain surface in a very wet, coarse, fumigated stream. A fast, uniform distribution of fumigant over the entire grain's surface gives best results. If possible apply from point fixed outside of the bin to avoid toxic fumes. Seal bin after treatment and keep sealed in contact with the grain until signs of reinfestation and re-treatment is needed.

**STANDARD DOSAGE TABLE**

Gallons Per 1000 Bushels Grain			
Type Bin	Wheat Oats	Shelled Corn	Milo and Sorghum
Steel and Concrete	4	6	8
Wooden Tight Closed Top	6	7	9
Wooden Old Open Top	8	8	10

**WARNING:**

The use of this product can cause serious personal injury or death if handled carelessly. Do not eat, drink, or smoke while handling. Avoid breathing vapors. If you suspect symptoms of poisoning, seek medical attention immediately. Do not mix with other chemicals.

**AVAL. TORG**

1. Available in 100% fumigant form.  
2. Standard 75-250 Gallon Tank Car.  
3. Available in 100% fumigant form.  
4. Available in 100% fumigant form.  
**SELLER**

**STANDARD**  
**75-250**

**FUMIGANT**

**WARNING: Keep Out of Reach of Children**  
See Side Panel for Approval Warnings

**KILLS ADULT AND EGG STAGES OF**

Grain Weevils, Rice Weevils, Lesser Grain Borer, Confused Flour Beetle, Angoumois Grain Moth Larva, Cotton Moth Larva, Mediterranean Flour Moth Larva, Large Black Carpet Beetle, Small Black Carpet Beetle, and certain other insects attacking stored cereals.

ACTIVE INGREDIENTS: 100%  
Ethylene Dichloride  
Carbon Tetrachloride

70.0%

29.9%

**Contents 1 Gallon**

Certified by Mid Mutual Fire Protection Bureau as  
**NON COMBUSTIBLE**

	Steel Bin	Wooden Bin
Wooden Tight Closed Top	6	8
Wooden Old Open Top	6	7
Wooden Old Open Top	8	8
<b>INCREASE DOSAGES</b>		
• For Slow Bin Filling Time		
• For High Moisture Grain		
• For High Coverage		
• For High Fumigant Rate		

**INCREASE DOSAGES**

- For Slow Bin Filling Time
- For High Moisture Grain
- For High Coverage
- For High Fumigant Rate

FOXCAR TREATMENT: Apply 50% of recommended dosage to all grain in the car and then seal. If grain temperature reaches 135°F apply additional 10% dosage to all grain.

Storage Temperature: 60°F - 100°F  
Relative Humidity: 25% - 95%  
Temperature: 50°F - 100°F  
Relative Humidity: 25% - 95%

**EMERGENCY TREATMENT FOR GAS POISONING**

If symptoms of gas poisoning develop, call a doctor immediately. If you suspect symptoms of gas poisoning, seek medical attention immediately. Do not mix with other chemicals.

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment, will vary, Seller makes no claims other than those made on the label.