FOR USE BY OR UNDER THE SUPERVISION OF TRAINED PERSONNEL' OR PEST CONTROL OPERATORS ONLY.

VAPONA (R) 50% CE

(Concentrated Solution)

CONTAINS DOVP

ACTIVE INGREDIENTS:

 ${\tt VAPONA}^{(R)}$ is a registered trademark of Shell Chemical Company for DDVP or Dichlorvos insecticide.

KEEP OUT OF REACH OF CHILDREN

DANGER

POISON



POISON


See side panels for Precautionary Statements and Statement of Practical Treatment.

NET CONTENTS 1 GALLON

927/190 AP061267 EPA REG. NO. 2217-341 EPA EST. NO. 2217-KS-1

Mfd. by PBI/GORDON CORPORATION
Kansas City, Kansas 66118

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.



STOP!

READ THE ENTIRE LABEL FIRST.
OBSERVE ALL PRECAUTIONS AND
FOLLOW DIRECTIONS CAREFULLY.

203

PRECAUTIONARY STATEMENTS

Hasards to Humans & Domestic Animals

DANGER: Poisonous if swallowed, inhaled, or absorbed through skin or eyes. Do not get on skin, in eyes, or on clothing. Do not breathe fumes. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling. Launder contaminated clothing before re-use.

Statement of Practical Treatment

IF SWALLOWED: Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink promptly a large quantity of milk, egg white, gelatin solution, or if these are not available, large quantities of water. Avoid alcohol. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air and apply respiration as indicated.

IF ON SKIN: Remove contaminate clothing and wash affected areas with soap and water.

IF IN EYES: Flush with plenty of water. Call a physician immediately.

WARNING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting diarrhea, and abdominal cramps.

NOTE TO PHYSICIAN: This product is an organic phosphate which is a cholinesterase inhibitor. Solvent presents aspiration hazards. Gastric lavage is indicated if material was taken internally. If symptoms of cholinesterase inhibition are present, atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Environmental Hazards

This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift form treated areas. Do not contaminate water by cleaning of equipment of disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE

TO BE APPLIED BY PEST CONTROL OPERATORS ONLY.

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food or feed by storage or disposal. Store in original container in a locked storage area inaccessible to children or pets. To prevent cross-contamination, keep separated from other pesticides, fertilizers, seeds, food and feed. PESTICIDE DISPOSAL: Pesticide wastes are toxic Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

MOSQUITOES, FLIMS, GNATS -- Dilute 1.8 oz. per gallon of No. 2 Fuel Oil (1 gal. per 70 gal.) to make a 1% VAPONA Fogging Spray. OUTDCJRS -- Apply with fogging machine at rate of 5 to 10 pints of spray per acre around golf courses, parks, open-air drive-in theaters, disposal areas. Repeat as necessary. Do not treat areas where food or food crops are growing.

INDOORS -- Fog at rate of one pint of fogging spray per 8,000

cubic feet for control of flies, mosquitoes, and gnats in warehouses, industrial plants, theaters, and horse stables. Apply when plants are not in operation. Occupants should vacate before indoor treatments and should not reoccupy the premises until it has been ventilated.

NOTE: Extinguish all pilot lights before fogging for mist type sprayers.

LIMITED WARRANTY: Manufacturer warrants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled use when applied according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even when label directions are followed.

Exclusion of Other Warranties and Remedies. Except where such disclaimers and exclusions are specifically prohibited by applicable law. THE FOREGOING IS THE ONLY GUARANTEE OR WARRANTS. APPLICABLE TO THIS PRODUCT AND IS GIVEN EXPRESSLY AND LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND ALL SUCH WARRANTIES WHICH EXCEED OR DIFFER FROM SAID LIMITED WARRANTY ARE DISCLAIMED. BY MANUFACTURER, and, upon Manufacturer's compliance with eaid limited warranty, BUYER SHALL HAVE NO REMEDY AGAINST MANUFACTURER FOR ANY TYPE OF DAMAGE OR LOSS, and, IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL DAMAGE OR LOSS.